INGESTION: Can cause depression of central nervous system, nausea, vomiting, and diarrhea.

### HEALTH EFFECTS FROM EXPOSURE

ACUTE/CHRONIC: No special acute or chronic effects or risks are expected from usage as directed on label. Brief, repeated daily use as a skin antisoptic is not harmful and may be beneficial in aiding the healing of skin damaged by excessive, daily handwashing with scape and detergents as well as skin affected by bacterial, viral or fungal infections. Brief contact with eyes, conjunctive or other mucous membranes may cause temporary irritation. Ingestion will cause irritation of throat and esophagus and may cause mental or physical disabilities associated with alcohol intoxication.

# FIRST AID, EMERGENCY PROCEDURES

EYE CONTACT: Immediately flush affected area with plensy of cool water for at least 15 minutes, OET MEDICAL ATTENTION DIMEDIATELY.

INHALATION: Immediately remove victim to fresh air, If victim has slopped breathing, give artificial respiration, preferably mouth-to mouth. GET MEDICAL ATTENTION IMMEDITATELY.

INGESTION: If victim is conscious and able to swallow, have victim drink water or milk to dilute. Never give victim anything by mouth if victim is unconscious or having convulsions. CALL PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. Induce vomiting only if advised by physician or poison control center. SUSPECTED CANCER AGENT?

No. This product's ingredients are not found in Federal OSHA, NTP or IARC lists.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE None known when used as directed.

#### 6. REACTIVITY DATA

STABILITY: Stable at room temperature for at least 5 years in a tightly closed container. CONDITIONS AND MATERIALS TO AVOID: Contact with acttyl chloride and a wide range of strong oxidizing agents which may react violently. HAZARDOUS DECOMPOSITION PRODUCTS; Carbon monoxide can form upon incomplete combustion. HAZARDOUS POLYMERZATION: None Skely.

### 7. SPILL, LEAK AND DISPOSAL PROCEDURES

ENVIROMENTAL PRECAUTIONS: Avoid uncontrolled releases of this material. Where spills are possible, a comprehensive spiil response plan should be developed and implemented. SPILL OR LEAK PROCEDURES: In case of large spills, wear appropriate respiratory protection. Eliminate possible ignition sources. Contain spilled material. Transfer to secure containers. Where necessary, collect spilled product using absorbent media. Dilute spill with water and directly flow to any available sanitary drain. In the event of an uncontrolled release of this product, the user should determine if the release is reportable under applicable laws and regulations. WASTE DISPOSAL; All recovered product may be dispensed along with water through normal sanitary sewage systems in gradual releases.

Note: Dispose of all wastes in accordance with federal, state and local regulations.

# 8. SPECIAL HANDLING INFORMATION

VENTILATION: Adequate ventilation should be available for all uses of this product. RESPIRATORY PROTECTION: Where exposure is likely to exceed acceptable criteria, use NIOSH/MSHA approved respiratory protection equipment. For normal use of product as a skin antisoptic no respirators are deemed necessary,

EYE PROTECTION: Contact of product with the eyes is expected or anticipated in the normal use: however, if there is a possibility of splashing or other meens of contact with eyes, chemical safety goggles meeting the specifications of ANSI Standard 287, 1 should be worn.

GLOVES OR OTHER PROTECTIVE CLOTHING: No protective gloves or clothing are deemed necessary for normal application of product as a skin antiscritic.

STORAGE: Store product in cool place away from areas of high heat, flames or potential sparks. Empty containers may be discarded in trash after rinsing with water.

SHIPPING DESCRIPTION: UN1170 Ethanol, 3, PG II for containers above one liter.

For bettler one liter or less ORMD

Page 2 of 3