CS0205

MATERIAL SAFETY DATA SHEET - U.S. Windsor Red Carpet Super Prespray W100

Windsor Industries

Revision Date: April 12, 2001 Revision 0.0

Section 1: Chemical Product and Company Information

Product Name: Windsor Red Carpet Super Prespray

Product Number: W100

Manufacturer: Professional Chemicals Corp

Emergency Telephone:

325 S. Price Road

(800) 535-5053 [Infotrac]

Chandler, AZ USA 85224

Section 2: Composition / Information or Ingredients

Hazardous Ingredient
Tetrapotassium Salt

CAS

OSHA PEL

OSHA HAZARD

7320-34-5

N/A

Irritant

Section 3: Hazard Identification

Emergency Overview

Appearance: Clear Blue-Green Liquid Odor: Fresh Clean Lemon Scent

Flashpoint: >212°F

Eye Contact: May cause slight eye irritation; injury to eye tissue unlikely

Skin Contact: Frequent or prolonged contact may cause irritation. Skin contact may aggravate an

existing dermatitis condition.

Inhalation: May cause slight temporary irritation.

Ingestion: Small amounts swallowed incidental to normal handling operations are not likely to cause

injury; swallowing amounts larger than that may cause temporary injury.

HMIS Hazard Rating: Health 1

Flammability 0

Reactivity 0

Section 4: First Aid Measures

Eye Contact: Immediately irrigate with flowing water continuously for 15 minutes. If irritation persists consult medical personnel.

Skin Contact: Wash with soap and water. If irritation persists consult medical personnel.

Inhalation: Move to fresh air. If irritation persists consult medical personnel.

Ingestion: If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. If

injured party is conscious, give two glasses of water. Seek medical attention.

MATERIAL SAFETY DATA SHEET - U.S. Windsor Red Carpet Super Prespray W100

Windsor Industries

Revision Date: April 12, 2001 Revision 0.0

Section 5: Fire-Fighting Measures

Flashpoint: >212°F

Upper Flammable Limit (% by volume): N/A Lower Flammable Limit (% by volume): N/A

Autoignition Temperature: N/D

General Hazard: Irritant.

Fire Fighting Procedures: Wear self-contained breathing apparatus and full protective clothing. Use water spray to cool nearby containers and structures exposed to fire.

Hazardous Decomposition Products: During a fire, smoke may contain the original material in addition to unidentified toxic and/or irritating compounds. Hazardous combustion products may include and are not limited to carbon dioxide and carbon monoxide.

Section 6: Accidental Release Measures

Keep all unnecessary personnel away. Prevent additional discharge of material. Prevent liquid from entering sewers, watercourses, or low areas. Contain and absorb spilled liquid with sand or earth. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

Section 7: Handling and Storage

Store out of reach of children. Keep container closed. Store in a cool well-ventilated place away from strong oxidizing or alkaline product. Avoid contact with skin and eyes. Use in a well-ventilated area; do not breathe vapors. Wash hands thoroughly after handling.

Section 8: Exposure Controls / Personal Protection

Engineering Controls: Normal room ventilation is satisfactory.

Eye Protection: Safety glasses

Skin Protection: Use gloves impervious to this material when prolonged or frequently repeated contact

could occur.

Respiratory: No respiratory protection should be needed.

Exposure guidelines: N/E

Section 9: Physical and Chemical Properties

Appearance/Physical State: Clear Blue-Green Liquid Odor: Fresh Clean Lemon Scent

Vapor Pressure: N/D Boiling Point: N/D Density: 8.74 lb./gal

Vapor Density: N/D Freezing Point: N/D Concentrate pH: 9.78

Solubility in Water: Soluble

Mixed pH: 9.5 - 9.9

MATERIAL SAFETY DATA SHEET - U.S. Windsor Red Carpet Super Prespray W100

Windsor Industries

Revision Date: April 12, 2001 Revision 0.0

Section 10: Stability and Reactivity

Chemical stability: Stable

Incompatibility with other substances: Strong oxidizing or alkaline agents

Reactivity: N/D

Hazardous Decomposition Products: Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids, and other unidentified thermal decomposition products from this product or its packaging.

Section 11: Toxicological Information

Route of Entry: Eye contact, and Skin absorption/contact

Effects of Acute Overexposure to Product:

Eye Contact: May cause eye irritation, redness, tearing and blurred vision

Skin Contact: May cause skin irritation, defatting and dermatitis

Inhalation: Inhalation of mist or vapor may cause temporary respiratory irritation. Temporary

central nervous system effects including dizziness, weakness, fatigue, nausea, and

headache.

Ingestion: May cause gastrointestinal temporary irritation with nausea, vomiting and diarrhea.

Effects of Chronic Overexposure to Product:

Exposure limits: N/D for mixture

Teratogenicity: None

Reproductive toxicity: None

Sensitization to Product: None known

Mutagenicity: None Carcinogenicity: None

Section 12: Ecological Information

Please refer to Section 6 for information regarding accidental releases and Section 15 for regulatory reporting information.

Section 13: Disposal Considerations

Dispose of in accordance with federal, state and local regulations. Prevent run-off to sewers.

MATERIAL SAFETY DATA SHEET - U.S. Windsor Red Carpet Super Prespray W100

Windsor Industries

Revision Date: April 12, 2001 Revision 0.0

Section 14: Transportation Information

Shipping paper description: None

Labeling: None Markings: None Placard: None

Packaging: Strong outer packaging. UN specification packaging not required.

Note:

Section 15: Regulatory Information

TSCA: All chemicals used in this product are listed

CERCLA: No

SARA Title III: Under the provisions of Title III, Sections 311/312 of the Superfund Amendments and Reauthorization Act, this product is classified into the Immediate Health Hazard category.

The chemicals used in this product may be subject to the provisions of the Community Right-to Know Act (40 CFR 370 - 374). If reporting requirements are met, please contact the Environmental, Health and Safety (EHS) Manager for information regarding this product.

Section 16: Other Information

This document is prepared in accordance with 29 CFR 1910.1200. The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees.

All information appearing herein is based upon data obtained from the raw material manufacturer and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the manufacturer's control; therefore the users are responsible to verify this data under their own particular conditions, applications and regulations to determine if the product is suitable for their particular purposes. The users assume all risks of product use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

Prepared by: EHS Manager Phone Number: [480] 899-7000



PURCHASE ORDER

INDUSTRIES, しょに Garden City, ID Phone: 208-887-2199 Fax: 208-887-2224

PO Date: 03/02/10 08:46 AM

PO Number: 5022281

SUPPLIER: Wausau Paper Towel & Tissue, LLC

Bin # 073

Milwaukee, WI 53288-0073

Supplier No: 101256

SHIP TO: Boise

5198 Chinden Blvd Boise, ID 83714

USA

(208) 887-2199

Location: 5100

Boise

Buyer: Castillo, Marlo

Phone: (208) 887-2199

Fax: (208) 887-2224

Ship Via:

External PO Number:

Terms: PAY 2% 15 NET 30

Shipping Info: Shipping Info: Please verify the pricing on this Purchase Order with a written acknowledgement by fax to the

number listed on this PO within 24 hours!! In the event you do not, and there is a pricing discrepancy, the pricing

on this PO will prevail.

Line	Item ID	Vendor Part No	Description	Qty	Unit	Unit Cost	Ext Cost	Required Date
RUSH ORDER!! PLEASE SHIP FROM YOUR LOS ANGELES WAREHOUSE.								
1	BAYC493	49300	EcoSoft Green Seal C-Fold Towe	108.0000	CASE	19.8000	2,138.40	03/02/10
2	BAYS470	47000	#470 Natural Singlefold PT	50.0000	CASE	13.0000	650.00	03/02/10

Please verify the pricing on this Purchase Order with a written Acknowledgment by Fax to the number listed on this PO within 48 hours of receipt of this order. In the event you do not, and there is a pricing discrepancy, the pricing on this Purchase Order will prevail.

Total Purchase Order:

\$2,788.40

^{*}Effective January 1, 2009, Brady Industries will no longer pay fuel surcharges. Fuel charges will be deducted from all future invoices.