C41805

Preparation date: 2008-10-04

MATERIAL SAFETY DATA SHEET



LinoBASE Linoleum Sealer

The second secon							
HMIS		NFPA	Personal protective equipment				
Health	1 "	1					
Fire Hazard	0	0	None / Aucune / Ninguno				
Reactivity	0	0					
Version Number: 2							

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

LinoBASE Linoleum Sealer

Product Code:

MS0300082 04189, 5104888

Recommended use:

Industrial/Institutional, Floor care,

Manufacturer, importer, supplier:

US Headquarters

Canadian Headquarters

JohnsonDiversey, Inc. 8310 16th St.

JohnsonDiversey - Canada, Inc. 2401 Bristol Circle

Sturtevant, Wisconsin 53177-1964

Emergency telephone number:

节 哈德拉拉

Oakville, Ontario L6H 6P1

Phone: 1-888-352-2249 MSDS Internet Address: Phone: 1-800-668-3131

www.johnsondiversey.com

1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION. MAY BE MILDLY IRRITATING TO EYES. MAY BE MILDLY IRRITATING TO SKIN

Principle routes of exposure:

Eye contact. Skin contact. Inhalation. May be mildly irritating to eyes. May be mildly irritating to skin.

Eve contact: Skin contact: Inhalation:

245865 ···

None

Ingestion:

None known.

Hazardoue ingradiente

Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Dipropylene glycol methyl ether	34590-94-8	1 - 5%	5135	9500 mg/kg	Not available
Diethylene glycol monoethyl ether	111-90-0	1 - 5%	1920	=4200 μL/kg	5.24 g/m ³

3. COMPOSITION/INFORMATION ON INGREDIENTS

4. FIRST AID MEASURES

Eye contact:

Flush immediately with plenty of water. If irritation develops, get medical attention. Flush immediately with plenty of water. If irritation develops, get medical attention.

Skin contact: Inhalation:

No specific first aid measures are required.

Ingestion:

No specific first aid measures are required.

Aggravated Medical Conditions:

None known.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards:

Not applicable None known

Unusual hazards: Specific methods:

No special methods required

ighter of

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

74 6 2 X 3 X

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: **Environmental precautions** and clean-up methods:

Contaminated surfaces will be extremely slippery. Use personal protective equipment. Clean-up methods - large spillage. Use appropriate containment to avoid environmental contamination, Soak up with oil absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin and eyes. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements. General room ventilation is adequate.

Personal Protective Equipment

Hygiene measures:

Eye protection: Hand protection: Skin and body protection: Respiratory protection:

No special requirements under normal use conditions. No special requirements under normal use conditions No special requirements under normal use conditions. No special requirements under normal use conditions.

Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS#	ACGIH	OSHA	Mexico
Dipropylene glycol methyl ether	34590-94-8	150 ppm (STEL) 100 ppm (TWA)	Skin 100 ppm (TWA) 600 mg/m³ (TWA)	900 mg/m ³ (STEL) 150 ppm (STEL) 100 ppm (TWA)
L	<u> </u>			60 mg/m³ (TWA)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Liquid 7.7

Appearance:

Liquid

Color: Odor:

pH:

Opaque White Mild Characteristic

Specific gravity:

1.03

Density:

8.56 lbs/gat

VOC:

2.58% *

Flash point:

>200°F >93.3°C

Solubility:

Dispersible

Viscosity:

No information available

Bulk density:

Dilution pH:

Vapor density:

Evaporation Rate

Boiling point/range: Melting point/range:

Decomposition temperature:

Autoignition temperature:

Not determined

No information available

No information available.

No information available

No information available

Not determined

Not determined

No information available Partition coefficient (n-octanol/water): No information available Solubility in other solvents: No information available

Elemental Phosphorus:

0 %P

10 STABILITY AND REACTIVITY

Stability:

The product is stable

Polymerization:

Hazardous polymerization does not occur

Hazardous decomposition products:

None reasonably foreseeable.

11. TOXICOLOGICAL INFORMATION

12. ECOLOGICAL INFORMATION

Acute toxicity: Component Information:

Oral LD50 estimated to be greater than 5000 mg/kg Dermal LD50 estimated to be > 2000 mg/kg

See Section 3

Chronic toxicity:

None known

Specific effects

2020 Beerley

Carcinogenic effects:

None known None known

Mutagenic effects: Reproductive toxicity: Target organ effects:

None known None known

Environmental Information:

No data available

LinoBASE Linoleum Sealer

2 of 3

. 252

^{* -} Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

W/22:

Dispose of according to all federal, state and local applicable regulations

14 TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

18. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	+	-
Modified acrylic polymers	30261-69-9	-	-		
Modified acrylic polymers	25766-58-9		,		
Dipropylene glycol methyl ether	34590-94-8	Х	Х	X	X
Diethylene glycol monoethyl ether	111-90-0	-	-		· · · · ·

CERCLA/ SARA

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Diethylene glycol monoethyl ether	X		

SARA 311/312 Hazard Categories

Immediate: Delayed: Fire: Reactivity: -

Sudden Release of Pressure:

Canada

WHMIS hazard class: Non-controlled.

16. OTHER INFORMATION

Reason for revision: Prepared by: Additional advice: Not applicable NAPRAC None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

- (4.00) - (4.00)

7