

C 44665

MATERIAL SAFETY DATA SHEET

Johnson wax
PROFESSIONAL

JX-4000 CONCRETE SEALER

HMIS		NFPA	Personal protective equipment
Health	1	1	None Required
Fire Hazard	0	0	
Reactivity	0	0	

Version Number: 1

Preparation date: 2006-01-27

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: JX-4000 CONCRETE SEALER

MSDS #: 114865006

Product code: 114865006, 114865X, D4865, 04865

Recommended use: Industrial/Institutional Floor care.

Manufacturer, importer, supplier:
US Headquarters: Canadian Headquarters
JohnsonDiversey, Inc. JohnsonDiversey - Canada, Inc.
8310 16th St. 2401 Bristol Circle
Sturtevant, Wisconsin 53177-0902 Oakville, Ontario L6H 8P1
Phone: 1-888-352-2249 Phone: 1-800-888-3131
MSDS Internet Address: www.johnsondiversey.com

Emergency telephone number: 1-800-851-7145 (Proser); 1-851-917-8133 (Int'l Proser); 01-800-710-3400 (Mexico)

EMERGENCY OVERVIEW

CAUTION: MAY BE MILDLY IRRITATING TO EYES. MAY BE MILDLY IRRITATING TO SKIN.

Principle routes of exposure: Eye contact, Skin contact, Inhalation.

Eye contact: May be mildly irritating to eyes.

Skin contact: May be mildly irritating to skin.

Inhalation: None

Ingestion: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS

Ingredient(s)	CAS #	Weight %	LD50 Oral	LD50 Dermal	LC50 Inhalation
Dipropylene glycol methyl ether	34590-84-8	1 - 5%	5.4 mL/kg (rat)	10 mL/kg (rabbit)	Not available

4. FIRST AID MEASURES

Eye contact: Flush immediately with plenty of water. Get medical attention if irritation occurs.

Skin contact: Flush immediately with plenty of water. Get medical attention if irritation occurs.

Inhalation: No specific first aid measures are required.

Ingestion: No specific first aid measures are required.

Aggravated Medical Conditions: None known.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Not applicable

Specific hazards: Not applicable

Unusual hazards: None known

Specific methods: No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment

JX-4000 CONCRETE SEALER

1 of 3

Environmental precautions
and clean-up methods:

No information available

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin and eyes. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements. General room ventilation is adequate.

Personal Protective Equipment

Eye protection:

No special requirements under normal use conditions.

Hand protection:

No special requirements under normal use conditions.

Skin and body protection:

No special requirements under normal use conditions.

Respiratory protection:

No special requirements under normal use conditions.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Dipropylene glycol methyl ether	34560-84-6	150 ppm (STEL) 100 ppm (TWA)	600 mg/m ³ 100 ppm Can be absorbed through the skin.	900 mg/m ³ (STEL) 600 mg/m ³ (TWA)

PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid	Bulk density:	8.62
pH:	9.3	Dilution pH:	NA
Appearance:	Liquid	Vapor density:	No information available
Color:	Opaque Off-white	Evaporation rate:	No information available
Odor:	Mild Ammoniacal	Boiling point/range:	Not determined
Specific gravity:	1.03	Melting point/range:	Not determined
Density:	1.03	Decomposition temperature:	Not determined
VOC:	4.621	Autoignition temperature:	No information available
Flash point:	>200 (°F) >93.3 (°C)	Viscosity:	No information available
Solubility:	Insoluble	Partition coefficient (n-octanol/water):	No information available
		Solubility in other solvents:	No information available

Elemental Phosphorous: 0.08

10. STABILITY AND REACTIVITY

Stability:	Yes.
Polymerization:	No.
Hazardous decomposition products:	None reasonably foreseeable.

11. TOXICOLOGICAL INFORMATION

Acute toxicity	Oral LD50 estimated to be greater than 5000 mg/kg. Dermal LD50 estimated to be > 2000 mg/kg.
Component information:	See Section 3
Chronic toxicity:	None known
Specific effects:	
Carcinogenic effects:	None known
Mutagenic effects:	None known
Reproductive toxicity:	None known
Target organ effects:	None known

12. ECOLOGICAL INFORMATION

Environmental information:	When used for its intended purpose this product should not cause adverse effects in the environment.
----------------------------	--

DISPOSAL CONSIDERATIONS

Waste from residues / unused products:
Dispose of according to all federal, state and local applicable regulations

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: Canada (DSL/DSL), China (IECSC).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:	ILRTK:	CTRTK:
Water	7732-18-6	-	-	-	-	-	-
Diethylene glycol monopropyl ether	8881-84-3	-	Listed	Listed	-	-	-
Ammonia salt of modified styrene acrylic polymers	58478-13-3	-	-	-	-	-	-
Dipropylene glycol methyl ether	34590-94-8	Listed	Listed	Listed	Listed	Listed	-

CERCLA / SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Diethylene glycol monopropyl ether	8881-84-3	1 - 5%			Listed

Canada

WHMIS hazard class: Non-controlled

16. OTHER INFORMATION

Reason for revision: Not applicable
Prepared by: NAPRAC
Additional advice: None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.