Material Safety Data Sheet

QUIK FILL 330

Section 1. Chemical product and company identification

Trade name

: QUIK FILL 330

Ecolab Co.

Product use

Floor care product

Supplier

5105 Tomken Road

Mississauga ON L4W 2X5

1-800-352-5326

Code

Date of issue

10-July-2009

903566

EMERGENCY HEALTH INFORMATION: 1-800-328-8026

Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Hazards identification

Physical state

; Liquid. [Liquid.]

Emergency

: CAUTION I

overview

MAY CAUSE EYE IRRITATION.

Avoid contact with eyes. Wash thoroughly after handling.

Routes of entry

: Skin contact, Eye contact, Inhalation, Ingestion

Potential acute health effects

Eyes

: Moderately imitating to eyes.

Skin

: Slightly irritating to the skin, : Slightly irritating to the respiratory system.

Inhalation

: No known significant effects or critical hazards.

Ingestion See texicological information (section 11)

Section 3. Composition/information on ingredients

elcohois, c10-14, ethoxylated

CAS number

% by weight

66455-15-0 3 - 7

Section 4. First-aid measures

Eye contact

In case of contact, immediately flush eyes with plenty of water. Remove contact lenses and

flush again. Get medical attention if irritation persists.

Skin contact

: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing

and shoes. Get medical attention if irritation persists. Wash clothing before rause. Clean

Inhalation

shoes thoroughly before reuse. If inhaled, remove to fresh air.

Ingestion

: Do not induce vomiting. Never give anything by mouth to an unconscious person. If irritation

persists, get medical attention.

Section 5. Fire-fighting measures

Auto-ignition temperature

Not available

Flash point

> 100°C

Flammable limits

Not available

Hazardous thermal decomposition products : Decomposition products may include the following materials: carbon dioxide

carbon monoxide

metal oxide/oxides

Fire-fighting media and

instructions

: Use an extinguishing agent suitable for the surrounding fire.

QUIK FILL 330

Page: 2/4

Dyke area of fire to prevent runoff.

In a fire or if heated, a pressure increase will occur and the container may

burst.

fire-fighters

Special protective equipment for : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

mode.

Risk of explosion of the product in the presence of mechanical impact: Not available. Risk of explosion of the product in the presence of static discharge: Not available.

Section 6. Accidental release measures

Personal precautions ; Use suitable protective equipment (section 6). Do not allow to enter drains or watercourses.

Environmental precautions

: Avoid dispersal of spift material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental poliution (sewers,

waterways, soil or air).

Mathods for cleaning up

: For small spills, add absorbent (still may be used in the absence of other suitable materials), scoop up material and place in a scalable, liquid-proof container for disposal. For large spills, dyke spilt material or otherwise contain it to ensure runoff does not reach a waterway. Place spilt material in an appropriate container for disposal.

Section 7. Handling and storage

Handling

Avoid contact with eyes. Wash thoroughly after handling.

Storage

Keep out of reach of children. Keep container in a cool, well-ventilated area. Keep container

tightly closed.

Do not store below the following temperature: 0°C

Section 8. Exposure controls/personal protection

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protection:

Eyes

Eye protection recommended.

Hands Skin

 No protective equipment is needed under normal use conditions. : No protective equipment is needed under normal use conditions.

Respiratory

: A respirator is not needed under normal and intended conditions of product use.

Consult local authorities for acceptable exposure (imits.

Section 9. Physical and chemical properties

Physical state

: Liquid. [Liquid.]

Colour

Beige.

Odour

Acrylic, [Slight]

вΗ

9.5 [Conc. (% w/w): 100%]

Boiling/condensation point Melting/freezing point

: Not available.

: Not available.

Relative density

: 1.01

Vapour pressure Vapour density Odour threshold Evaporation rate

: Not available. : Not available. : Not available. : Not available.

LagK_{ow}

: Not available.

Page: 3/4 QUIK FILL 330

Section 10. Stability and reactivity

The product is stable. Under normal conditions of storage and use, hazardous

polymerisation will not occur. Not available.

Conditions of instability

Not available.

Reactivity Hazardous decomposition

Under normal conditions of storage and use, hazardous decomposition products

should not be produced. products

Under normal conditions of storage and use, hazardous polymerisation will not Hazardous polymerisation

OCCUE.

Section 11. Toxicological information

Potential acute health effects

: Moderately initiating to eyes. Eyes : Slightly initating to the skin. Skin

Slightly irritating to the respiratory system. Inhalation : No known significant effects or critical hazards. Ingestion

Potential chronic health effects

: No known significant effects or critical hazards. Carcinopenic effects : No known significant effects or critical hazards. Mutagenic effects : No known significant effects or critical hazards. Teratogenic effects : No known significant effects or critical hazards. Reproductive effects : No known significant effects or critical hazards. Sensitization to Product

Synergistic products (toxicologically)

: Not available.

Toxicity data Not applicable.

: Not available. Target organs

Section 12. Ecological information

Ecatoxicity

Period Species naredient name

Not available.

Section 13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimised wherever possible. Avoid dispersal of split material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Consult your local or regional authorities.

Section 14. Transport information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

UN Classification

Not regulated.

See shipping documents for specific transportation information.

QUIK FILL 330

Page: 4/4

Section 15. Regulatory information

WHMIS

: Class D-2B: Material causing other toxic effects (Toxic).

Canada inventory


: All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Section 16. Other information

Hazardous Material

Information System (U.S.A.)



Date of issue

Responsible name

; 10-July-2009.

: Regulatory Affairs 1-800-352-5326

Date of previous issue

: 24-August-2006.

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.