# QUICK CLEAN

MSDS Information


Material Safety Data Sheet CX 3506

**Product Name: QUICK CLEAN** 

24 Hour Emergency Number - Chem-Tel: 1-800-255-3924

Revision Date: 03/29/04

Pages: 4



TECHNICAL ASSISTANCE CORPORATION

B313 EASTPOINT DRIVE, SCITE 800

DALLAS, TX 75127

**VMC** 

TELEPHONE (2:4)381-8456

\*\*\* 6684-18E(415)

WER

WER MOOLSESSINGWWW

### SECTION 1

CHEMICAL PRODUCT IDENTIFICATION

Product Identifier: Quick Clean

General Use: General purpose cleaner

Product Code: mtqc

Generic Name: Mixture-Not applicable

### SECTION 2

### COMPOSITION OF INGREDIENTS

2-butoxyethanol

CAS# 111-76-2

<2% by wt.

TLV/TWA 20ppm (skin)

ACGIH 1999 denotes possible cutaneous absorption.

### SECTION 3

### HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

Immediate Concerns:

Caution!

Causes eye irritation.

Causes possible skin Initation.

## POTENTIAL HEALTH EFFECTS

EYES:

irritating. May injure eye tissue if not removed promptly.

SKIN:

irritating.

INGESTION:

Minimal Toxicity.

irritating to mouth, throat and stomach. May cause gastric tract disorder.

INHALATION:

Mists are irritating to eyes and respiratory tract in high concentrations.

# SECTION 4

### FIRST AID MEASURES

### EYES:

Immediately flush eyes with large amounts of cool water for at least 15 minutes while holding eyelids open. Get prompt medical attention.

### SKIN:

immediately flush with large amounts of water; use soap if available. Remove contaminated clothing, including shoes, after flushing has begun.

INGESTION: if swallowed, DO NOT induce vomiting. Dilute with several glasses of water. Get prompt medical attention. Do not give anything by mouth to an unconecious person.

INHALATION: Using proper respiratory protection, immediately remove affected victim from exposure. Administer artificial respiration if breathing has stopped. Keep at rest. Get prompt medical attention.

# QUICK CLEAN MSDS INFORMATION



# QUICK CLEAN

MSDS information

VMC
TECHNICAL ASSISTANCE CORPORATION

BJII EASTPOINT DRIVE, SUITE BOO

D413A4, TX 75227

TELEPHONE (214)381-8456

FAX

(214)38J-4896 WER

mww.vmctac.com

Material Safety Data Sheet

SECTION S

FIREFIGHTING MEASURES

FLASHPOINT AND METHOD:

Not flammable.

HAZARDOUS COMBUSTION PRODUCTS:

Carbon monoxide and carbon dioxide and whatever surrounding fire produces. FIRE FIGHTING PROCEDURES:

Use water spray to cool fire exposed surfaces and to protect personnel. Isolate "fuel" aupply from fire if it can be done with no danger to personnel.

SECTION 6

ACCIDENTAL RELEASE MEASURES

### **ENVIRONMENTAL PRECAUTIONS:**

WATER SPILL: Consult an expert on disposal of recovered material and ensure conformity with local regulations.

LAND SPILL: Prevent additional discharge of material if possible to do so without hazard. For small spills implement cleanup procedures; for large spills implement cleanup procedures and, keep public away and advise authorities. Also, if this product is subject to CERCLA reporting (see section 7) reporting notify the National Response Center. Prevent liquid from entering sewers, watercourses, or low areas. Contain spilled liquid with sand or earth. Recover by pumping or with suitable absorbent. Consult an expert on disposal of recovered material and ensure conformity with local regulations.

GENERAL PROCEDURES: Keep container closed when not in use. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. Do NOT handle or store near an open flame, heat or other sources of ignition. Protect material from direct sunlight. This material is not a static accumulator, but use proper grounding procedures. Do Not pressurize, cut, heat or weld containers. Empty product containers may contain product residue. Do NOT reuse empty containers without commercial deaning or reconditioning.

Storage Temperature: 120° F maximum.

**ELECTROSTATIC ACCUMULATION HAZARD:** 

No, but use proper grounding procedure

SECTION 7

HANDLING AND STORAGE

### **GENERAL PROCEDURES:**

Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from Incompatible materials.

Protect material from direct sunlight.

This material is not a static accumulator, but use proper grounding procedures.

Do Not pressurize, cut, heat or weld containers. Empty product containers may contain residual product. Do NOT reuse empty containers without commercial cleaning or reconditioning.

SECTION 8

EXPOSURE CONTROL/PERSONAL PROTECTION

ENGINEERING CONTROLS:Ventilation should be provided to control worker exposures and prevent health risk.

PERSONAL PROTECTION:For open systems where contact is likely, wear long sleeves, chemical resistant gloves, chemical resistant apron and chemical goggles and/or face mask. Where overexposure by inhalation (misting conditions) may occur and engineering work practice or other means of exposure reduction are not adequate, approved respirators may be necessary.





# Quick Clean

MSDS Information

SECTION 9

# Material Safety Data Sheet

VMC TECHNICAL ASSISTANCE CORPORATION

8341 EASTPOINT DRIVE, SUITE 800

DALLAS, TX 75227

TRLEPHONE

(214)381-8456

WEB

www.vinctac.com

PHYSICAL AND CHEMICAL PROPERTIES (214)381-4896 Physical State: .....liquid Odor: .....aromatic Appearance: pH: ......11.0 Freezing Point: ......Not determined Solubility in water: ......infinite Specific Gravity: ......1.03 SECTION 18 STABILITY AND REACTIVITY

STABLE: Yes.

HAZARDOUS POLYMERIZATION: No. CONDITIONS TO AVOID: None known. POLYMERIZATION: Not applicable.

NOTES:

Avoid contact with acid materials,

HAZARDOUS DECOMPOSITION:

Oxides of carbon and other unknown organics.

SECTION 11 TOXICOLOGICAL INFORMATION

None known.

SECTION 12 ECOLOGICAL INFORMATION

None known.

SECTION 13 DISPOSAL CONSIDERATIONS

DISPOSAL METHOD:

SECTION 14

Dispose of in accordance with federal, state and local authorities.

TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION) Proper Shipping Name: Not regulated.

INTERNATIONAL (I.M.O.)

Proper Shipping Name: Unknown

AIR (I.C.A.O.)

Proper Shipping Name: Unknown



# Quick Clean

MSDS Information

Material Safety Data Sheet

VMC

TECHNICAL ASSISTANCE CORPORATION

E311 EASTPOINT DRIVE, SUITE ROD DALLAS, TX 75237

TELEPHONE

(214)381-8456

PAX

(214)381-4896

WEB www.vmctac.com

UNITED STATES:

SECTION 15

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

FIRE: PRESSURE GENERATING: CHRONIC:

REACTIVITY:

REGULATORY INFORMATION

ACUTE:

311/312 Hazard Categories: Under the provisions of Title III, Sections 311/312 of the Superfund Amendments and Authorization Act (SARA) this product is classified into the hazards listed

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION AND LIABILITY ACT)

CERCLA Regulatory: If the reportable quantity of this product is accidentally spilled, the incident is subject to the provisions of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) and must be reported to the National Response Center by calling 800-424-8802.

EPA: RQ

Ingradient: None.

TSCA (TOXIC SUBSTANCES CONTROL ACT)

TSCA Status: Components of this product are listed on the TSCA inventory,

SECTION 16

OTHER INFORMATION

APPROVAL DATE: 03/29/04

REVISION SUMMARY: Change in composition.

NFPA CODES

Fire: 0 Health: 1

Reactivity: 0

HMIS CODES

Fire: 0

Health: 1

Reactivity: 0

MANUFACTURERS DISCLAIMER:

THIS INFORMATION RELATES TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS, SUCH INFORMATION IS TO THE BEST OF OUR KNOWLEDGE AND BELIEF, ACCURATE AND RELIABLE AS OF THE DATE COMPILED. HOWEVER, NO REPRESENTATION, WARRANTY OR GUARANTY IS MADE AS TO ITS ACCURACY, RELIABILITY OR COMPLETENESS OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE. WE DO NOT ACCEPT LIABILITY FOR ANY LOSS OR DAMAGE THAT MAY OCCUR FROM USE OF THIS INFORMATION NOR DO WE OFFER WARRANTY AGAINST PATENT INFRINGEMENT.

