

CX5210

STONE PRO

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List)
FIVEXTRA marble polishing compound

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

Supplied by
Stonepro
(714) 502-3440

Emergency Telephone Number
Telephone Number for Information Website Address

Date Prepared July 15, 2005
Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits	% (optional)
Oxalic Acid	CAS no. 6153-56-6			
Aluminum Oxide	CAS no. 1344-28-1			
Potassium Oxalate	CAS no. 6487-48-5			
Shellac				

Section III - Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity (H ₂ O = 1)	1 gr/cm ³
Vapor Pressure (mm Hg.)	N/A	Melting Point	N/A
Vapor Density (AIR =1)	N/A	Evaporation Rate	N/A
Solubility in Water	PARTIAL	Butyl Acetate = 1)	
		Ph (wet)	3

Appearance and Odor
Light beige powder / None

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	N/A	Flammable Limits	LEL	UEL
Extinguishing Media	N/A	N/A		
Special Fire Fighting Procedures	N/A			

