

Material Safety Data Sheet

JON-STONE WATER-BASED PENETRATING SEALER

National Fire Protection Association (Health	Hazard Reactivity	Hazardous Informatio (HMIS)		Fire Hazard 0 Reactivity 0
Protective None Clothing	required.	Specifi	ic Hazard Emergency Overview		lay be mildly in	mulsion. See Section 9. ritating to eyes. May be mildly
Section 1. C			ompany Identification	 -	Code	17007
Product Use	SEALER Industrial/	₹ Institutional: Flo	or care.		PMS#	2897376
MSDS#	11556600	1			Validation Date	e 6/27/2002
U.S. Headquarters JohnsonDiversey 8310 16th Street Sturtevant, Wisco Phone: (800) 725 MSDS Internet Adwww.johnsondive	, Inc. onsin 53177-09 5-6737 ddress:	902	Canadian Hendquarters JohnsonDiversey Cana 100 Matheson Blvd. Ea Mississauga, Ontario L Phone: (905) 755-0913 746-5971	ida, Inc. ist, Suite 203 4Z 2G7	Print Date Supersedes In Case of Emergency	6/27/2002 6/27/2002. (800) 851-7145

Section 2. Composition and Information on Ingredients				
Ingredients	CAS#	% by Weight	Exposure Limits	LC50/LD50
Isopropyl Alcohol	67-63-0	5-10	OSHA (United States). TWA: 980 mg/m³ STEL: 1225 mg/m³ ACGIH (United States). TWA: 983 mg/m³ STEL: 1230 mg/m³	ORAL (LD50): Acute: 5045 mg/kg [Rat]. DERMAL (LD50): Acute: 12800 mg/kg [Rabbit], VAPOR (LC50): Acute: 16000 ppm 8 hour(s) [Rat].
Fluorinated Polymer Water	proprietary 7732-18-5	5-10 60-100	Not available. Not available.	Not available. ORAL (LD50): Acute: 90000 mg/kg [Rat].

Section 3. Hazards Identification		
Routes of Entry	Inhalation. Skin contact. Eye contact.	
Potential Acute Health Effects		
Eyes	s May be mildly irritating to eyes.	
Skin	May be mildly irritating to skin.	
Inhalation	n None known.	
Ingestion	None known.	
Medical Conditions Aggravated by Overexposure:	None known.	
See Toxicological Information	(section 11)	

Section 4. First Aid Measures		
Eye Contact	Flush immediately with plenty of water. Get medical attention if irritation occurs.	
Skin Contact	Flush immediately with plenty of water. Get medical attention if irritation occurs.	
Inhalation	No specific first aid measures are required.	
Ingestion	No specific first aid measures are required.	

Section 5. Fire Fighting Measures				
Flammability of the Product Flash Points	None known. CLOSED CUP: >93.333°C (200°F).			
Products of Combustion	None known.			
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.			
Special Remarks on Fire and Explosion Hazards	None known.			

Section 6. Accidental Release Measures			
Personal Precautions	Put on appropriate personal protective equipment (see Section 8).		
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.		

Section 7. Handling and Storage			
Handling	Avoid contact with skin and eyes, FOR COMMERCIAL AND INDUSTRIAL USE ONLY.		
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. KEEP OUT OF REACH OF CHILDREN.		

Section 8. Exposure Controls/Personal Protection			
Engineering Controls	No special ventilation requirements. General room ventilation is adequate.		
Personal Protection		l	
	Eyes No special requirements under normal use conditions.		
	Hands No special requirements under normal use conditions.		
Resp	piratory No special requirements under normal use conditions.		
	Feet No special requirements under normal use conditions.		
	Body No special protective clothing is required.		

Section 9. Physical and Chemical Properties		
Physical State and Appearance	Liquid. (Emulsion.)	
Odor	Mild.	
Color	Clear to slightly hazy liquid.	
pН	5 to 6 [Acidic.]	
Specific Gravity	1	
Solubility in water	Appreciable.	

JON-STONE WATER-BASED PENETRATING SEALER

Section 10. Stability and Reactivity			
Stability and Reactivity	The product is stable.		
Conditions of Instability	None known.		
Incompatibility with Various Substances	None known.		
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.		
Hazardous Polymerization	Will not occur.		

Section 11. To	oxicological Information	
Acute toxicity	ORAL (LD50) Greater than 5000 mg/kg (rat).	
	NI I	

Effects of Chronic Exposure None known.

Other Toxic Effects None known.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information No special precautions. Dispose of according to all federal, state and local regulations.

Section 14. Transport Information

DOT Classification

DOT Proper Shipping Name Please refer to the Bill of Lading/receiving documents for up to date shipping information.

TDG Classification

TDG Proper Shipping Name Please refer to the Bill of Lading/receiving documents for up to date shipping information.

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

US Regulations

Federal SARA 313 toxic chemical notification and release reporting: Isopropyl Alcohol CERCLA: Hazardous substances.: Isopropyl Alcohol

State New Jersey spill list: Isopropyl Alcohol

New Jersey: Isopropyl Alcohol

Massachusetts spill list: Isopropyl Alcohol Massachusetts RTK: Isopropyl Alcohol Pennsylvania RTK: Isopropyl Alcohol

This product contains a chemical known to the State of California to cause cancer, birth defects or other

reproductive harm. N-Methyl-2-pyrrolidone

Registered Product Not applicable.

Information

Canadian Regulations

WHMIS Classification Not controlled under WHMIS (Canada).

WHMIS Icon



Registered Product Not applicable. Information



JON-STONE WATER-BASED PENETRATING SEALER

Chemical Inventory Status

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information				
Other Special Considerations	MSDS Serial Range: 010-012.			
Version	1.01			

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws