CY8008

Preparation date: 2009-01-24

MATERIAL SAFETY DATA SHEET



Wood Care: Recoat Adhesion Formula & Tacking Solution

	Table of the state					
HMIS		NFPA	Personal protective equipment			
Health	0	0				
Fire Hazard	0	0	None / Aucune / Ninguno			
Reactivity	0	O				
Version Number: 1	<u>-</u>	· · · · · ·	Proparation data: 2000 04-24			

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

Wood Care: Recoat Adhesion Formula & Tacking Solution

MSDS#: Product Code:

MS0300331 5142243

Recommended use:

industrial/institutional, Floor care.

Manufacturer, importer, supplier:

US Headquarters JohnsonDiversey, Inc.

8310 16th St.

Sturtevant, Wisconsin 53177-1964

Phone: 1-888-352-2249 MSDS Internet Address: www.johnsondiversey.com

Emergency telephone number:

1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I)

Canadian Headquarters JohnsonDiversey - Canada, Inc. 2401 Bristol Circle

Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131

- VECKE

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Principle routes of exposure:

Eye contact. Skin contact. Inhalation. Ingestion.

Eye contact:

None known. None know n.

Skin contact: Inhalation: Ingestion:

None known, None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous ingredients</u>					
Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat (m.g/kg)	LD50 Dermai - Rabbit	LC50 Inhalation -
2-butoxyethanol	111-76-2	0.1 - 1.5%	470	220 mg/kg	2.21 mg/L (4 h); 450 ppm (4 h)

4. FIRST AID MEASURES

Eye contact:

Skin contact:

Rinse with plenty of water.

Rinse with plenty of water.

Inhalation:

No specific first aid measures are required. No specific first aid measures are required.

Ingestion: Aggravated Medical Conditions:

None know n.

W 30

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards:

Not applicable

Unusual hazards:

None known

Specific methods:

No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Not applicable.

Wood Care: Recoat Adhesion Formula & Tacking Solution

1 of 3

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions and clean-up methods:

Soak up with inert absorbent material. Shovel into suitable container for disposal. Use a water rinse for final clean-up.

Eka,

7. HANDLING AND STORAGE

Handling:

Handle in accordance with good industrial hygiene and safety practice. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements.

Personal Protective Equipment

Eye protection: Hand protection: Skin and body protection:

No special requirements under normal use conditions. No special requirements under normal use conditions No special requirements under normal use conditions. No special requirements under normal use conditions.

Respiratory protection: Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s) CAS# **ACGIH** OSHA Mexico 2-butoxyethanol 111-76-2 20 ppm (TWA) 75 ppm (STEL) Skin 240 mg/m3 (TWA) 360 mg/m3 (STEL) 50 ppm (TWA) 26 ppm (TWA) 120 mg/m3 (TWA)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

pΗ: Appearance: Color:

7.3 Liquid Amber

Slight Sweet

Odor: Specific gravity:

1.01 Density: 8.42 lbs/gal VOC:

Flash point:

1% *

>200°F >93.34°C Solubility: Completely Soluble Viscosity:

No information available

Bulk density: Dilution pH: Vapor density: **Evaporation Rate**

Boiling point/range: Melting point/range: Decomposition temperature:

Autoignition temperature:

No information available Partition coefficient (n-octanol/water): No information available No information available Solubility in other solvents:

Bemental Phosphorus:

0 %P

No information available

No information available.

No information available

No information available

Not determined

Not determined

Not determined

10. STABILITY AND REACTIVITY

Stability:

Polymerization:

The product is stable

Hazardous decomposition products:

Hazardous polymerization does not occur

None reasonably foreseeable.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

Component Information:

Oral LD50 estimated to be greater than 6000 mg/kg Dermal LD50 estimated to be > 2000 mg/kg

See Section 3

Chronic toxicity:

None know n

Specific effects

Carcinogenic effects: Mutagenic effects:

None know n None know n None know n

Reproductive toxicity: Target organ effects:

None know n

<u>Hazardous ingredients</u>

Ingredient(s)	CAS#	NTP	IARC	OSHA
2-butoxyethanol	111-76-2		3	

12. ECOLOGICAL INFORMATION

Environmental Information:

No data available

Wood Care: Recoat Adhesion Formula & Tacking Solution

^{* -} Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

W. (1)

All components of this product are listed on the following inventories: Canada (DSL/NDSL), U.S.A. (TSCA).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

ingredient(s)	CAS#	_MARTK:	NURTK:	PARTK:	RIRTK-
<u>Water</u>	7732-18-5			-	131111
2-butoxyethanol	111-76-2	X	X	X	

CERCLA/ SARA

SERVICE SERVIC	_ ·				
Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
2-butoxyethanol	111-76-2	0.1 - 1.5%	1		Y Y

Ingradiant(s)	244		
Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
2-butoxyethanol	i x	***	

SARA 311/312 Hazard Categories

immediate: De layed:

Fire: Reactivity: Sudden Release of Pressure:

Canada

WHMIS hazard class: Non-controlled.

Ingredient(s)	CAS#	NPRI
2-butoxyethanol	111-76-2	X

16. OTHER INFORMATION

Reason for revision:

Not applicable Prepared by: NAPRAC None

No.

Additional advice:

Local laws and regulations.

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and

* 015W C