# 5142243

### **MATERIAL SAFETY DATA SHEET**

Preparation date: 2009-01-24



Wood Care: Recoat Adhesion Formula & Tacking Solution

HM IS NFP		NFPA	Personal protective equipment
Health	0	0	
Fire Hazard	0	0	None / Aucune / Ninguno
Reactivity	0	0	

Wood Care: Recoat Adhesion Formula & Tacking Solution

Version Number: 1 

PRODUCT AND COMPANY IDENTIFICATION

MSDS #: MS0300331 **Product Code:** 5142243

Recommended use: Industrial/Institutional, Floor care.

Manufacturer, importer, supplier:

**US Headquarters** JohnsonDiversey, Inc. 8310 16th St.

Product name:

Sturtevant, Wisconsin 53177-1964

Phone: 1-888-352-2249 MSDS Internet Address: www.johnsondiversey.com

Emergency telephone number:

Canadian Headquarters JohnsonDiversey - Canada, Inc. 2401 Bristol Circle Oakville, Ontario L6H 6P1

Phone: 1-800-668-3131

1-800-851-7145 (U.S.); 1-651-917-6133 (Intil)

#### 2. HAZARDS IDENTIFICATION

EM ERGENCY OVERVIEW

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Principle routes of exposure:

Eye contact, Skin contact, Inhalation, Ingestion. Eye contact: None known. None know a. Skin contact: Inhalation: None know n. None known. Ingestion:

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients CAS# LD60 Oral - Rat LD50 Dermal -Weight % LC50 Inhalation -Ingredient(s) (mg/kg) Rabbit Rat mg/L (4 h); 450 ppm (4 h) 2-butoxyethanol 111-76-2 0.1 - 1.5% 470 220 mg/kg

### 4. FIRST AID MEASURES

Eye contact:

Rinse with plenty of water.

Skin contact: Inhalation: Ingestion:

Rinse with plenty of water. No specific first aid measures are required.

No specific first aid measures are required.

Aggravated Medical Conditions: None know n.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Unusual hazards: Not applicable None know n

Specific methods:

No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Not applicable.

Wood Care: Recoat Adhesion Formula & Tacking Solution

#### 6. ACCIDENTAL RELEASE MEASURES

**Environmental precautions** and clean-up methods:

Soak up with inert absorbent material. Shovel into suitable container for disposal. Use a water rinse for

final clean-up.

## 7. HANDLING AND STORAGE

Handling:

Handle in accordance with good industrial hygiene and safety practice, FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements.

Personal Protective Equipment

Lye protection: Hand protection: Skin and body protection: Respiratory protection:

No special requirements under normal use conditions. No special requirements under normal use conditions No special requirements under normal use conditions. No special requirements under normal use conditions.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

ingredient(s)	CAS#	ACGIH	OSHA	Mexico
2-butoxyethanol	111-76-2	20 ppm (TWA)	Skin	75 ppm (STEL)
			240 mg/m² (TWA)	360 mg/m³ (STEL)
			50 ppm (TWA)	26 ppm (TWA)
				120 mg/m³ (TWA)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid pH:

7.3 Liquid Appearance: Amber Color:

Slight Sweet Odor: Specific gravity: 1.01 8.42 lbs/gal Density: 1% \*

VOC: Flash point:

Solubility:

Viscosity:

>200°F >93.34°C Completely Soluble No information available Bulk density: Dilution pH: Vapor density: Evaporation Rate

Boiling point/range: Melting point/range: Decomposition temperature:

Autoignition temperature: Partition coefficient (n-octanol/water): No information available Solubility in other solvents:

No information available No information available

No information available

No information available.

No information available

No information available

Not determined

Not determined

Not determined

**Bemental Phosphorus:** 0 %P

#### 10. STABILITY AND REACTIVITY

Stability:

The product is stable

Polymerization: Hazardous polymerization does not occur

Hazardous decomposition products: None reasonably foreseeable.

#### 11. TOXICOLOGICAL INFORMATION

Acute toxicity:

Oral LD50 estimated to be greater than 5000 mg/kg Dermal LD50 estimated to be > 2000 mg/kg

See Section 3 Component Information:

Chronic toxicity:

None know n

Specific effects

Carcinogenic effects: None know n Mutagenic effects: None know n Reproductive toxicity: None know n Target organ effects: None know n

Hazardous ingredients

Ingredient(s)	CAS#	NTP	IARC	OSHA
2-butoxyethanol	111-76-2		3 .	

7.7 12. ECOLOGICAL INFORMATION

No data available Environmental Information:

Wood Care: Recoat Adhesion Formula & Tacking Solution

<sup>\* -</sup> Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

#### 13. DISPOSAL CONSIDERATIONS

#### Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

### 14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

(A)

### 15. REGULATORY INFORMATION

#### International Inventories

All components of this product are listed on the following inventories: Canada (DSL/NDSL), U.S.A. (TSCA).

#### U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

VIALENDIII TO MON						
ingredient(s)	CAS#	MARTK:	NURTK:	PARTK:	RIRTK:	
Water	7732-18-5	-	_	_	-	
2-butoxyethanoi	111-76-2	X	X	X	×	

CERCLA/ SARA

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)   Section 302 TPQ	(lbs)	Section 313
2-butoxyethanol	111-76-2	0.1 - 1.5%			. X

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
2-butoxyethanoi	X		

#### SARA 311/312 Hazard Categories

Immediate:

Delayed: Fire:

Reactivity: Sudden Release of Pressure: -

#### Canada

WHM IS hazard class: Non-controlled.

Ingredient(s)	CAS#	NPRI
2-butoxyethanol	111-76-2	X

#### 16. OTHER INFORMATION

Reason for revision: Prepared by: Additional advice: Not applicable NAPRAC None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Wood Care: Recoat Adhesion Formula & Tacking Solution