MATERIAL SAFETY DATA SHEET



Wood Care: Ultra Low Odor Waterbased Finish

11000 Oalc. Olda Low Odol Waterbacka i mion									
HMIS		NFPA	Personal protective equipment						
Health	1	1	N. 14 (N.						
Fire Hazard	0	0	None / Aucune / Ninguno						
Reactivity	0	0							
Version Number: 1			Preparation date: 2009-01-14						

1. PRODUCT AND COMPANY IDENTIFICATION

Wood Care: Ultra Low Odor Waterbased Finish Product name:

MSDS #: MS0300289 5142227 **Product Code:** Recommended use: Floor care.

Manufacturer, importer, supplier:

US Headquarters JohnsonDiversey, Inc. 8310 16th St. Sturtevant, Wisconsin 53177-1964

Phone: 1-888-352-2249 MSDS Internet Address: www.johnsondiversey.com

1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l) Emergency telephone number:

Canadian Headquarters JohnsonDiversey - Canada, Inc. 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131

11/23

2. HAZAROS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION: MAY BE MILDLY IRRITATING TO EYES. MAY BE MILDLY IRRITATING TO SKIN.

Eye contact, Skin contact, Inhalation. Principle routes of exposure: Eye contact: May be mildly irritating to eyes. May be mildly irritating to skin. Skin contact:

None know n. Inhalation: Ingestion: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components None

4. FIRST AID MEASURES

Flush immediately with plenty of water. If irritation develops, get medical attention. Eve contact: Flush immediately with plenty of water. If irritation develops, get medical attention. Skin contact:

No specific first aid measures are required. Inhalation: Ingestion: No specific first aid measures are required.

Aggravated Medical Conditions: None known.

5. FIRE-FIGHTING MEASURES

The product is not flammable. Extinguish fire using agent suitable for surrounding fire. Suitable extinguishing media:

Specific hazards: None known. None know n Unusual hazards:

No special methods required Specific methods:

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

6 ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment

Environmental precautions Soak up with inert absorbent material. Swieep up and shovel into suitable containers for disposal. Use a and clean-up methods:

water rinse for final clean-up.

7. HANDLING AND STORAGE

Wood Care: Ultra Low Odor Waterbased Finish

7. HANDLING AND STORAGE

-M. 6

Handling:

Avoid contact with skin and eyes. HANDLING OF WASTE MATERIALS: Used finish materials (e.g. clean-up rags, steel wool, tacking towels) and sanding dust can spontaneously ignite if improperly discarded. Do not store waste finish materials or sanding dust in a pile or discard into the regular trash. Instead, immediately place all waste materials into a water-filled metal container and discard according to local, state and federal regulations... FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements. General room ventilation is adequate.

Personal Protective Equipment

Eye protection:

No special requirements under normal use conditions. No special requirements under normal use conditions

Hand protection: Skin and body protection: Respiratory protection:

No special requirements under normal use conditions. No special requirements under normal use conditions.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

pH: 8.0

Appearance: Liquid Color: White Odor: Slight Amine

Specific gravity: Density:

1.04 8.67 lbs/gat VOC:

Flash point: Solubility:

145g/L (40 CFR §59.400)

>200°F >93.3°C

Viscosity:

Dispersible No information available Bulk density: Dilution pH: Vapor density:

Evaporation Rate Boiling point/range: Melting point/range:

Decomposition temperature: Autoignition temperature: Partition coefficient (n-octanol/water): No information available

Solubility in other solvents: Bemental Phosphorus:

No information available No information available. No information available No information available

Not determined Not determined Not determined

No information available No information available

0 %P

10. STABILITY AND REACTIVITY

Stability:

Polymerization:

The product is stable

Hazardous polymerization does not occur

Hazardous decomposition products:

Materials to avoid: Conditions to avoid:

None reasonably foreseeable None known. Do not freeze.

Acute toxicity:

11. TOXICOLOGICAL INFORMATION

Component Information:

Oral LD50 estimated to be greater than 5000 mg/kg Dermal LD50 estimated to be > 2000 mg/kg

See Section 3

Chronic toxicity:

None know n

Specific effects

Carcinogenic effects: Mutagenic effects: Reproductive toxicity: Target organ effects:

None know n None know n None know n None know n

12. ECOLOGICAL INFORMATION

Environmental Information:

No data available

13. DISPOSAL GONSIDERATIONS

Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

Wood Care: Ultra Low Odor Waterbased Finish

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: Canada (DSL/NDSL), U.S.A. (TSCA).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-		-
Dipropylene alycol dimethyl ether	111109-77-4	-	-	-	_
Polymer Polymer	TS*		-	-	
Collodial silica, amorphous	TS*		-	-	-

CERCLA/ SARA

None

CAA HAP/CAA ODS/CWA Priority Pollutants: None

SARA 311/312 Hazard Categories

Immediate:
Delayed:
Fire:
Reactivity:
Sudden Release of Pressure:

Canada

WHMIS hazard class: Non-controlled.

16. OTHER INFORMATION

Reason for revision:
Prepared by:
Additional advice:
Not applicable NAPRAC
None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Wood Care: Ultra Low Odor Waterbased Finish