DIA 0019**7**

MATERIAL SAFETY DATA SHEET **REVISION 1** MSDS L-106

THE DIAL CORPORATION CONSUMER PRODUCTS GROUP 1850 NORTH CENTRAL AVENUE PHOENIX, ARIZONA 85004

MEDICAL EMERGENCIES: 1-800-228-5635 (Ext. 206) CHEMTREC: 1-800-424-9300 (24 Hours Daily) OTHER INFORMATION: (602) 991-3000

BUBSTANCEDENTIFICATION

SUBSTANCE:

BAR SOAP

TRADE NAMES/SYNONYMS:

DIAL BAR SOAP: GOLD, ALMOND, WHITE, and SKY BLUE

DIACC081

CHEMICAL FAMILY:

Mixture

I.D. NUMBERS:

900768-3 (Gold), 900767-3 (Almond), 900768-3 (White), 900769-3 (Sky Blue)

NFPA RATINGS (Scale 0-4, where 4-high degree of hazard): HEALTH-1 FLAMMABILITY-1 REACTIVITY-0

HEALTH-0 FLAMMABILITY-1 REACTIVITY-0

HMIS RATINGS (Scale 0-4, where 4-severe hazard):

to consumer use and not found on the product label.

This product is tabeled in accordance with guidelines set forth in the Food, Drug, and Cosmetic Act. The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this Material Safety Data Sheet may differ from the requirements of the FD & C Act and as a result, this MSDS may contain additional health hazard information not pertinent

HAZARDOUS INGREDIENT INFORMATION

OCCUPATIONAL EXPOSURE LIMITS: None established.

Carcinogen status of components: Not listed as carcinogenic by NTP, IARC, or OSHA.

PHYSICAL AND CHEMICAL DATA

DESCRIPTION: White or colored bar with a pleasant soap-based fragrance.

SOLUBILITY IN WATER: Nearly complete.

FIRE AND EXPLOSION DATA

FIRE AND EXPLOSION HAZARD - The fire hazard for this product has not been determined. The hazard(s) of the component(s) with the most severe hazard(s) are:

Slight fire hazard when exposed to heat or flame. Dust - air mixtures may ignite or explode.

FIRE FIGHTING MEDIA - Dry chemical, carbon dioxide, water spray or regular foam. For larger fires, use water spray. fog er regular foam.

"FIRE FIGHTING - Move container from fire area if you can do it without risk. Do not scatter spilled material with highpressure water streams. Dike fire-control water for later disposal. Use agents suitable for type of surrounding fire. Avoid breathing vapors, keep upwind.

Page 1 of 3

ng teat

HEALTH HAZARD DATA

NOTE: The acute health effects described below are those which could potentially occur for the finished product. They are based on the toxicology information available for the finished product and/or each hazardous ingredient, and are consistent with the product type and the likelihood of a specific route of exposure. Known chronic health effects related to exposure to a specific ingredient are indicated.

ACUTE HEALTH EFFECTS:

INHALATION:

Unlikely to occur due to the physical properties of the product. Ousts may cause mild

initation.

SKIN CONTACT:

Repeated or prolonged exposure may cause irritation or dermatitis.

EYE CONTACT:

May cause mild, transient initation.

q

INGESTION:

25 3 4 5 C

May cause gastrointestinal initiation with nausea, vomiting, and diarrhea.

CHRONIC HEALTH EFFECTS: None.

MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE: Persons with history of chronic skin conditions (such as eczenta).

ENERGENCY AND FIRST AID PROCEDURES

INHALATION: Remove from exposure area to fresh air immediately. Keep affected person warm and at rest, Treat symptomatically and supportively. Contact physician or local poison control center il symptoms persist or recur.

SKIN CONTACT: Discontinue use if imitation occurs, Get medical attention if irritation persists.

EYE CONTACT: Immediately rinse eyes with plenty of water, occasionally lifting upper and lower lids, until no evidence of product remains. Get medical attention if pain or Initation persist.

INGESTION: Treat symptomatically and supportively. Maintain already and respiration. If vomiting occurs, keep head below hips to prevent aspiration. Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. If unconscious, the victim should not be given anything to drink. Contact physician or local poison control center.

REACTIVITY

REACTIVITY - Stable under normal temperatures and pressures.

INCOMPATIBILITIES: Strong exidizers, acids and bases.

DECOMPOSITION - Thermal decomposition may release toxic and/or hazardous gases including oxides of carbon and sodium.

POLYMERIZATION - Hazardous polymerization has not been reported to occur under normal temperatures and pressures.

STORAGE AND DISPOSAL

Store away from Incompatible substances. Observe all federal, state and local regulations when storing or disposing of this substance.

Page 2 of 3

	CONDITIONS TO AVOID
Avoid contact with incompatible substances and excessive heat	
y y	PILL AND LEAK PROCEDURES
OCCUPATIONAL SPILL - Sweep up and p unnecessary people away.	vlace in suitable clean, dry containers for reclamation or later disposal. Keep
CCUPA	ATIONAL PROTECTIVE EQUIPMENT
VENTILATION - Provide adequate ventilati	ion.
must not exceed the working limits of the	required, it must be based on the contamination levels found in the workplace, respirator and be jointly approved by the National Institute for Occupational nd Health Administration (NIOSH-MSHA).
	DIATELY DANGEROUS TO LIFE OR HEALTH CONDITIONS -
pressure mode. Any supplied-air respirator	t has a full facepiece and is operated in a pressure-demand or other positive- r that has a full facepiece and is operated in a pressure-demand or other an auxiliary self-contained breathing apparatus operated in pressure-demand
pressure mode. Any supplied-air respirator positive-pressure mode in combination with or other positive-pressure mode.	r that has a full facepiece and is operated in a pressure-demand or other
pressure mode. Any supplied-air respirator positive-pressure mode in combination with or other positive-pressure mode. CLOTHING - Protective clothing should be	r that has a full facepiece and is operated in a pressure-demand or other an auxiliary self-contained breathing apparatus operated in pressure-demand
pressure mode. Any supplied-air respirator positive-pressure mode in combination with or other positive-pressure mode. CLOTHING - Protective clothing should be GLOVES - Protective gloves should be wor	r that has a full facepiece and is operated in a pressure-demand or other an auxiliary self-contained breathing apparatus operated in pressure-demand worn, where prolonged skin contact may occur.
pressure mode. Any supplied-air respirator positive-pressure mode in combination with or other positive-pressure mode. CLOTHING - Protective clothing should be GLOVES - Protective gloves should be workey PROTECTION - Dust-proof safety glasoccur.	r that has a full facepiece and is operated in a pressure-demand or other an auxiliary self-contained breathing apparatus operated in pressure-demand worn, where prolonged skin contact may occur. The where prolonged skin contact may occur.
pressure made. Any supplied-air respirator positive-pressure mode in combination with or other positive-pressure mode. CLOTHING - Protective clothing should be GLOVES - Protective gloves should be workey PROTECTION - Dust-proof safety glau occur.	r that has a full facepiece and is operated in a pressure-demand or other an auxiliary self-contained breathing apparatus operated in pressure-demand worn, where prolonged skin contact may occur. The where prolonged skin contact may occur. Sees should be worn to prevent eye contact, where dusty conditions may
pressure mode. Any supplied-air respirator positive-pressure mode in combination with or other positive-pressure mode. CLOTHING - Protective clothing should be GLOVES - Protective gloves should be workey EYE PROTECTION - Dust-proof safety glagocour.	r that has a full facepiece and is operated in a pressure-demand or other an auxiliary self-contained breathing apparatus operated in pressure-demand worn, where prolonged skin contact may occur. The worn is prolonged skin contact may occur. The sees should be worn to prevent eye contact, where dusty conditions may accur.

The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, the Dial Corporation makes no representation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for a particular purpose. Accordingly, the Dial Corporation will not be responsible for damages of any kind resulting from the use of or reliance upon such information. No representations, or warranties, either expressed or implied of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information set forth herein or to the product to which the information refers.

MSDS CREATION DATE: 04/21/93

REVISION DATE: 01/04/95

REVISION: Update format; revise and update chemical information; add I.D. Numbers, NFPA and HMIS ratings new emergency telephone numbers.