H 103754

MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174 IDENTITY AND MANUFACTURER'S INFORMATION HMIS Rating: Health-2: Flammability-1: Reactivity-0; Personal Protection-B NFPA Rating: Health-2; Flammability-1; Reactivity-0; Special-DOT Hazard Classification: ORM-D Manufactured For: Hillyard Industries, Inc. Address: 302 N. 4th Street Identity (trade name as used on label): FOAMING BASEBOARD STRIPPER St. Joseph, MO 64501 Address: Part# HIL0103754 Revision- 16 MSDS Number: A00806 Phone: (816)-233-1321 ext. 8285 or http://www.hillyard.com D.O.T. Emergency Response Number: Chemtrec 1-800-424-9300 Date Prepared: 10/25/07 Prepared By: IB Information Calls: (770)422-2071 NOTICE: JUDGMENT BASED ON INDIRECT TEST DATA SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION OŜHA PEL ACGIH Carcinogen SARA COMPONENTS-CHEMICAL NAMES AND COMMON NAMES CAS Number III LIST TLV (ppm) Ref. Source ' (ppm) Hazardous Components 1% or greater; Carcinogens 0.1% or greater) ΝE d 75-28-5 No NF ISOBUTANE/PROPANE BLEND 74-98-6 No 1000 1000 d 400 d No 400 67-63-0 ISOPROPANOL 50 20 ď 111-76-2 Yes (*GLYCOL ETHER) ETHYLENE GLYCOL MONOBUTYL ETHER * d 3 141-43-5 No MONOETHANOLAMINE 4 1000 1000 64-17-5 Nο ETHANOL SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS Specific Gravity (H2O=1): Concentrate Only = 0.98 Boiling Point: N/A Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A Vapor Pressure: PSIG @ 70°F (Aerosols); Max. 60 Evaporation Rate (BuAc = 1): Slower Vapor Density (Air = 1): N/E Solubility in Water: Soluble Water Reactive: No Appearance and Odor: White foam spray, with amine / alcohol odor SECTION 3 - FIRE AND EXPLOSION HAZARD DATA Auto Ignition Temperature Flammability Limits in Air by % in Volume: FLAMMABILITY as per USA FLAME PROJECTION TEST % LEL: N/E % UEL: N/E (aerosols); extinguishes flame. CPSC: NOT CATEGORIZED AS N/E LAMMABLE EXTINGUISHER MEDIA: Foam, dry FLASH POINT AND METHOD USED (non-aerosols): N/A chemical, carbon dioxide, water. SPECIAL FIRE FIGHTING PROCEDURES: Use water spray to keep containers cool. Self-contained breathing apparatus. Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures above 130°F or the container may rupture.

SECTION 4 - REACTIVITY HAZARD DATA HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR STABILITY [X] STABLE [] UNSTABLE Incompetibility (Mat. to avoid): Strong organic acids, strong mineral acids, alkeli Conditions to Avoid: Open flame, welding arcs, heat. metals, copper Hazardous Decomposition Products: CO, CO2, various oxides of carbon, nitrogen compounds SECTION 5 - HEALTH HAZARD DATA [] INGESTION [X] SKIN ABSORPTION [X] EYE [] NOT HAZARDOUS PRIMARY ROUTES OF ENTRY: [X] INHALATION ACUTE EFFECTS: Inhalation: Excessive inhalation of vapors can be harmful & may cause headache, dizziness, asphyxia, anesthetic effects & possible unconsciousness Skin Contact: Irritant. Prolonged or repeated contact can defat skin resulting in drying of skin or Eye Contact: Irritant, Burning and redness. dermatitus. Ingestion: ASPIRATION HAZARD. Possible chemical pneumonitis if aspirated into lungs, Nausea, diarrhea. CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) May cause nasal and respiratory irritation, diarrhea, vomiting. Lab nimals have experienced anemia, liver, kidney, lung, blood damage to ethylene glycol monobutyl ether. Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions **EMERGENCY FIRST AID PROCEDURES** Eye Contact: Flush with water for 15 minutes, followed by a 1% saline solution. If irritation continues, seek medical attention. Skin Contact: Wash affected area with soap & water. If irritated, seek medical attention. Remove contaminated clothing & launder before reuse Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention. Ingestion: DO NOT INDUCE VOMITING. ASPIRATION HAZARD. Get immediate medical attention. SECTION 6 - CONTROL AND PROTECTIVE MEASURES Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH to be used in a positive pressure mode Eye Protection: Safety glasses recommended. Protective Gloves: Rubber gloves recommended. Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV. Other Protective Clothing & Equipment: None Hygienic Work Practices: Wash with soap and water before handling food. SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE Steps To Be Taken If Material Is Spilled Or Released: Absorb spilled liquid with suitable medium. Place in closed drum for proper disposal. Incinerate or landfill according to local, state or Federal regulations. Small spills can be flushed to sewer. Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use pose no disposal hazard.

Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN, Avoid food contamination, Avoid inhalation of vapors We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only

Precautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F