



H103954

MATERIAL SAFETY DATA SHEET

EPA Reg. No. 33176-6-1658

EPA Est. No. 10807-GA-1

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910 1200 and OSHA Form 174 IDENTITY AND MANUFACTURER'S INFORMATION HMIS Rating: Health-1; Flammability-1; Reactivity-0; Personal Protection-8 NFPA Rating: Health-1; Flammability-1; Reactivity-0; Special-DOT Hazard Classification: ORM-D Manufactured For: Hillyard Industries, Inc. identity (trade name as used on label): 302 N. 4th Street Address: GERMICIDAL FOAMING CLEANER/ Part# HIL0103954 St. Joseph, MO 64501 Address: MSDS Number: A00251 Revision- 12 (816)-233-1321 ext. 8285 or http://www.hillyard.com Phone: Prepared By: CH/IB EMERGENCY RESPONSE NUMBER: Chemtrec 1-800-424-9300 Date Prepared: 08/28/07 Information Calls: (770)422-2071 NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION CAS Numbe SARA OSHA PEL ACGIH Carcinogen COMPONENTS-CHEMICAL NAMES AND COMMON NAMES TLV (ppm) III LIST Ref. Source Hazardous Components 1% or greater; Carcinogens 0.1% or greater)
ISOBUTANE / PROPANE BLEND (ppm) 800 No 800 đ 75-28-5 1000 d 74-98-6 No 1000 NE d Yes ΝE 112-34-5 DIETHYLENE GLYCOL MONOSUTYL ETHER * Yes ΝE NE e O-PHENYLPHENOL 90-43-7 WARNING: This product contains a chemical or chemicals known to the State of California to cause cancer. GLYCOL ETHER SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS Specific Gravity (H2O=1): Concentrate Only = 1.0 Boiling Point: N/A Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A Vapor Pressure: PSIG @ 70°F (Aerosols): Max.60 Evaporation Rate (= 1): N/E Vapor Density (Air = 1): N/E Water Reactive: No Solubility in Water: Completely soluble Appearance and Odor: White foam, light airy fragrance. SECTION 3 - FIRE AND EXPLOSION HAZARD DATA Flammability Limits in Air by % in Volume: Auto Ignition Temperature FLAMMABILITY as per USA FLAME PROJECTION TEST % UEL: N/E % LEL: N/E N/E (aerosois): NOT CATEGORIZED AS FLAMMABLE EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide. LASH POINT AND METHOD USED (non-aerosols): SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures above 130°F or the container may rupture. SECTION 4 - REACTIVITY HAZARD DATA HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT STABILITY [X] STABLE [] UNSTABLE Conditions to Avoid: Open flame, welding arcs, heat. Incompatibility (Mat. to avoid): Strong oxidizers. Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, trace oxides of nitrogen SECTION 5 - HEALTH HAZARD DATA [X]INHALATION []INGESTION [X]SKIN ABSORPTION []EYE []NOT HAZARDOUS PRIMARY ROUTES OF ENTRY: ACUTE EFFECTS: Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness. Skin Contact: Mild irritation. Increased irritation with prolonged and repeated contact. Eye Contact: Irritation. Ingestion: Harmful if swallowed. Possible chemical pneumonitis if aspirated into lungs. Nausea CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) May cause diarrhea, vomiting, gastrointestinal irritation. Lab animals have experienced kidney and lung damage with excessive exposure to diethylene glycol butyl ether Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions **EMERGENCY FIRST AID PROCEDURES** Eye Contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue insing eye. Call a poison control center or doctor for treatment advice. Skin Contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention. Ingestion: DO NOT INDUCE VOMITING. Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person SECTION 6 - CONTROL AND PROTECTIVE MEASURES Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NiOSH in positive pressure mode. Eye Protection: Safety glasses recommended Protective Gloves: Latex or nitrile if skin easily irritated. Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV. Other Protective Clothing & Equipment: None Hygienic Work Practices: Wash with soap and water after handling. Remove contaminated clothing SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE Steps To Be Taken If Material is Spilled Or Released: Absorb with suitable medium. Incinerate or landfill according to local, state or Federal regulations. DO NOT FLUSH TO SEWER. Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard. Do Not Puncture or incinerate! IF EMPTY: Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions Precautions To Be Taken In Handling & Storage: Do not contaminate water, food or feed by storage or disposal. Do not puncture or incinerate containers. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

Other Precautions & or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing vapors.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

"Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only