

JA7402

MATERIAL SAFETY DATA SHEET

JohnsonDiversey



Clean is just the beginning

SNUGGLE Liquid Fabric Softener

HMIS		NFPA	Personal protective equipment
Health	1	1	None / Aucune / Ninguno
Fire Hazard	1	1	
Reactivity	0	0	

Version Number: 2

Preparation date: 2009-09-15

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: SNUGGLE Liquid Fabric Softener
 MSDS #: MS0500084
 Product Code: 2979953, 2979996
 Recommended use: Industrial/Institutional Laundry care.

Manufacturer, importer, supplier:

US Headquarters
 JohnsonDiversey, Inc.
 8310 16th St.
 Sturtevant, Wisconsin 53177-1964
 Phone: 1-888-352-2249
 MSDS Internet Address:
 www.johnsondiversey.com

Canadian Headquarters
 JohnsonDiversey - Canada, Inc.
 2401 Bristol Circle
 Oakville, Ontario L6H 6P1
 Phone: 1-800-668-3131

Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION MAY BE MILDLY IRRITATING TO EYES. COMBUSTIBLE LIQUID AND VAPOR.

Principle routes of exposure: Eye contact. Skin contact. Inhalation.
 Eye contact: May be mildly irritating to eyes.
 Skin contact: None known.
 Inhalation: None known.
 Ingestion: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Ethyl alcohol	64-17-5	0.1 - 1.5%	7060	Not available	Not available

4. FIRST AID MEASURES

Eye contact: Flush immediately with plenty of water. If irritation develops, get medical attention.
 Skin contact: Rinse with plenty of water.
 Inhalation: No specific first aid measures are required.
 Ingestion: No specific first aid measures are required.
 Aggravated Medical Conditions: None known.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, water spray, foam, carbon dioxide.
 Specific hazards: Not applicable
 Unusual hazards: None known
 Specific methods: No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment. Turn off all sources of ignition.
 Environmental precautions and clean-up methods: Eliminate all ignition sources. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

SNUGGLE Liquid Fabric Softener

1 of 3

7. HANDLING AND STORAGE

Handling:

Avoid contact with eyes. COMBUSTIBLE LIQUID AND VAPOR. Keep away from open flames, hot surfaces and sources of ignition. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements. General room ventilation is adequate.

Personal Protective Equipment

Eye protection:

No special requirements under normal use conditions.

Hand protection:

No special requirements under normal use conditions.

Skin and body protection:

No special requirements under normal use conditions.

Respiratory protection:

No special requirements under normal use conditions.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Ethyl alcohol	64-17-5	1000 ppm (TWA)	1900 mg/m ³ (TWA) 1000 ppm (TWA)	1000 ppm (TWA) 1900 mg/m ³ (TWA)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid	Bulk density:	No information available
pH:	5.0	Dilution pH:	No information available.
Appearance:	Liquid	Vapor density:	No information available
Color:	Opaque Blue	Evaporation Rate	No information available
Odor:	Floral	Boiling point/range:	Not determined
Specific gravity:	0.994	Melting point/range:	Not determined
Density:	8.29 lbs/gal 0.994 Kg/L	Decomposition temperature:	Not determined
VOC:	<1% *	Autoignition temperature:	No information available
Flash point:	168°F 75.5°C	Partition coefficient (n-octanol/water):	No information available
Solubility:	Completely Soluble	Solubility in other solvents:	No information available
Viscosity:	No information available	Elemental Phosphorus:	0% by wt.

Explosion limits: - lower: Not determined- upper: Not determined

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Stability:	The product is stable
Polymerization:	Hazardous polymerization does not occur
Hazardous decomposition products:	None reasonably foreseeable.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:	Oral LD50 estimated to be greater than 5000 mg/kg Dermal LD50 estimated to be > 2000 mg/kg
Component information:	See Section 3
Chronic toxicity:	None known
Specific effects	
Carcinogenic effects:	None known
Mutagenic effects:	None known
Reproductive toxicity:	None known
Target organ effects:	None known

Hazardous ingredients

Ingredient(s)	CAS #	NTP	IARC	OSHA
Ethyl alcohol	64-17-5	X		X

12. ECOLOGICAL INFORMATION

Environmental Information:	No data available
----------------------------	-------------------

13. DISPOSAL CONSIDERATIONS

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl chlorides	61789-80-8	-	-	-	-
Ethyl alcohol	64-17-5	X	X	X	X

CERCLA/ SARA

SARA 311/312 Hazard Categories

Immediate: -
Delayed: -
Fire: X
Reactivity: -
Sudden Release of Pressure: -

Canada



WHMIS hazard class: Division 3 - Combustible Liquid.

16. OTHER INFORMATION

Reason for revision: Not applicable
Prepared by: NAPRAC
Additional advice: None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.