MATERIAL SAFETY DATA SHEET

ML21215

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

SECTION 1. PRODUCT AND	TRANSPIRE ACTUDE	DIC INC	ODU ATI	~	
FPA Rating: Health-2; Flammability-1; Reactivity-0; Special-0 HMIS Rating: Health-2; Flammability-1; Reactivity-0; Rescord Brotagtion 0					
g. , todict 2, Tlammability-1, Treactivity-0, Special-0	HMIS Rating: Health-2; Flammability-1; Reactivity-0; Personal Protection-0				
DISTRIBUTE DE MICCION I ABODATORIO	DOT Hazard Classification: NON HAZARDOUS Identify (trade name as used on label):				
DISTRIBUTED BY: MISSION LABORATORIES					
ADDRESS: 2433 BIRKDALE STREET	AMAZING BONNET				
LOS ANGELES, CA 90031	Ì			·	
Date Prepared: 08/29/06 Prepared By: MM	MSDS Number: F2121 Revision-				
Information Calls: (323) 223-1405	NOTICE: JUDGMENT BASED ON INDIRECT TEST DATA				
EMERGENCY RESPONSE NUMBER: (800) 255-3924					1201 0/11/1
	DIAL IDENTIFICAT		== ==		
SECTION 2 – HAZARDOUS MATEI COMPONENTS-CHEMICAL NAMES AND COMMON NAMES					
Hazardous Components 19/ or executor Consideration 0.45/	CAS Number		OSHA PEL		Carcinogen
(Hazardous Components 1% or greater; Carcinogens 0.1% or greater) PETROLEUM DISTILLATE		III LIST	(ppm)	TLV (ppm)	Ref. Source **
PETROLEUM DISTILLATE	64742-47-8	N/E	N/E	N/E	N/E
SECTION 3 - PHYSICAL/CHEMICAL CHARACTERISTICS					
Boiling Point: 212 F Specific Gravity: 0.925					
Vapor Pressure: N/E Max.	pH of Product : 8.5 +/- 0.5				
Vapor Density N/E	Evaporation Rate: N/E				
	Water Reactive: N/F				
Appearance and Odor: OPAQUE THIN LIQUID WITH SOLVENT ODOR					
		74000			-
SECTION 4 - FIRE AND EXPLOSION HAZARD DATA FLAMMABILITY as per USA FLAME PROJECTION TEST Auto junition Temperature Auto junition Temperature Flammability Limits in Air by % in Volume:					
NOT APPLICABLE	Ignition Temperature	Flamm	ability Limi	its in Air by %	in Volume:
	N/E		LOWE	R: 1.00 UP	PER: 7.00
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing	EXTINGUISHER MEDIA	A: Foam,	dry chemic	cal, carbon die	oxide, water.
apparatus.					
Unusual Fire & Explosion Hazards: TOXIC FUMES MAY BE EMITTED IF MATERIAL IS EXPOSED TO EXTREME TEMPERATURES.					
SECTION 5 - REACTIVITY HAZARD DATA					
TABILITY [X] STABLE [] UNSTABLE HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR					
incompatibility (Mat. to avoid): VERY STRONG OXIDIZING AGENTS. Conditions to Avoid: KEEP AWAY FROM HEAT OR OBEN ELAME					
nazardous Decomposition Products: Smoke, Carbon Monoxide, Carbon Dioxide and other Toxic Fumes.					
SECTION 6 - HEALTH HAZARD DATA					
DDIMARY DOUTES OF ENTRY. AVAINUAL ATION. AVAINGED IN ANALYSIS ANALYSI ANALYSI ANALYSI ANALYSI ANALYSI ANALYSI ANALYSI AN					
ACUTE EFFECTS: None Known.					
Inhalation: Prolonged exposure to vapors may cause signs & symptoms of Central Nervous System Depression such as Headache, Dizzlness,					
Weakness and Loss of Coordination. Vapor/Mist may result in irritation to the entire Respiratory Tract.					
Eye Contact: Contact with eyes may result in severe eye irritation	Skin Contact: Prolonge	atory fra	ested chin	acutost man-	
ye Contact: Contact with eyes may result in severe eye irritation Skin Contact: Prolonged or Repeated skin contact may result in skin irritation leading to Dermatitis. Defatting of skin may also occur.					
Ingestion: Ingestion of this product may result in Gastrointestinal Irritation, Headache, Nausea, Vomiting and Diarrhea.					
CHRONIC EFFECTS: None Known.					
Medical Conditions Generally Aggravated by Exposure: None Known.					
SECTION 7- EMERGENCY FIRST AID PROCEDURES					
Eye Contact: Remove contact lenses immediately. Flush eyes with plenty of water for at least 15 minutes. Get immediately medical attention.					
Skin Contact: Wash skin with plenty of water. Remove contaminated clothing and wash before reuse. Get medical attention if needed					
nhalation: Remove to Fresh Air. Give Oxygen or CPR. Get immediately medical attention.					
ngestion:. Do not give anything by mouth to an unconscious or convulsing person. Do not induce vomiting. Get Immediately medical attention.					
SECTION 8 – PERSONAL PROTECTION					
Respiratory Protection (specify type): USE SELF CONTAINED AIR MASK IN CLOSED ROOMS.					
Protective Gloves: Neoprene or Rubber Gloves. Eye Protection: SAFETY GLASSES OR MONOGOGGLES.					
Ventilation Requirements: GOOD VENTILATION SHOULD BE MAINTAINED.					
Other Protective Clothing & Equipment: Impervious apron and boots. Provide emergency safety showers and eye wash fountain near work area.					
lygienic Work Practices: Do not mlx this product with other chemicals. Toxic Furnes may be emitted.					
SECTION 9 - ACCIDENTAL RELEASE PROCEDURES					
Steps To Be Taken If Material Is Spilled Or Polescody MEED UNIFECTOR ANY PROOF 5 AWAY COMES					
Steps To Be Taken If Material Is Spilled Or Released: KEEP UNNECESSARY PEOPLE AWAY, SPILLS ARE SLIPPERY. DIKE & CONTAIN WITH NERT ABSORBENT MATERIAL. COLLECT FOR DISPOSAL.					
Veste Disnosal Methods: CONSULT LOCAL AUTHORITY FOR ALTER-	ILTE METUORA ACC				
Vaste Disposal Methods: CONSULT LOCAL AUTHORITY FOR ALTERNATE METHODS. OBSERVE ALL LOCAL, STATE & FEDERAL REGULATIONS.					
Precautions To Be Taken In Handling & Storage: STORE IN A COOL WELL VENTILATED AREA AWAY FROM SPARK, HEAT AND OPEN FLAME.					
aner eracamings am sporisi matärket KEED MICHAE DE ACU AE Al	un mack				