Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29CFR 1910. 1200. Standard must be consulted for specific requirements.

NEVR-DULL MAGIC WADDING POLISH

QUICK INDENTIFIER

Common Name: (used on label and list)

TRADE SECRET (Proprietary)

SECTION 1 -

Explosion Hazards

Manufacturer's THE GEORGE BASCH CO., INC.

Address 19 HANSE AVE - P.O. BOX 188 Emergency Telephone No. 516-378-8100

Other

City, State, and ZIP FREEPORT, N.Y. 11520 Information same

Calls

Signature of Person
Responsible for Preparation (Optional)

Date
Prepared

1-2-2008

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY

Hazardous Component(s) (chemical & common name(s))

OSHA ACGIII Other Exposure % CAS
PEL TLV Limits (optional) NO.

Mineral Spirits – Petroleum Hydrocarbon

This product is C.A.R.B., V.O.C. Compliant

SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

 $\begin{array}{ccc} \text{Boiling} & \text{Point} & 343 \ F & & & \\ & & & \\ \text{Point} & & \\ 1) & & \\ \end{array} \begin{array}{c} \text{Specific} \\ \text{Gravity (H}_2O = \\ \text{F} & \\ \end{array} \begin{array}{c} \text{Vapor} \\ \text{Pressure (mm} \\ \text{Hg)@20c} & \\ \end{array} \begin{array}{c} 0.6 \\ \end{array}$

Vapor
Poposity (Air = 1)
5.8

Density (Air = 1) 3.6

Solubility Stable under normal Reactivity in Water None

in Water conditions Water

Appearance and Odor cotton wadding Impregnated with liquid chemical NA

SECTION 4 - FIRE & EXPLOSION DATA

Flash Point 145 F. Method Used Open cup Flammable Limits LEL Lower 0.9 UEL Upper NA

Auto-Ignition 490 F Extinguisher Fire Extinguisher- type-Monoamnonium Phosphate

Temperature 490 F Media (class ABC - Dry Chemical)

Special Fire
Fighting Procedures

Keep away from open flame-

Fighting Procedures

Unusual Fire and
Fighting Procedures

None

SECTION 5 - PHYSICAL HAZARDS (REACTIVITY DATA)

Stability Unstable [] Conditions Isolate from strong oxidizers, to Avoid heat and open flame

Incompatibility Isolate from strong oxidizers such as permanganates,

(Materials to Avoid) chromates & peroxides

Carbon monoxide, Carbon Dioxide from burning Hazardous

Decomposition Products

Hazardous Will Not Occur Polymerization

SECTION 6 - HEALTH HAZARDS

Eye Contact Slightly irritating but does not injure eye tissue

Skin Contact Low order of toxicity. Skin contact may irritate or cause an existing dermatitis condition

Inhalation Low vapor concentrations may cause dizziness, headaches, drowsiness

Ingestion May cause local irritation, vomiting, respiratory irritation, headache, dizziness, nausea

SECTION 7 – First Aid Measures

Eye Contact Flush eyes with large amounts of water until irritation subsides

Skin Contact Recommend rubber gloves to use. Wash hands with soap and water

Inhalation Remove to fresh air. Give artificial respiration if necessary

If swallowed DO NOT induce vomiting. Seek medical attention Ingestion

SECTION 8 – PRECAUTIONS FOR SAFE HANDLING AND USE

Precautions to be Taken in Handling and Storage

Store at room temperature. Keep away from open flames

SECTION 9 – STABILITY AND REACTIVITY

Stability Stable Conditions to Hazardous Will Not N/A Avoid Instability Polymerization Occur Conditions to Materials & **Oxidizers** Hazardous N/A

Avoid Hazardous

Polymerization

Conditions to avoid

Incompatibility

Decomposition Products

None

SECTION 10 - HAZARD RATING SYSTEM

NPCA-HMIS Nat'l Paint & Coating Assoc./ Hazardous indent. Systems		NFPA 704 National Fire Protection Association	KEY 4 = Severe 3 = Serious
HEALTH	1	0	2 = Moderate
FLAMMABILITY	2	2	1 = Slight
REACTIVITY	0	0	0 = Minimal