MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174 IDENTITY AND MANUFACTURER'S INFORMATION HMIS Rating: Health-2; Flammability-2; Reactivity-0; Personal Protection-B NFPA Rating: Health-2; Flammability-2; Reactivity-0; Special--DOT Hazard Classification: ORM-D Manufactured For: Hillyard Industries, Inc. Identity (trade name as used on label): 302 N. 4th Street OIL STAINLESS STEEL CLEANER Part #HIL0103454 Address: St. Joseph, MO 64501 Address: Revision- 16 MSDS Number: A00141 (816)-233-1321 ext. 8285 or http://www.hillyard.com Phone: Prepared By: LF/IB Date Prepared: 08/20/08 EMERGENCY RESPONSE NUMBER: Chemtrec 1-800-424-9300 Information Calls: (770)422-2071 NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION Carcinogen ACGIH OSHA PEL SARA COMPONENTS-CHEMICAL NAMES AND COMMON NAMES CAS Numbe TLV (ppm) Ref. Source HILIST (ppm) Hazardous Components 1% or greater; Carcinogens 0.1% or greater) 5mg\M3 ď 64742-52-5 No 5mg\M3 PETROLEUM DISTILLATE 100 100 64742-47-8 Nο PETROLEUM DISTILLATE ď 800 75-28-5 No 800 ISOBUTANE / PROPANE BLEND 1000 1000 d 74-98-6 No SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS Specific Gravity (H2O=1): Concentrate Only = .856 Boiling Point: N/A Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A Vapor Pressure: PSIG @ 70°F (Aerosols): Max 60 = 1): N/E Evaporation Rate (Vapor Density (Air = 1): N/E Water Reactive: No Solubility in Water: Insoluble Appearance and Odor: Clear liquid, lemon fragrance SECTION 3 - FIRE AND EXPLOSION HAZARD DATA Flammability Limits in Air by % in Volume: Auto Ignition Temperature FLAMMABILITY as per USA FLAME PROJECTION TEST % UEL: N/E % LEL: N/É N/E FLAMMABLE >18 Inches (aerosols) EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide FLASH POINT AND METHOD USED (non-aerosois): N/A SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus. Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures above 130°F or the container may rupture. SECTION 4 - REACTIVITY HAZARD DATA HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR STABILITY [X] STABLE [] UNSTABLE Conditions to Avoid: Open flame, welding arcs, heat, sparks Incompatibility (Mat. to avoid): Strong oxidizers. Hazardous Decomposition Products: CO, CO2 SECTION 5 - HEALTH HAZARD DATA [X]INHALATION []INGESTION [X]SKIN ABSORPTION [X]EYE []NOT HAZARDOUS PRIMARY ROUTES OF ENTRY: ACUTE EFFECTS Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness Skin Contact: Mild irritation due to defatting of the skin Eye Contact: Mild irritation. Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) May cause cardiac abnormality, liver abnormalities, lung and kidney damage. Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions EMERGENCY FIRST AID PROCEDURES Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention. Skin Contact: Wash with soap and water. If irritated, seek medical attention. Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention. Ingestion: DO NOT INDUCE VOMITING. Drink two large glasses of water. Get immediate medical attention. SECTION 6 - CONTROL AND PROTECTIVE MEASURES Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NiOSH for organic vapor Eye Protection: Safety glasses recommended. Protective Gloves: Polyethylene gloves Ventilation Regulrements: Adequate ventilation to keep vapor concentration below TLV. Other Protective Clothing & Equipment: Eyewash station if desired. Hygienic Work Practices; Wash with soap and water before handling food. Remove contaminated clothing SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE Steps To Be Taken If Material Is Spilled Or Released: Absorb with suitable medium. Incinerate or landfill according to local, state or Federal regulations, DO NOT FLUSH TO SEWER Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard. Precautions To Be Taken in Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing vapors. Remove ignition

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. * Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only