REC 74017 REC 04250

### RECKITT BENCKISER

## **Material Safety Data Sheet**

Section 1. Proc	luct and Company identification		
Product Name	PROFESSIONAL EASY-OFF® HEAVY DUTY OVEN & GRILL CLEANER (AEROSOL)	MSD\$#	Not available
		Validation Dat	te 8/16/2002
Preduct Description	Oven, grill and stainless steel cleaner.	Print Date	8/16/2002
Manufacturer	Reckitt Benckiser Inc. 1855 Valley Road Wayne, N.J. 07474	in case of	Telephone: 800-677-9218 (Professional Products)
Product Identifier	Not available.	Transportation	Chemitrec: 800-424-9300
item Number	62338-04250-04	Emergencies;	(U.S. & Canada)
Formula Number	367270		<u></u>
UPC Number	62338-04250 (24 oz. / 680 gms.)		

Name	CAS#	% by Weight	Exposure Limits : TLV/PEL
1) DIETHYLENE GLYCOL MONOBUTYL	112-34-5	5	Not available.
ETHER 2) MONOETHANOLAMINE	141-43-5	1-5	TWA: 7.5 STEL: 15 (mg/m³) from ACGIH (TLV) [United States] TWA: 3 STEL: 8 (ppm) from ACGIH (TLV) [United States] TWA: 6 STEL: 15 (mg/m³) from OSHA (PEL) [United States] TWA: 3 (ppm) from OSHA (PEL) [United States]
3) SODIUM HYDROXIDE	1310-73-2	4-6	CEIL: 2 (mg/m³) from ACGIH (TLV) [United States] TWA: 2 (mg/m³) from OSHA OSHA (PEL) [United States]
4) N-BUTANE	106-97-8	4-6	TWA: 1900 (mg/m³) from ACGIH (TLV) [United States] TWA: 800 (ppm) from ACGIH (TLV) [United States]

Section 3. Hazards Identification			
Emergency Overview	DANGER: CORROSIVE. Causes burns to skin and eyes on contact. Harmful If swallowed. Contains Sodium Hydroxide (lye). Do not take internally. Do not get in eyes, on skin, on mucous membranes or on clothing.		
	Wear eye protection and long rubber gloves when handling. Avoid breathing spray mist. Do not puncture or incinerate container. Contents under pressure, KEEP OUT OF REACH OF CHILDREN.		

Eye Contact	IMMEDIATELY flush eyes thoroughly with water, remove any contact lenses and continue to flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.
Skin Centact	Immediately flush affected area of skin thoroughly with plenty of water for least 10 minutes. If irritation persists, get medical attention.
Inhalation	If affected by inhalation, remove to fresh air. If irritation occurs or persists, contact a physician or Poison Control Center.
Ingestien	DO NOT induce vamiting. Give several glasses of water to dilute the product. Call a physician or poison control center immediately. NEVER give an unconscious person anything to ingest.

#### Continued on Next Page

Section 5. Fire and Explosion Data				
Flammability	See Section 14 for any Shipping Classifications.			
Flash Peint	Not applicable. Aerosol flame extension less than 18 inches or 45 cm.			
Explosive Limits in Air	Not available.			
Products of Combustion	Not available.			
Fire and Explosion Hazards	Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate. Exposure to temperatures above 120°F (48.8°C) may cause bursting. Never leave can on stove or near source of heat. Avoid apraying oven pilot light. Keep off all electrical connections such as heating element, thermostat, bulb receptacles, and light switches.			
Fire Fighting Media	Use water spray, foam, dry chemical or carbon dioxide, as suitable, for the surrounding fire. Use water spray to cool fire-exposed containers.			
Special Fire Fighting Instructions	Wear self-contained positive pressure breathing apparatus and protective equipment appropriate for fighting a typical chemical fire. Move containers away from fire if possible and safe to do so. Use water spray to cool containers exposed to fire. Provide shielding for venting, rupturing or bursting containers.			

# Section 6. Accidental Release Measures Accidental Spiil Contain all spills to prevent discharge into the environment. Ventilate the area with equipment rated for use in flammable environments. Small spills: Can be flushed to sanitary sewer or soaked up with absorbent material and discarded in the trash. Large spills: Soak up spills with absorbent material, shovel into waste container and flush area with plenty of water. When cleaning up spills, wear appropriate personal protective equipment such as eye protection, gloves, impervious clothing and footwear.

Section 7. Handling and Storage			
Handling and Storage	DANGER: CORROSIVE. Contains Sodium Hydroxide (Lye). Causes burns to skin and eyes on contact. Harmful if swallowed. Do not take internally. Do not get in eyes, on skin, mucous membranes or on clothing. Wear eye protection and long rubber gloves when handling. Avoid breathing spray mist. Do not puncture or incinerate container.		
:	Do not expose to heat or store at temperatures above 120°F (48.8°C). Never leave can on stove or near source of heat. Store container upright in a secure area inaccessable to children and pets. Avoid freezing. KEEP OUT OF REACH OF CHILDREN.		

Section 8. Exposure Controls/Personal Protection			
Ventilation Requirements	Use sufficient ventilation to keep hazardous ingredients below their Threshold Limit Values (see Section #2).		
Eye Pretection	Do not get in eyes. Wear eye protection when handling. Emergency responders should wear full eye and face protection.		
Skin Pretection	Do not get on skin. Wear long rubber gloves when handling. If clothing is contaminated, remove and wash before reuse. Emergency responders should wear impermeable gloves.		
Respiratory Protection	None required in normal use. Avoid breathing spray mist. Under extreme conditions, use an appropriate NIOSH-approved respirator, as necessary.		
Other Pretection	Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.		
Work/Hygienic Practices	Wash thoroughly with soap and water after handling.		

#### Continued on Next Page

#### PROFESSIONAL EASY-OFF® HEAVY DUTY OVEN & GRILL CLEANER (AEROSOL)

Not available.

Physical Chemical Comments Pressure in can: 21-26 psig @ 70°F

Viscosity

Salubility

Page Number: 3

Section 9. Physical and Chemical Properties				
Description	Liquid. (Aerosol container.)	Odor	Lemon like.	
рН	13.3 [Basic.]	Color	White foam when sprayed as an aerosol.	
Boiling/Condensation Point	Not available.			
Specific Gravity	1.05 (Water = 1)			
Vapor Pressure	Not available.	<u> </u>		
Vapor Density	Not available.			

Section 10. Stability and Reactivity Data				
Chemical Stability	The product is stable.			
Conditions of Instability	Do not expose to heat or store at temperatures above 120°F (48.8°C). Never leave can on stove or near source of heat. Avoid freezing.			
Incompatibility with Various Substances	Strong oxidizing agents or acids.			
Hazardous Decomposition Products	Carbon dioxide, carbon monoxide and unidentified organic compounds may be formed during thermal decomposition.			
Hazardaus Polymerization	Will not occur.			

Section 11. Toxicological Information			
Corrosive. Causes burns to eyes on contact.			
Corrosive. Causes burns to skin on contact.			
Avoid breathing spray mist.			
May be harmful if swallowed. May cause burns to mouth, throat and stomach.			
Not listed as carcinogenic by QSHA, NTP or IARC.	···		
	Corrosive. Causes burns to eyes on contact.  Corrosive. Causes burns to skin on contact.  Avoid breathing spray mist.  May be harmful if swallowed. May cause burns to mouth, throat and stomach.		

Section 12. Ecol	ogicei information		
Ecotoxicity	Not available.		

#### Continued on Next Page

#### Section 13. Disposal Considerations

Waste Dispesal

Empty container may retain vapor or product residue. Observe all labeled safeguards until container is empty and discarded. Discard individual empty container in trash.

Recover large amounts of waste material and dispose of in accordance with all applicable local, state and federal regulations. Material collected with an absorbent may be disposed of in a permitted landfill in accordance with any local, state and federal regulations.

#### Section 14. Transport information

DOT Classification

ORM-D

Proper Shipping Name

Consumer Commodity

DOT Identification Number

Not applicable

Packing Group

Not applicable

Maritime Transportation

Not applicable.

Hazardous Substances Reportable Quantity

Not applicable.

Special Provisions for Transport

ORM-D: For US Domestic Shipments Only

TDG Classification

Consumer Commodity - Transborder Consignment

ADR Classification

Not applicable.

IMDG Classification

Aerosols, class 2.2 (Corrosive) UN1950-LTD QTY

LATA Classification

FORBIDDEN FOR AIR SHIPMENT

#### Section 15. Regulatory Information

Federal and State Regulations

SARA Title III, Section 313 Toxic Chemical Notification & Release Reporting:

1) DIETHYLENE GLYCOL MONOBUTYL ETHER

5.0 Not

California Proposition 65: This product contains the following ingredients which require a warning under the Safe Drinking Water & Toxic Enforcement Act:

None

Other Classifications

WHMIS (Canada)

WHMIS CLASS E: Corrosive liquid.

New Jersey Right-To-Know Regulation:

WATER CAS #: 7732-18-5

DIETHYLENE GLYCOL MONOBUTYL ETHER CAS #: 112-34-5 SODIUM HYDROXIDE CAS #: 1310-73-2

N-BUTANE CAS #: 106-97-8

MONOETHANOLAMINE CAS # 141-43-5

PROFESSIONAL EASY-OFF® HEAVY DUTY OVEN & GRILL CLEANER (AEROSOL) Section 16. Other Information Fire Hazard **National Fire Protection** 1) 3 HMIS (U.S.A.) Beath Backup 3 Association (U.S.A.) Reactivity Fire Habitata Heelth, 0 Specific hazard Ď Personal Protection t, per NFPA 30B NFPA Aerosol Level Printed 8/16/2002. Validated by Product Safety on 8/16/2002.

Page Number: 5

#### Notice to Reader

To the best of our ham-ledge, the information contained herein is accurate. However, neither the glove amond supplies our any of its subsidiaries accurate any liability vehicusves for the accuracy or complessences of the information contained bosts. Plead determination of suitability of any material is the sole responsibility of the uses. All materials may present unknown housels and should be med with caselon. Although corneis baseries been also provided herein, we commet guarantee that these are the puly housels that exist.