Product number: 121019 / 193019



# SAFETY DATA SHEET

#### 1. Identification

Product identifier SHATTERED 99

Other means of identification

**Product number** 121019 / 193019

Recommended use Ultra Concentrate Power Stripper

Concentrate Floor Stripper

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Brulin & Company, Inc.

Address P.O. Box 270

Indianapolis, IN 46206

**United States** 

Telephone Phone: 317-923-3211

Fax: 317-925-4596

Website www.Brulin.com

Emergency phone number CHEMTREC 1-800-424-9300

# 2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 4Health hazardsAcute toxicity, oralCategory 4Acute toxicity, dermalNot classifiedAcute toxicity, inhalationCategory 4Skin corrosion/irritationCategory 1CSerious eye damage/eye irritationCategory 2A

Sensitization, skin Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. May cause

an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause respiratory

irritation.

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear safety glasses with

side shields (or goggles). Do not use in areas without adequate ventilation. Do not breathe mist or vapor. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

Wear protective gloves.

Material name: SHATTERED 99 SDS US

Product number: 121019 / 193019

**Response** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician. If skin irritation or rash occurs: Get medical advice/attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Wash contaminated clothing

before reuse.

**Storage** Keep container tightly closed. Keep out of the reach of children.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** None known.

# 3. Composition/information on ingredients

### **Mixtures**

Chemical name	CAS number	% by weight	
Hydroxytoluene	100-51-6	40 - <45	
2-Butoxyethanol	111-76-2	25 - <30	
Ethanolamine	141-43-5	25 - <30	
Nonylphenol Ethoxylate	9016-45-9	1 - <5	
d-Limonene (Terpene Hydrocarbon)	5989-27-5	0.1 - <1	

#### 4. First-aid measures

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Chemical burns

must be treated by a physician. Wash contaminated clothing before reuse.

**Ingestion** Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a POISON CENTER or doctor/physician if you feel unwell.

Notes to physician Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water

immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance, if not at hospital. Continue flushing during transport to hospital. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be

delayed.

Most important

**General information** 

symptoms/effects, acute and

delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction.

Dermatitis. Rash.

In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves. Wash contaminated clothing before reuse.

### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Material name: SHATTERED 99

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Product number: 121019 / 193019

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Ventilate closed spaces before entering them. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop the flow of material, if this is without risk. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

# 7. Handling and storage

Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. Do not breathe mist or vapor. Use only with adequate ventilation. Do not get in eyes, on skin, on clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

### Occupational exposure limits

#### **US. ACGIH Threshold Limit Values**

Components	Туре	Value	
2-Butoxyethanol (CAS 111-76-2)	TWA	20 ppm	
Ethanolamine (CAS 141-43-5)	STEL	6 ppm	
,	TWA	3 ppm	

#### Control parameters

# US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
2-Butoxyethanol (CAS 111-76-2)	PEL	240 mg/m3	
		50 ppm	
Ethanolamine (CAS 141-43-5)	PEL	6 mg/m3	
,		3 ppm	

### **Biological limit values**

# **ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
2-Butoxyethanol (CAS 111-76-2)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*

<sup>\* -</sup> For sampling details, please see the source document.

Appropriate engineering controls

Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits. Provide eyewash station.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

Material name: SHATTERED 99 SDS US

Product number: 121019 / 193019

Wear appropriate chemical resistant gloves. Hand protection

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such General hygiene as washing after handling the material and before eating, drinking, and/or smoking. Routinely considerations

wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** clear Liquid. **Form** Color red Odor amine

**Odor threshold** Not available.

11.7

30 °F (-1.11 °C) Melting point/freezing point **Boiling point** Not available.

175.0 °F (79.4 °C) Pensky-Martens Closed Cup Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available. Vapor pressure Vapor density Not available.

Solubility(ies)

100 % Solubility (water)

Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. Viscosity

Specific gravity 1

VOC (Weight %) 94.6 %

# 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. **Chemical stability** Possibility of hazardous Hazardous polymerization does not occur.

reactions Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. This product may react with oxidizing agents. Do not mix with other chemicals. Contact

with incompatible materials.

Incompatible materials Acids. Strong oxidizing agents. Oxidizing agents.

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

Material name: SHATTERED 99

4856 Version #: 04 Revision date: 03-26-2015 Issue date: 04-10-2014

Product number: 121019 / 193019

# 11. Toxicological information

Toxicological data

Product
Test Results

SHATTERED 99 (Mixture)
Acute Dermal LD50 Rabbit: > 2000 mg/kg
Acute Inhalation LC50 Rat: 2.7086 mg/l/4h 4 hr Mist
Acute Oral LD50 Rat: 1690 mg/kg

Information on likely routes of exposure

**Eye contact** Causes serious eye damage.

**Skin contact** Causes severe skin burns. May cause an allergic skin reaction.

**Ingestion** Causes digestive tract burns. Harmful if swallowed.

**Inhalation** Harmful if inhaled.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin

reaction. Dermatitis. Rash.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

2-Butoxyethanol (CAS 111-76-2) 3 Not classifiable as to carcinogenicity to humans.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.Chronic effectsProlonged inhalation may be harmful. May be harmful if absorbed through skin.Toxicological informationOccupational exposure to the substance or mixture may cause adverse effects.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

No data is available on the degradability of this product.

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

Bioaccumulative potential

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN2491

UN proper shipping name Transport hazard class(es) Ethanolamine or Ethanolamine solutions

Class 8

Material name: SHATTERED 99
4856 Version #: 04 Revision date: 03-26-2015 Issue date: 04-10-2014

Product number: 121019 / 193019

Subsidiary risk -Label(s) 8 Packing group III

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB3, T4, TP1

Packaging exceptions 154
Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN2491 UN proper shipping name Ethanolamine

Transport hazard class(es)

Class 8
Subsidiary risk Packing group III
Environmental hazards No.
ERG Code 8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Cargo aircraft only Allowed.

60 L A3,A803

**IMDG** 

UN number UN2491

UN proper shipping name ETHANOLAMINE or ETHANOLAMINE SOLUTION

Allowed.

Transport hazard class(es)

Class 8
Subsidiary risk Packing group III

**Environmental hazards** 

Marine pollutant No. EmS F-A. S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

### DOT



Material name: SHATTERED 99

Product number: 121019 / 193019

### IATA; IMDG



# 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

# **CERCLA (Superfund) reportable quantity**

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

No

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

# Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

# **US** state regulations

### **US. Massachusetts RTK - Substance List**

2-Butoxyethanol (CAS 111-76-2) Ethanolamine (CAS 141-43-5) Hydroxytoluene (CAS 100-51-6)

### US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

# US. Pennsylvania RTK - Hazardous Substances

2-Butoxyethanol (CAS 111-76-2) Ethanolamine (CAS 141-43-5) Hydroxytoluene (CAS 100-51-6)

Material name: SHATTERED 99

Product number: 121019 / 193019

#### **US. Rhode Island RTK**

Not regulated.

### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

# 16. Other information, including date of preparation or last revision

 Issue date
 04-10-2014

 Revision date
 03-26-2015

Version # 04

**Disclaimer** The information in the sheet was written based on the best knowledge and experience currently

available. The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and

release.

Material name: SHATTERED 99 SDS US

country(s).