

# **Safety Data Sheet**

Issue Date: 15-May-2015 Revision Date: Version 1

# 1. IDENTIFICATION

**Product Identifier** 

Product Name SSS HyTouch Instant Hand Sanitizer with Moisturizer

Other means of identification

 SDS #
 TRIPLE S-001

 Product Code
 25001

 UN/ID No
 UN1993

Recommended use of the chemical and restrictions on use

Recommended Use Hand sanitizer.

Details of the supplier of the safety data sheet

**Supplier Address** 

Triple S 2 Executive Park Drive Billerica, MA 01862

**Emergency Telephone Number** 

**Company Phone Number** 1-800-323-2251 **Emergency Telephone (24 hr)** 1-888-779-1339

# 2. HAZARDS IDENTIFICATION

Appearance Clear green gel Physical State Gel Odor Aloe

Classification

Flammable Liquids Category 2

Signal Word

Danger

#### **Hazard Statements**

Highly flammable liquid and vapor



# **Precautionary Statements - Prevention**

Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof equipment Use only non-sparking tools Take precautionary measures against static discharge

#### **Precautionary Statements - Response**

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### **Other Hazards**

Toxic to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethyl Alcohol	64-17-5	65

# 4. FIRST-AID MEASURES

# **First Aid Measures**

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

**Skin Contact** None under normal use conditions.

**Inhalation** None under normal use conditions.

**Ingestion** Give large quantities of water. Do not induce vomiting. Get medical attention.

#### Most important symptoms and effects

**Symptoms** Can cause eye irritation.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

# Suitable Extinguishing Media

Water. Foam. Carbon dioxide (CO2).

Unsuitable Extinguishing Media Not determined.

# **Specific Hazards Arising from the Chemical**

Flammable.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

# Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Flood area with water and then mop up. Dispose of in accordance with federal, state and

local regulations.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Do not destroy or

deface the label. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use spark-proof tools and explosion-proof equipment. Ground/bond container and receiving

equipment. Take precautionary measures against static discharges.

# Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store containers

upright.

Incompatible Materials None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	
Trade Secret	TWA: 5 ppm	TWA: 5 ppm	IDLH: 200 ppm
	S*	TWA: 20 mg/m <sup>3</sup>	TWA: 5 ppm
		(vacated) TWA: 5 ppm	TWA: 20 mg/m <sup>3</sup>
		(vacated) TWA: 20 mg/m <sup>3</sup>	
		(vacated) S*	
		S*	
Trade Secret	-	TWA: 15 mg/m <sup>3</sup> mist, total	-
		particulate	
		TWA: 5 mg/m <sup>3</sup> mist, respirable	
		fraction	
		(vacated) TWA: 10 mg/m <sup>3</sup> mist,	
		total particulate	
		(vacated) TWA: 5 mg/m <sup>3</sup> mist,	
		respirable fraction	

#### **Appropriate engineering controls**

**Engineering Controls** None under normal use conditions.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Avoid contact with eyes.

**Skin and Body Protection**No protective equipment is needed under normal use conditions.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Gel

Appearance Clear green gel Odor Aloe

Color Green Odor Threshold Not determined

Property Values Remarks • Method

рΗ 7.0 **Melting Point/Freezing Point** Not available **Boiling Point/Boiling Range** Not determined **Flash Point** 18 °C / 65 °F **Evaporation Rate** Not determined Flammability (Solid, Gas) n/a-liquid **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not available **Vapor Density** Not determined

Specific Gravity 0.89400 (1=Water)

Water Solubility
Solubility in other solvents
Partition Coefficient
Auto-ignition Temperature

Completely soluble
Not determined
Not determined
Not determined

Property Values Remarks • Method

Decomposition Temperature
Kinematic Viscosity
Not determined

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to Avoid**

Heat, flames and sparks.

#### **Incompatible Materials**

None known based on information supplied.

# **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

**Eye Contact** Avoid contact with eyes.

**Skin Contact** Not expected to be a skin irritant during prescribed use.

**Inhalation** Under normal conditions of intended use, this material is not expected to be an inhalation

hazard.

**Ingestion** Do not taste or swallow.

# **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl Alcohol 64-17-5	= 7060 mg/kg ( Rat )	-	= 124.7 mg/L (Rat) 4 h
Trade Secret	> 5 g/kg (Rat)	-	-
Trade Secret	= 420 mg/kg ( Rat )	> 10000 mg/kg ( Rabbit )	> 5.3 mg/L (Rat)4 h
Trade Secret	= 12600 mg/kg(Rat)	> 10 g/kg(Rabbit)	> 570 mg/m <sup>3</sup> (Rat) 1 h
Trade Secret	> 10000 mg/kg(Rat)	= 5 g/kg(Rabbit)	> 41 mg/L (Rat)

#### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol	A3	Group 1	Known	X
64-17-5				

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

AS - Allinial Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

# **Numerical measures of toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Ethyl Alcohol		12.0 - 16.0: 96 h		9268 - 14221: 48 h Daphnia
64-17-5		Oncorhynchus mykiss mL/L		magna mg/L LC50 10800: 24
		LC50 static 100: 96 h		h Daphnia magna mg/L
		Pimephales promelas mg/L		EC50 2: 48 h Daphnia
		LC50 static 13400 - 15100:		magna mg/L EC50 Static
		96 h Pimephales promelas		
		mg/L LC50 flow-through		
Trade Secret	20: 96 h Pseudokirchneriella	150 - 223: 96 h Brachydanio		25.8: 24 h Daphnia magna
	subcapitata mg/L EC50 20:	rerio mg/L LC50 semi-static		mg/L EC50
	96 h Pseudokirchneriella	420 - 560: 96 h Oryzias		
	subcapitata mg/L EC50	latipes mg/L LC50 semi-		
	static	static 37: 96 h Oncorhynchus		
		mykiss mg/L LC50 1000: 96		
		h Poecilia reticulata mg/L		
		LC50 semi-static		
Trade Secret		51 - 57: 96 h Oncorhynchus		
		mykiss mL/L LC50 static		
Trade Secret	100: 72 h Desmodesmus	8400: 96 h Brachydanio rerio		100: 48 h Daphnia magna
	subspicatus mg/L EC50	mg/L LC50 semi-static 8400:		mg/L EC50
		96 h Brachydanio rerio mg/L		_
		LC50		

#### Persistence/Degradability

Not determined.

# **Bioaccumulation**

Not determined.

#### **Mobility**

Chemical Name	Partition Coefficient
Ethyl Alcohol	-0.32
64-17-5	

# **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status	
Ethyl Alcohol	Toxic	
64-17-5	Ignitable	

# 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

**UN/ID No** UN1993

**Proper Shipping Name** Flammable liquid, n.o.s. (ethanol)

Hazard Class 3
Packing Group ||

<u>IATA</u>

UN/ID No UN1993

**Proper Shipping Name** Flammable liquid, n.o.s. (ethanol)

Hazard Class 3
Packing Group II

**IMDG** 

**UN/ID No** UN1993

Proper Shipping Name Flammable liquid, n.o.s. (ethanol)

Hazard Class 3
Packing Group II

Marine Pollutant This material may meet the definition of a marine pollutant

# 15. REGULATORY INFORMATION

#### **International Inventories**

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### US Federal Regulations

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### **US State Regulations**

# **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Ethyl Alcohol - 64-17-5	Carcinogen	
, ,	Developmental	

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl Alcohol	X	X	X
64-17-5			
Trade Secret	Х	X	Х
Trade Secret	Х	Х	Х

# **16. OTHER INFORMATION**

NFPAHealth Hazards<br/>Not determinedFlammability<br/>Not determinedInstability<br/>Not determinedSpecial Hazards<br/>Not determinedHMISHealth Hazards<br/>1Flammability<br/>4Physical Hazards<br/>0Personal Protection<br/>A = Goggles

Issue Date: 15-May-2015

Revision Date: Revision Note:

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**