

SAFETY DATA SHEET

1. Identification

| Product number | 64015 (1000023611) | |
|---|---|--|
| Product identifier SSS ALERO 3000 MICRO METERED DRY AIR FRESHENER, TROPICAL | | |
| Revision date | 03-06-2015 | |
| Company information | Triple S | |
| | 2 Executive Park Drive, | |
| | Billerica, MA 01862 United States | |
| Company phone | General 978-667-7900 / Emergency 888-779-1339 | |
| Version # | 03 | |
| Supersedes date | 03-05-2015 | |
| Recommended use | Air Freshener | |
| Recommended restrictions | None known. | |

2. Hazard(s) identification

| Physical hazards | Flammable aerosols | Category 1 |
|-----------------------|---|-----------------------------|
| Health hazards | Serious eye damage/eye irritation | Category 2A |
| | Specific target organ toxicity, single exposure | Category 3 narcotic effects |
| Environmental hazards | Not classified. | |
| OSHA defined hazards | Not classified. | |
| Label elements | | |



| Danger |
|---|
| Extremely flammable aerosol. Causes serious eye irritation. May cause drowsiness or dizziness. |
| |
| Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing gas. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye/face protection. |
| If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. |
| Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. |
| Dispose of contents/container in accordance with local/regional/national/international regulations. |
| None known. |
| None. |
| |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|---------------------------------------|--------------------------|------------|---------|
| Acetone | | 67-64-1 | 40 - 60 |
| Propane | | 74-98-6 | 20 - 40 |
| Diethylene Glycol Monoethyl Ether | | 111-90-0 | 10 - 20 |
| Other components below reportable lev | els | | 10 - 20 |

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

| 4. First-aid measures | | |
|--|--|--|
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. | |
| Skin contact | Wash off with soap and water. Get medical attention if irritation develops and persists. | |
| Eye contact | Rinse with water. Get medical attention if irritation develops and persists. | |
| Ingestion | Rinse mouth. Get medical attention if symptoms occur. | |
| Most important symptoms/effects, acute and delayed | May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of nose and throat. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. | |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. | |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. | |
| 5. Fire-fighting measures | | |
| Suitable extinguishing media | Powder. Alcohol resistant foam. Water spray. Carbon dioxide (CO2). | |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. | |
| Specific hazards arising from the chemical | Contents under pressure. Pressurized container may explode when exposed to heat or flame. | |
| Special protective equipment and precautions for firefighters | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. | |
| Fire-fighting equipment/instructions | Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. | |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers. In the event of fire and/or explosion do not breathe fumes. | |

General fire hazards Extremely flammable aerosol.

6. Accidental release measures

| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
|---|---|
| Methods and materials for containment and cleaning up | Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. |
| Environmental precautions | Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. |
| 7. Handling and storage | |

Precautions for safe handling Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid breathing gas. Avoid contact with eyes. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. Level 2 Aerosol.

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Ty | ` | , | /alue |
|--|---|--|---------------------------------------|--|
| Acetone (CAS 67-64-1) | PE | Ľ | 2 | 400 mg/m3 |
| | | | 1 | 000 ppm |
| Propane (CAS 74-98-6) | PE | E | 1 | 800 mg/m3 |
| | | | 1 | 000 ppm |
| US. ACGIH Threshold Lir | nit Values | | | |
| Components | Ту | ре | V | /alue |
| Acetone (CAS 67-64-1) | ST | EL | 7 | 50 ppm |
| | TV | VA | 5 | 00 ppm |
| US. NIOSH: Pocket Guide | e to Chemical Hazard | S | | |
| Components | Ту | ре | \checkmark | /alue |
| Acetone (CAS 67-64-1) | ΤV | VA | 5 | 90 mg/m3 |
| | | | 2 | 250 ppm |
| Propane (CAS 74-98-6) | ΤV | VA | 1 | 800 mg/m3 |
| | | | 1 | 000 ppm |
| US. Workplace Environm | nental Exposure Leve | (WEEL) Guides | | |
| Components | Ту | ре | V | /alue |
| Diethylene Glycol Monoethyl Ether (CAS 111-90-0) | ΤV | VA | | 40 mg/m3 |
| | | | 2 | 25 ppm |
| ological limit values | | | | |
| ACGIH Biological Exposu | ure Indices | | | |
| Components | Value | Determinant | Specimen | Sampling Time |
| Acetone (CAS 67-64-1) | 50 mg/l | Acetone | Urine | * |
| * - For sampling details, pl | ease see the source d | ocument. | | |
| propriate engineering ntrols | should be matche or other engineer | ed to conditions. If ap ing controls to maint | oplicable, use pr ain airborne lev | hour) should be used. Ventilation rates rocess enclosures, local exhaust ventilation, els below recommended exposure limits. If airborne levels to an acceptable level. Provide |
| dividual protection measur Eye/face protection | | protective equipme ses with side shields | | |
| Hand protection | Wear appropriate | chemical resistant o | gloves. | |
| Skin protection | | | | |
| Other | Wear suitable pro | tective clothing. | | |
| Respiratory protection | If permissible lev air-supplied resp | | e NIOSH mecha | anical filter / organic vapor cartridge or an |
| Thermal hazards | Wear appropriate | thermal protective of | lothing, when n | ecessary. |
| eneral hygiene nsiderations | after handling the | | eating, drinking | sonal hygiene measures, such as washing g, and/or smoking. Routinely wash work nants. |

9. Physical and chemical properties

Appearance

| | Physical state | Gas. Form |
|--|--|---|
| | | Aerosol. Color |
| | | Not available. |
| | Odor | Not available. |
| | Odor threshold | Not available. |
| | рН | Not available. |
| | Melting point/freezing point | Not available. |
| | Initial boiling point and boiling range | 132.89 °F (56.05 °C) estimated |
| | Flash point | -156.0 °F (-104.4 °C) propellant estimated |
| | Evaporation rate | Not available. |
| Flammability (solid, gas) Not available. | | Not available. |
| | Upper/lower flammability or exp | losive limits |
| | Flammability limit - lower (%) | 1.6 % estimated |
| | Flammability limit - upper (%) | 14.5 % estimated |
| | Explosive limit - lower (%) | Not available. |
| | Explosive limit - upper (%) | Not available. |
| | Vapor pressure | 258.6 psig @70F estimated |
| | Vapor density | Not available. |
| | Relative density | Not available. |
| | Solubility(ies) | |
| | Solubility (water) | Not available. |
| | Partition coefficient (n-octanol/water) | Not available. |
| | Auto-ignition temperature | Not available. |
| | Decomposition temperature | Not available. |
| | Viscosity | Not available. |
| | Other information | |
| | Specific gravity | 0.682 estimated |
| | 10. Stability and reactivity | |
| | Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transp |
| | | |

| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. | |
|---------------------------------------|---|--|
| Chemical stability | Material is stable under normal conditions. | |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. | |
| Conditions to avoid | Avoid temperatures exceeding the flash point. Contact with incompatible materials. | |
| Incompatible materials | Strong oxidizing agents. | |
| Hazardous decomposition products | No hazardous decomposition products are known. | |

11. Toxicological information

| Information on likely routes of ex | kposure | |
|--|--|--|
| Ingestion | Expected to be a low ingestion hazard. | |
| Inhalation | May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful. | |
| Skin contact | No adverse effects due to skin contact are expected. | |
| Eye contact | Causes serious eye irritation. | |
| Symptoms related to the physical, chemical and toxicological characteristics | May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of nose and throat. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. | |

Information on toxicological effects

| Acute toxicity | Narcotic effects. | | |
|--|--|---------------------------|--|
| Components | Species | Test Results | |
| Acetone (CAS 67-64-1) | - | | |
| Acute | | | |
| Dermal | | | |
| LD50 | Guinea pig | > 7426 mg/kg, 24 Hours | |
| | | > 9.4 ml/kg, 24 Hours | |
| | Rabbit | > 7426 mg/kg, 24 Hours | |
| | | > 9.4 ml/kg, 24 Hours | |
| Inhalation | | | |
| LC50 | Rat | 55700 ppm, 3 Hours | |
| | | 132 mg/l, 3 Hours | |
| | | 50.1 mg/l | |
| Oral | | - | |
| LD50 | Rat | 5800 mg/kg | |
| | | 2.2 ml/kg | |
| Diethylene Glycol Monoethyl Ether | (CAS 111-90-0) | C C | |
| Acute | (| | |
| Dermal | | | |
| LD50 | Guinea pig | 5900 mg/kg, Days | |
| | Rabbit | 8500 mg/kg, 2 Hours | |
| | | 8476 mg/kg, 24 Hours | |
| | | 7714 mg/kg | |
| Oral | | 5 5 | |
| LD50 | Guinea pig | 4970 mg/kg | |
| | Mouse | 6031 mg/kg | |
| | Rabbit | 5600 mg/kg | |
| | Rat | 5600 mg/kg | |
| | | 5.4 ml/kg | |
| Propose (CAS 74.09.6) | | 3.4 m//kg | |
| Propane (CAS 74-98-6) Acute | | | |
| Inhalation | | | |
| LC50 | Mouse | 1237 mg/l, 120 Minutes | |
| | | 52 %, 120 Minutes | |
| | Rat | 1355 mg/l | |
| | | 658 mg/l/4h | |
| | | 050 mg///4m | |
| * Estimates for product may be | based on additional component data not shown. | | |
| Skin corrosion/irritation | Prolonged skin contact may cause temporary irrita | tion. | |
| Serious eye damage/eye irritation | Causes serious eye irritation. | | |
| Respiratory or skin sensitization | | | |
| Respiratory sensitization | Not available. | | |
| Skin sensitization | This product is not expected to cause skin sensitization. | | |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | | |
| Carcinogenicity | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. | | |
| OSHA Specifically Regulated Not listed. | Substances (29 CFR 1910.1001-1050) | | |
| Reproductive toxicity This product is not expected to cause reproductive or developmental effects. | | or developmental effects. | |

| Specific target organ toxicity - single exposure | May cause drowsiness and dizziness. |
|--|---|
| Specific target organ toxicity - repeated exposure | Not classified. |
| Aspiration hazard | Not likely, due to the form of the product. |
| Chronic effects | Prolonged inhalation may be harmful. |

12. Ecological information

| | 11 | | |
|---------------------------------------|---|--|---|
| Ecotoxicity | Toxic to aquatic life with long lasting effects. | | |
| Components | | Species | Test Results |
| Acetone (CAS 67-64-1) | | | |
| Aquatic | | | |
| Crustacea | EC50 | Water flea (Daphnia magna) | 21.6 - 23.9 mg/l, 48 hours |
| Fish | LC50 | Rainbow trout,donaldson trout (Oncorhynchus mykiss) | 4740 - 6330 mg/l, 96 hours |
| Diethylene Glycol Monoethy | I Ether (CAS 1 | 11-90-0) | |
| Aquatic | | | |
| Fish | LC50 | Bluegill (Lepomis macrochirus) | > 10000 mg/l, 96 hours |
| * Estimates for product may | be based on a | dditional component data not shown. | |
| Persistence and degradability | No data is | available on the degradability of this proc | duct. |
| Bioaccumulative potential | No data av | ailable. | |
| Partition coefficient n-octa | nol / water (lo | ng Kow) | |
| Acetone | | -0.24 | |
| Diethylene Glycol Monoethy Propane | I Ether | -0.54 2.36 | |
| Mobility in soil | No data av | | |
| Other adverse effects | | | depletion, photochemical ozone creation ential) are expected from this component. |
| 13. Disposal consideration | ons | | |
| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. | | |
| Local disposal regulations | Dispose in | accordance with all applicable regulation | ns. |
| Hazardous waste code | The waste disposal co | | between the user, the producer and the waste |
| US RCRA Hazardous Wast | e U List: Refe | erence | |
| Acetone (CAS 67-64-1) | | U002 | |
| Waste from residues / unused products | product res | | npty containers or liners may retain some ust be disposed of in a safe manner (see: |
| Contaminated packaging | Since emp | | vaste handling site for recycling or disposal. ie, follow label warnings even after container is |
| 14. Transport informatior | า | | |
| DOT | | | |
| UN number UN proper shipping name | | lammable, (each not exceeding 1 L capa | icity) |
| Transport hazard class(es) Class |) 2.1 | | |
| | | | |

Not applicable.

-2.1

Subsidiary risk Label(s)

Packing group

| | Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. |
|----------------------|---|
| Special provisions | N82 |
| Packaging exceptions | 306 |

 Packaging non bulk
 None

 Packaging bulk
 None

 This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity.

 Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

ΙΑΤΑ

| UN number | UN1950 |
|--------------------------------|---|
| UN proper shipping name | Aerosols, flammable |
| Transport hazard class(es) | |
| Class | 2.1 |
| Subsidiary risk | • |
| Label(s) Packing | 2.1 |
| group Environmental | Not applicable. |
| hazards ERG Code | Yes |
| | 10L |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. |
| Other information | |
| Passenger and cargo aircraft | Allowed. |
| Cargo aircraft only | Allowed. |
| Packaging Exceptions | LTD QTY |
| IMDG | |
| UN number | UN1950 |
| UN proper shipping name | AEROSOLS |
| Transport hazard class(es) | |
| Class | 2.1 |
| | 2.1 |
| Subsidiary risk | 2.1 |
| Label(s) Packing | |
| group Environmental | Not applicable. |
| hazards | |
| Marine pollutant | Yes |
| EmS | F-D, S-U |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. |
| Packaging Exceptions | LTD QTY |
| Transport in bulk according to | Not applicable. |
| Annex II of MARPOL 73/78 and | |
| the IBC Code | |
| DOT | |

DOT



IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

15. Regulatory information

| US federal regulations | This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List. | | |
|--|--|--|--|
| TSCA Section 12(b) Export N Not regulated. | TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) | | |
| CERCLA Hazardous Substar | nce List (40 CFR 302.4) | | |
| Acetone (CAS 67-64-1) SARA 304 Emergency releas | Listed. e notification | | |
| Not regulated. OSHA Specifically Regulated Not listed. | Substances (29 CFR 1910.1001-1050) | | |
| Superfund Amendments and Rea | authorization Act of 1986 (SARA) | | |
| Hazard categories | Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No | | |
| SARA 302 Extremely hazard | lous substance | | |
| Not listed. | | | |
| SARA 311/312 Hazardous chemical | No | | |
| SARA 313 (TRI reporting) Not regulated. | | | |
| Other federal regulations | | | |
| Clean Air Act (CAA) Section Not regulated. | 112 Hazardous Air Pollutants (HAPs) List | | |
| • | 112(r) Accidental Release Prevention (40 CFR 68.130) | | |
| Safe Drinking Water Act (SDWA) | Not regulated. | | |
| Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) a Chemical Code Number | | | |
| Acetone (CAS 67-64- | -1) 6532 | | |

| | ministration (DEA) List 1.8 | 2 Exempt Chemical Mixtures (21 CFR 13 | (10, 12(a)) |
|--|--|---|----------------------------|
| Acetone (CAS 67-6 | · · · · | 35 %WV | (10.12(0)) |
| | Mixtures Code Number | 33 /8000 | |
| Acetone (CAS 67-6 | | 6532 | |
| US state regulations | | | |
| US. Massachusetts RTK - S | Substance List | | |
| Acetone (CAS 67-64-1) | | | |
| Propane (CAS 74-98-6) | | | |
| US. New Jersey Worker an | d Community Right-to-Know | v Act | |
| Acetone (CAS 67-64-1) | | | |
| Propane (CAS 74-98-6) | | | |
| | and Community Right-to-Kn | ow Law | |
| Acetone (CAS 67-64-1) Propane (CAS 74-98-6) | | | |
| US. Rhode Island RTK | | | |
| Acetone (CAS 67-64-1) | | | |
| Propane (CAS 74-98-6) | | | |
| US. California Proposition | 65 | | |
| • | | t Act of 1986 (Proposition 65): This materi | al is not known to contain |
| any chemicals currently | listed as carcinogens or repro | oductive toxins. | |
| International Inventories | | | |
| Country(s) or region | Inventory name | | On inventory (yes/no)* |
| Australia | Australian Inventory of Ch | emical Substances (AICS) | Yes |
| Canada | Domestic Substances List | (DSL) | Yes |
| Canada | Non-Domestic Substances | s List (NDSL) | No |
| China | Inventory of Existing Chen | nical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Exi Substances (EINECS) | sting Commercial Chemical | Yes |
| Europe | European List of Notified (| Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and N | New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (E | CL) | No |
| New Zealand | New Zealand Inventory | | No |
| Philippines | Philippine Inventory of Che (PICCS) | emicals and Chemical Substances | No |
| United States & Puerto Rico | Toxic Substances Control | Act (TSCA) Inventory | Yes |
| *A "Vee" indicates that all some | | and the first second | |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

| Issue date | 12-05-2014 |
|----------------------|--|
| Revision date | 03-06-2015 |
| Version # | 03 |
| Disclaimer | The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. |
| Revision Information | GHS: Classification |