# Safety Data Sheet 1800BR



## 1 Material and Supplier Indentification

| Glass Cleaner Concentrate  |  |  |
|--|--|--|
| Non-Streaking, 20:1 Formula  |  |  |
| Use only for the purpose on product label. This product is not intended to be used without prior dilution if specified on product label.   |  |  |
| Brady Industries<br>7055 Lindell Rd<br>Las Vegas, NV 89118<br>800-293-4698 (Customer Service)  |  |  |
| (800) 255-3924 USA (813)248-0585 International (Chemtel 24 hrs)  |  |  |
|  |  |  |
| Serious Eye Irritation: Category 2A<br>Skin Irritation: Category 3<br>Flammable Liquids: Category 3<br>Specific Target Organ Toxicity (Single Exposure): Category<br>3   |  |  |
| WARNING  |  |  |
| Causes mild skin irritation. Causes serious eye irritation. May cause respiratory irritation Flammable liquid and vapour   |  |  |
|  |  |  |
| KEEP OUT OF REACH OF CHILDREN. Read label before use.  |  |  |
| Wash hands thoroughly after handling., Keep away from open flames. No smoking. Keep container tightly closed. Keep cool. Take precautionary measures against static discharge. Wear protective gloves and eye protection.  |  |  |
| IF ON SKIN: Take off contaminated clothing and wash before reuse. Rinse skin with water. If skin irritation persists: Get medical attention.<br>IF IN EYES: Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.<br>IF INHALED: Remove person to fresh air and keep comfortable for breathing. If problem persists, call a Poison Center or get medical attention.<br>IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical attention |  |  |
|  |  |  |

| Hazardous Ingredients | CAS Number | Concentration Range % |  |
|-----------------------|------------|-----------------------|--|
| Isopropanol           | 67-63-0    | 20-40                 |  |
| 2-Butoxyethanol       | 111-76-2   | 1-10                  |  |

| 4 First Aid Measures | S   |
|----------------------|---|
| Eye Contact:         | Flush eyes with water for 15 minutes. Remove contact lenses if any.   |
| Skin Contact:        | Contact with concentrate may be an irritant to sensitive skin. If spilt in large areas of skin, rinse immediately with water and remove clothing. Wash skin thoroughly with soap and water. |
| Inhalation           | If discomfort is experienced after prolonged exposure to vapors, move person to fresh air.<br>Get medical attention if irritation persists.   |
| Ingestion:           | Get medical attention immediately. Rinse mouth with water. Do NOT induce vomiting. Drink glass of water to dilute product.  |

| 5 Firefighting Measures   |  |
|---|--|
| Suitable Extinguishing Media:                                   | Water spray, normal foam, dry agent (carbon dioxide, dry chemical powder.)   |
| Specific Hazards arising from the Chemical:                     | In a fire or if heated, a pressure increase will occur and the container may burst.<br>Combustion products may include and are not limited to nitrogen oxides, carbon<br>monoxide, and carbon dioxide.                   |
| Specific Protective Equipment and Precautions for Firefighters: | Firefighters should wear NIOSH approved self-contained breathing apparatus and protective clothing. If safe to do so, remove containers from path of fire. If involved in a fire, keep containers cool with water spray. |

#### 6 Accidental Release Measures

| Emergency Procedures:                          | Keep area clear of personnel until area has been properly cleaned.  |
|--|---|
| Personal Precautions/<br>Protective Equipment: | Slippery when spilt. To avoid accidents, clean up immediately and shut off source of leak, if safe to do so. Wear appropriate protective equipment to prevent any contamination of skin, eyes, and personal clothing. Provide sufficient ventilation.   |
| Environmental Precautions:                     | If contamination of sewers or waterways has occurred, advise local emergency services.  |
| Methods for Containment and<br>Cleaning Up:    | Contain spill with absorbent (soil, sand, or other inert material) or spill kit to prevent contamination of sewers or waterways. Neutralization agent is not recommended within building, as toxic vapors may be omitted. Properly dispose of used absorbents in accordance with local, state, and federal regulations. |

# 7 Handling and Storage Precautions for Safe Handling: Avoid skin and eye contact, inhalation and ingestion. Wash hands thoroughly after use. Keep out of reach of children. Conditions for Safe Storage, Including an Incompatibilities: Store in cool, dry place and out of direct sunlight. Store away from source of heat or ignition. Do not mix with other chemicals. Keep container closed when not in use, and check regularly for leaks.

See Section 10 for incompatible materials.

#### 8 Exposure Controls/Personal Protection

Control Parameters: <u>Hazardous Ingredients</u> Isopropanol 2-Butoxyethanol

ACGIH TLV TWA 200 ppm 20 ppm OSHA PEL TWA 400 ppm 50 ppm NIOSH IDLH TWA 400 ppm N/A

| Appropriate engineering<br>controls: | Good ventilation should be sufficient to control worker exposure to airborne contaminants.   |  |  |
|--------------------------------------|--|--|--|
| Personal Protection                  |  |  |  |
| Eye Protection:                      | Use protective glasses or safety goggles if splashing or spray-back is likely.   |  |  |
| Hand Protection:                     | Use protective gloves when used for prolong periods or if skin sensitive.  |  |  |
| Skin Protection:                     | Use apron if splashing or spray-back is likely.  |  |  |
| Respiratory Protection:              | Use in well ventilated areas or local exhaust ventilation when cleaning small spaces.  |  |  |
| Hygiene Measures:                    | Always wash hands after handling chemical products, and before smoking, eating, drinking, or using the toilet. Wash contaminated clothing or protective equipment before storage and re-use. |  |  |

#### **9 Physical and Chemical Properties**

| Physical State:<br>Color:<br>Odor:<br>pH: | Liquid<br>Blue<br>Slight Ammonia<br>9.5-10.5 | Specific Gravity:<br>Evapporation Rate:<br>Solubility in Water:<br>VOC (g/L): | 0.93<br>< 1<br>Complete<br><400 | Vapour Pressure (mm Hg):<br>Vapour Density:<br>Freezing Point (°F):<br>Boiling Point (°F):<br>Flash Point (°F): | < 17 mm Hg<br>> 1<br>< 32<br>> 212<br>> 200 |
|---|--|---|---------------------------------|---|---|
|   |  | < means less than   | > m                             | eans greater than   |   |

**Note:** These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

#### **10 Stability and Reactivity**

| Reactivity:                         | No specific data  |
|-------------------------------------|---|
| Chemical Stability:                 | Stable  |
| Possibility of Hazardous Reactions: | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| Conditions to Avoid:                | Avoid exposure to heat and light.   |
| Incompatible Materials:             | Slightly reactive or incompatible with oxidizers (e.g., bleach), strong acids (e.g., hydrochloric acid) and reactive metals (e.g., aluminum). |
| Hazardous Decomposition Products:   | Under normal conditions of storage and use, hazardous decomposition products should not be produced.  |

## 11 Toxological Information

| •   |                 |                                  |  |  |
|---|-----------------|----------------------------------|--|--|
| Symptoms:   |                 |                                  |  |  |
| Eye Cont  | act: Adverse sy | mptoms may include               | the following: irritation, w                         | atering, redness                                   |
| Skin Cont   | act: Adverse sy | mptoms may include               | the following: irritation, re                        | edness   |
| Inhalat   | -               | • •                              | the following: respiratory                           |  |
| Ingest  | ion: Adverse sy | mptoms may include               | the following: stomach p                             | ains   |
| Acute Toxicity:   |                 |                                  |  |  |
| Eye Cont  | -               | e irritation.                    |  |  |
| Skin Cont   |                 | in irritation.                   |  |  |
| Inhalat   |                 | spiratory system irritat         |  |  |
| Ingest  | ion: Causes bu  | rns to mouth, throat a           | nd stomach   |  |
| Toxicity Data:  |                 |                                  |  |  |
| Hazardous Ingredients   |                 | <u>Result</u>                    | <b>Species</b>                                       | Dose   |
| sopropanol  |                 | LD 50- Oral                      | Rat  | 5045 mg/kg   |
|   |                 | LC 50- Inhalation                | Rat  | 16000 ppm  |
| Dutouvothanal   |                 | LD 50- Dermal                    | Rabbit   | 12,800 mg/kg                                       |
| 2-Butoxyethanol   |                 | LD50 Dermal                      | Guinea Pig   | >2000 mg/kg  |
|   |                 | LC0 Inhalation<br>LD50 Ingestion | Guinea Pig<br>Rat                                    | >3.1 mg/l<br>1,300 mg/kg                           |
|   |                 | LD50 Ingestion                   | Guinea   | 1,400 mg/kg  |
|   |                 | C                                |  | 1, <del>1</del> 00 mg/ng                           |
| Chronic Effects:  | No knowr        | n significant effects or         | critical hazards                                     |  |
| 12 Ecological Informa   | ation           |                                  |  |  |
| Ecotoxicity:  | No data a       | available.                       |  |  |
| Aquatic Toxicity:   |                 |                                  |  |  |
| Hazardous Ingredients   |                 | <b>Result</b>                    | <u>Species</u>                                       | Dose   |
| sopropanol  |                 | LC50                             | Fathead minnow                                       | 9640 mg/l 96 hrs                                   |
|   |                 | EC50                             | Daphnia Magna  | 5102 mg/l 24 hrs                                   |
|   |                 | EC50                             | Green Algae  | >2000 mg/l 72 hrs                                  |
| 2-Butoxyethanol   |                 | LC50                             | rainbow trout  | 1,474 mg/l/96 hrs                                  |
|   |                 | EC50                             | Water Flea   | 1,550 mg/l/48 hrs                                  |
|   |                 | EbC50                            | Green Algae  | 911 mg/L/72 hrs                                    |
|   |                 | IC50                             | Bacteria   | >1000 mg/L   |
| Other Adverse Effects:  | No knowr        | n significant effects or         | critical hazards.                                    |  |
| 13 Disposal Considera   | ations          |                                  |  |  |
| Disposal Methods:   |                 |                                  | to sanitary sewer. Disca<br>with federal, state, and | rd empty container in trash.<br>local regulations. |
|   |                 |                                  |  | -  |
| 14 Transportation Info  | ormation        |                                  |  |  |
| Certain shipping modes or p<br>The classification provided r<br><u>Ground Transport</u> |                 |                                  |  |  |
| DOT Classification:   |                 |                                  |  |  |
| JN Number:  | 1993            |                                  |  |  |
| Fransport Hazard Class:   | 3               |                                  |  |  |
|   |                 |                                  |  |  |

| 15 Regulatory Information |                          |
|---------------------------|--------------------------|
| Hazardous Contents:       | Isopropanol              |
| Hazardous Division:       | Flammable liquid, n.o.s. |
| Packaging Group:          | II                       |
| Transport Hazard Class:   | 3                        |
|                           |                          |

 5/22/2015
 1793
 Glass Cleaner Concentrate
 Page 4 of 5

| SARA Title III:<br>California Proposition 65:<br>Other Regulations: | Yes<br>No | Contains 2-Bu   | Contains 2-Butoxyethanol |  |
|---|-----------|-----------------|--------------------------|--|
| 16 Other Information  |           |                 |                          |  |
| HMIS/NFPA Hazard Rating:  | Health: 1 | Flammability: 2 | Reactivity: 0            |  |

The information contained herein is based on the data available to us. It is believed to be correct. NO warranty, expressed or implied, is made regarding the accuracy of this data or the results to be obtained from the use therof. For further information consult Brady Industries.

MSDS Revision Date: 5/22/2015