



TECHNICAL CONCEPTS

# ENERGIZING SPA TCELL

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 03/13/2015 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : ENERGIZING SPA TCELL  
Product code : Parfum06  
SKU # : 1836258

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Air care products  
For professional use only  
Odour agents

#### 1.3. Details of the supplier of the safety data sheet

Rubbermaid Commercial Products LLC  
3124 Valley Avenue  
Winchester, VA 22601-2694 - USA  
T (540) 6678700  
[www.rubbermaidcommercial.com](http://www.rubbermaidcommercial.com)

#### 1.4. Emergency telephone number

Emergency number : 24-Hour Emergency: INFOTRAC: 1-800535-5063

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Flam. Liq. 3 H226  
Skin Irrit. 2 H315  
Eye Dam. 1 H318  
Skin Sens. 1 H317  
Asp. Tox. 1 H304

Full text of H-phrases: see section 16

#### 2.2. Label elements

##### GHS-US labelling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

H226 - Flammable liquid and vapour  
H304 - May be fatal if swallowed and enters airways  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage

Precautionary statements (GHS-US) :

P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking  
P280 - Wear protective gloves  
P301+P310 - If swallowed: Immediately call a doctor  
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P331 - Do NOT induce vomiting  
P332+P313 - If skin irritation occurs: Get medical advice/attention  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

# ENERGIZING SPA TCELL

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

# ENERGIZING SPA TCELL

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
C9-12 ISO-ALKANES	(CAS No) 90622-57-4	>= 50	Asp. Tox. 1, H304 Flam. Liq. 3, H226
2,6-DIMETHYL-7-OCTEN-2-OL	(CAS No) 18479-58-8	10 - 20	Eye Irrit. 2A, H319
DECANAL	(CAS No) 112-31-2	1 - 10	Skin Irrit. 2, H315 Aquatic Chronic 3, H412
2,4,6-TRIMETHYL-4-PHENYL-1,3-DIOXANE	(CAS No) 5182-36-5	1 - 10	Acute Tox. 4 (Oral), H302
GERANIOL	(CAS No) 106-24-1	1 - 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
LIMONENE	(CAS No) 5989-27-5	1 - 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXYALDEHYDE	(CAS No) 68039-49-6	1 - 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
CITRONELLOL	(CAS No) 106-22-9	0,1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
DELTA-DAMASCONONE	(CAS No) 57378-68-4	0,1 - 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
MYRCENE	(CAS No) 123-35-3	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304
GAMMA-TERPINENE	(CAS No) 99-85-4	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Asp. Tox. 1, H304
PINENES	(CAS No) 127-91-3	< 0,1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
TERPINOLENE	(CAS No) 586-62-9	< 0,1	Aquatic Chronic 2, H411 Asp. Tox. 1, H304
ALPHA TERPINENE	(CAS No) 99-86-5	< 0,1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411 Asp. Tox. 1, H304
p-CYMENE	(CAS No) 99-87-6	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Aquatic Chronic 2, H411 Asp. Tox. 1, H304
BISABOLENE	(CAS No) 495-62-5	< 0,1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
L-BETA-PINENE	(CAS No) 18172-67-3	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
SABINENE	(CAS No) 3387-41-5	< 0,1	Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
BETA-CARYOPHYLLENE	(CAS No) 87-44-5	< 0,1	Asp. Tox. 1, H304
ALPHA-PINENES	(CAS No) 80-56-8	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of H-phrases: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Allow breathing of fresh air. Allow the victim to rest.

# ENERGIZING SPA TCELL

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- |                                       |  |
|---------------------------------------|--|
| First-aid measures after skin contact | : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get immediate medical advice/attention. |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.   |
| First-aid measures after ingestion    | : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.   |

### 4.2. Most important symptoms and effects, both acute and delayed

- |                                      |   |
|--------------------------------------|---|
| Symptoms/injuries after inhalation   | : May cause an allergic skin reaction.          |
| Symptoms/injuries after skin contact | : Causes skin irritation.                       |
| Symptoms/injuries after eye contact  | : Causes serious eye damage.                    |
| Symptoms/injuries after ingestion    | : May be fatal if swallowed and enters airways. |

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- |                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.                     |

### 5.2. Special hazards arising from the substance or mixture

- |                  |  |
|------------------|--|
| Fire hazard      | : Flammable liquid and vapour.                     |
| Explosion hazard | : May form flammable/explosive vapour-air mixture. |

### 5.3. Advice for firefighters

- |                                |   |
|--------------------------------|---|
| Firefighting instructions      | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection.   |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- |                  |   |
|------------------|---|
| General measures | : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. |
|------------------|---|

#### 6.1.1. For non-emergency personnel

- |                      |                                   |
|----------------------|-----------------------------------|
| Emergency procedures | : Evacuate unnecessary personnel. |
|----------------------|-----------------------------------|

#### 6.1.2. For emergency responders

- |                      |  |
|----------------------|--|
| Protective equipment | : Equip cleanup crew with proper protection. |
| Emergency procedures | : Ventilate area.                            |

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- |                         |  |
|-------------------------|--|
| Methods for cleaning up | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. |
|-------------------------|--|

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- |                                   |  |
|-----------------------------------|--|
| Additional hazards when processed | : Handle empty containers with care because residual vapours are flammable.  |
| Precautions for safe handling     | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. No open flames. No smoking.              |
| Hygiene measures                  | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. |

### 7.2. Conditions for safe storage, including any incompatibilities

- |                    |                                       |
|--------------------|---------------------------------------|
| Technical measures | : Comply with applicable regulations. |
|--------------------|---------------------------------------|

# ENERGIZING SPA TCELL

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources, Ignition sources.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

ENERGIZING SPA TCELL	
ACGIH	Not applicable
OSHA	Not applicable
2,6-DIMETHYL-7-OCTEN-2-OL (18479-58-8)	
ACGIH	Not applicable
OSHA	Not applicable
DECANAL (112-31-2)	
ACGIH	Not applicable
OSHA	Not applicable
2,4,6-TRIMETHYL-4-PHENYL-1,3-DIOXANE (5182-36-5)	
ACGIH	Not applicable
OSHA	Not applicable
GERANIOL (106-24-1)	
ACGIH	Not applicable
OSHA	Not applicable
LIMONENE (5989-27-5)	
ACGIH	Not applicable
OSHA	Not applicable
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)	
ACGIH	Not applicable
OSHA	Not applicable
CITRONELLOL (106-22-9)	
ACGIH	Not applicable
OSHA	Not applicable
DELTA-DAMASCONE (57378-68-4)	
ACGIH	Not applicable
OSHA	Not applicable
MYRCENE (123-35-3)	
ACGIH	Not applicable
OSHA	Not applicable
GAMMA-TERPINENE (99-85-4)	
ACGIH	Not applicable
OSHA	Not applicable
PINENES (127-91-3)	
ACGIH	Not applicable
OSHA	Not applicable

# ENERGIZING SPA TCELL

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>TERPINOLENE (586-62-9)</b>	
ACGIH	Not applicable
OSHA	Not applicable

<b>ALPHA TERPINENE (99-86-5)</b>	
ACGIH	Not applicable
OSHA	Not applicable

<b>BISABOLENE (495-62-5)</b>	
ACGIH	Not applicable
OSHA	Not applicable

<b>p-CYMENE (99-87-6)</b>	
ACGIH	Not applicable
OSHA	Not applicable

<b>L-BETA-PINENE (18172-67-3)</b>	
ACGIH	Not applicable
OSHA	Not applicable

<b>SABINENE (3387-41-5)</b>	
ACGIH	Not applicable
OSHA	Not applicable

<b>BETA-CARYOPHYLLENE (87-44-5)</b>	
ACGIH	Not applicable
OSHA	Not applicable

<b>ALPHA-PINENES (80-56-8)</b>	
ACGIH	Not applicable
OSHA	Not applicable

<b>C9-12 ISO-ALKANES (90622-57-4)</b>	
ACGIH	Not applicable
OSHA	Not applicable

### 8.2. Exposure controls

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: None under normal use.
Respiratory protection	: None under normal use.
Other information	: Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear Transparent Liquid.
Colour	: colourless to slightly yellow
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available

# ENERGIZING SPA TCELL

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Freezing point	: No data available
Boiling point	: No data available
Flash point	: 60 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0,804 - 0,808
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: < 6 mm <sup>2</sup> /s
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

#### 2,4,6-TRIMETHYL-4-PHENYL-1,3-DIOXANE (5182-36-5)

LD50 oral rat	1200 mg/kg
ATE US (oral)	1200,000 mg/kg bodyweight

#### 2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)

LD50 oral rat	4000 mg/kg
ATE US (oral)	4000,000 mg/kg bodyweight

#### ALPHA TERPINENE (99-86-5)

ATE US (oral)	500,000 mg/kg bodyweight
---------------	--------------------------

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.

# ENERGIZING SPA TCELL

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ cell mutagenicity : Not classified  
Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Reproductive toxicity : Not classified  
Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation : May cause an allergic skin reaction.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

CITRONELLOL (106-22-9)	
LC50 fish 1	10 mg/l
EC50 other aquatic organisms 1	2,38 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	17,48 mg/l IC50 algea (72 h) mg/l

ALPHA-PINENES (80-56-8)	
LC50 fish 1	0,28 mg/l
EC50 other aquatic organisms 2	1,44 mg/l IC50 algea (72 h) mg/l

### 12.2. Persistence and degradability

ENERGIZING SPA TCELL	
Persistence and degradability	May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative potential

ENERGIZING SPA TCELL	
Bioaccumulative potential	Not established.

# ENERGIZING SPA TCELL

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Effect on ozone layer :  
Effect on the global warming : No known ecological damage caused by this product.  
Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Additional information : Handle empty containers with care because residual vapours are flammable.  
Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

## SECTION 14: Transport information

In accordance with DOT  
Transport document description : UN1169 Extracts, aromatic, liquid, 3, III  
UN-No.(DOT) : UN1169  
Proper Shipping Name (DOT) : Extracts, aromatic, liquid  
Transport hazard class(es) (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120  
Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : III - Minor Danger  
DOT Special Provisions (49 CFR 172.102) : B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.  
IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).  
T2 - 1.5 178.274(d)(2) Normal..... 178.275(d)(3)  
TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling =  $97 / (1 + a (tr - tf))$  Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.  
DOT Packaging Exceptions (49 CFR 173.xxx) : 150  
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203  
DOT Packaging Bulk (49 CFR 173.xxx) : 242  
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 60 L  
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 220 L  
DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

### Additional information

Other information : No supplementary information available.

# ENERGIZING SPA TCELL

## Safety Data Sheet


according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### ADR

Transport document description : UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, (D/E)  
Packing group (ADR) : III  
Class (ADR) : 3 - Flammable liquid  
Hazard identification number (Kemler No.) : 30  
Classification code (ADR) : F1  
Danger labels (ADR) : 3 - Flammable liquids



Orange plates :



Tunnel restriction code (ADR) : D/E  
LQ : 5I  
Excepted quantities (ADR) : E1

### Transport by sea

UN-No. (IMDG) : 1169  
Proper Shipping Name (IMDG) : EXTRACTS, AROMATIC, LIQUID  
Class (IMDG) : 3 - Flammable liquids  
Packing group (IMDG) : III - substances presenting low danger

### Air transport

UN-No. (IATA) : 1169  
Proper Shipping Name (IATA) : Extracts, aromatic, liquid  
Class (IATA) : 3 - Flammable Liquids  
Packing group (IATA) : III - Minor Danger

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### 2,6-DIMETHYL-7-OCTEN-2-OL (18479-58-8)

Not listed on the United States SARA Section 313  
Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### DECANAL (112-31-2)

Not listed on the United States SARA Section 313  
Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 2,4,6-TRIMETHYL-4-PHENYL-1,3-DIOXANE (5182-36-5)

Not listed on the United States SARA Section 313  
Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### GERANIOL (106-24-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Not listed on the United States SARA Section 313

#### LIMONENE (5989-27-5)

Not listed on the United States SARA Section 313  
Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)

Not listed on the United States SARA Section 313  
Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### CITRONELLOL (106-22-9)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory  
Listed on the United States TSCA (Toxic Substances Control Act) inventory

# ENERGIZING SPA TCELL

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **DELTA-DAMASCONE (57378-68-4)**

Not listed on the United States SARA Section 313  
Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **MYRCENE (123-35-3)**

Not listed on the United States SARA Section 313  
Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **GAMMA-TERPINENE (99-85-4)**

Not listed on the United States SARA Section 313  
Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **PINENES (127-91-3)**

Not listed on the United States SARA Section 313  
Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **TERPINOLENE (586-62-9)**

Not listed on the United States SARA Section 313  
Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **ALPHA TERPINENE (99-86-5)**

Not listed on the United States SARA Section 313  
Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **BISABOLENE (495-62-5)**

Not listed on the United States SARA Section 313  
Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **p-CYMENE (99-87-6)**

Not listed on the United States SARA Section 313  
Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **L-BETA-PINENE (18172-67-3)**

Not listed on the United States SARA Section 313  
Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **SABINENE (3387-41-5)**

Not listed on the United States SARA Section 313  
Not listed on the United States TSCA (Toxic Substances Control Act) inventory

### **BETA-CARYOPHYLLENE (87-44-5)**

Not listed on the United States SARA Section 313  
Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **ALPHA-PINENES (80-56-8)**

Not listed on the United States SARA Section 313  
Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **C9-12 ISO-ALKANES (90622-57-4)**

Not listed on the United States SARA Section 313  
Not listed on the United States TSCA (Toxic Substances Control Act) inventory

## 15.2. International regulations

### CANADA

No additional information available

### EU-Regulations

No additional information available

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3      H226  
Skin Irrit. 2      H315

# ENERGIZING SPA TCELL

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Eye Dam. 1 H318  
Skin Sens. 1 H317  
Asp. Tox. 1 H304  
Aquatic Chronic 2 H411  
Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

### 15.2.2. National regulations

### 15.3. US State regulations

#### TERPINOLENE (586-62-9)

U.S. -New York - RTK list Hazardous Substances

#### ALPHA-PINENES (80-56-8)

U.S. -New York - RTK list Hazardous Substances

## SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

# ENERGIZING SPA TCELL

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

SDS US GHS HazCom 2012 newell

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*