MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEM	ICAL PROD	OCT AND	COMPAN	Y IDEN	HEICATIO	N	
Hazardous Ingredients (specific) QUANTUM X					WHMIS Classification: MINIMAL		
Product Use: Floor Finish							
Manufacturer's Name:				T			
ULTRA CHEM INDUSTRIES LTD				Supplies Name	1		
Street Address: Jnit 1 7107 Venture Street				Street Address			
City: DELTA	Province:/ State B.C.			City			Province
Postal Code: V4G 1H7	Emergency Telephone: 1-800-535-5053			Postal Code	Emergency Telepl		
Date MSDS Prepared: APRIL 2008		MSDS Prepared by:	ULTRA CH	EM INDU	STRIES LTD	Phone Number: 1-604-946-8357	
SECTION 2 - COMP	OSITION / I	NFORMAT	ION ON I	NGREDI	IENTS		
Hazardous Ingredients (specific)		%	CASI	lumber		ngredient ies and route)	LC ₅₀ of Ingredient (specify species)
DIPROPYLENE GYLCOL PROPYL ETHER		5-7	1569	-01-3	2920 mg/kg (oral, rat)		N/AV
TRIBUTOXYETHYL PHOSPHATE PLASTICISER		1-2	78-	51-3	3000 mg/k	g (oral, rat)	> 20 mg/L
ALIPHATIC ALKYD ACRYLIC POLYMER		25	N.	AV	NAV		NAV
SECTION 3 - HAZAF	RDS IDENT	FICATION					
Route of Entry	ontact S k	in Absorption	■ Evo	Contact	a inholati	on a	Ingostion
[Emergency Overview]	ontact - Sk	III Absorption	в Еуе	Contact	f) inhalati	OII –	Ingestion
[WHMIS Symbols]	A						
[Potential Health Effects] prolonged or repeated ex	posure can ca	use skin dryin	a.				
SECTION 4 - FIRST	AID MEAS	JRES					
^{Skin Contact} Wash with soap and wate	er. If irritation p	ersists seek n	nedical atte	ntion			
Wash with soap and water. If irritation persists seek medical attention Flush with copious amounts of potable water. Seek medical attention immediately.							
Inhalation	or polable						
l							
Ingestion Drink 3-4 glasses of MILF	Cor WATER. N	NO NOT INDU	JCE vomitin	g. Seek M	ledical Attenti	on	

Product Identifier QUANTUM X Page 2/4				
SECTION 5 - FIRE F	FIGHTING MEASURES			
Flammable No.	If yes, under which con	nditions?		
. D Yes No	0 [
	Normal Fire - Fighting Proced	ures		
Flashpoint (°C) and Method	Upper Flammable Limi	it (% by volume)	Lower Flammable Limit (% by volume)	
None	IN/AP Explosion Data - Sensi	itivity to Impact	N/AP Explosion Data - Sensivity to Static Discharge	
Autoignition Temperature (°C) None	NO	πίντις το πηράσι	NO	
Hazardous Combustion Products	,		•	
Oxides of Carbon [NFPA]				
NONE				
SECTION 6 - ACCID	DENTAL RELEASE MEA	ASURES		
Leak and Spill Procedures				
Large spill: dike with abso	orbent, collect in drum, then d	dispose. Rinse w	vith water and let dry.	
SECTION 7 - HAND	LING AND STORAGE			
Handling Procedures and Equipment				
	ures, avoid skin and eye conta	act.		
	ures, avoid skin and eye conta	act.		
	ures, avoid skin and eye conta	act.		
Normal handling procedu				
Normal handling procedu	ures, avoid skin and eye conta			
Normal handling procedu				
Normal handling procedu				
Normal handling procedu Storage Requirements Store in well ventilated ar		ure 15°C	DTECTION	
Storage Requirements Store in well ventilated ar SECTION 8 - EXPOSE Exposure Limits	rea. Recommended temperate SURE CONTROL / PER	ure 15°C		
Storage Requirements Store in well ventilated ar SECTION 8 - EXPOSE Exposure Limits N/AV AC	rea. Recommended temperations of the second	ure 15°C	OTECTION Other (specify)	
Storage Requirements Store in well ventilated ar SECTION 8 - EXPOSE Exposure Limits	rea. Recommended temperations of the second	ure 15°C		
Storage Requirements Store in well ventilated ar SECTION 8 - EXPOSE Exposure Limits N/AV Specific Engineering Controls (such as ventilation	rea. Recommended temperations of the second	ure 15°C		
Storage Requirements Store in well ventilated ar SECTION 8 - EXPOSE Exposure Limits N/AV Specific Engineering Controls (such as ventilation Personal Protective Equipment	SURE CONTROL / PER CGIH TLV	ure 15°C	Other (specify)	
Storage Requirements Store in well ventilated ar SECTION 8 - EXPOSE Exposure Limits N/AV Specific Engineering Controls (such as ventilation) Personal Protective Equipment Gloves Respin If checked, please specify type	SURE CONTROL / PER CGIH TLV OSHA PEL rentilation enclosed process)	ure 15°C		
Storage Requirements Store in well ventilated ar SECTION 8 - EXPOSE Exposure Limits N/AV Specific Engineering Controls (such as ventilation) Personal Protective Equipment Gloves Respiration Respiration	SURE CONTROL / PER CGIH TLV OSHA PEL rentilation enclosed process)	ure 15°C SONAL PRO	Other (specify) Clothing Other	
Storage Requirements Store in well ventilated ar SECTION 8 - EXPOSE Exposure Limits . N/AV	SURE CONTROL / PER CGIH TLV OSHA PEL rentilation enclosed process) irrator Eye eved, organic vapour cartridge	ure 15°C SONAL PRO	Other (specify) Clothing Other	
Storage Requirements Store in well ventilated ar SECTION 8 - EXPOSE Exposure Limits N/AV Specific Engineering Controls (such as ventilation) Personal Protective Equipment Gloves Respiration Respiration	SURE CONTROL / PER CGIH TLV OSHA PEL rentilation enclosed process) irrator Eye eved, organic vapour cartridge	ure 15°C SONAL PRO	Other (specify) Clothing Other	

Product	Identifier	QUANTUM	Χ
FIUUUUL	IUCHUNCI	QUAIN I DIVI	$^{\prime}$

page 3/4

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

	• • • • • • • • • • • • • • • • • • • •	Odour Threshold (ppm) N/AV
Specific Gravity 1.035	. 1	Vapour Pressure (mmHg) 17 mmHg
Evaporation Rate > 1	Boiling Point (°C) >100°C	Freezing Point (°C) <0°C
_{рН} 8.5 <u>+</u> 0.5	Coefficient of Water / Oil Distribution 100% water soluble	[Solubility in Water] 100%

SECTION 10 - STABILITY AND REACTIVITY

			If no, under which conditions?
Chemical Stability			in to, dilate which conditions.
. Yes	Ø	No	
Incompatibility with Other Substances			If yes, which ones?
. 🔳 Yes		No	Strong oxidizing agents
Reactivity, and under what conditions?			
None			
Hazardous Decomposition Products			
None			

SECTION 11 - TOXICOLOGICAL INFORMATION

Effects of Acute Exposure		
Inhalation, eye, skin contact may cause i	rritation	
Effects of Chronic Exposure		
Prolonged or repeated exposue may cau	use skin drying.	
Irritancy of Product		
contact with eyes / skin Skin Sensitization	In the contract of	
N/AV	Respiratory Sensitization	
Carcinogenicity -IARC	Carcinogenicity - ACGIH	
No	No	
Reproductive Toxicity	Teratogenicity	
N/A Embryotoxicity	N/A	
Embryotoxicity	Mutagenicity	
	N/A	
Name of Synergistic Products / Effects	•	
N/A		

Product Identifier QUANTU	JM X	Page 4/4
SECTION 12 - ECOLOG	ICAL INFORMATION	
Aquatic Toxicity Molibity= N/A	Persistence= N/A	Bioaccumulative = N/A
	water, this material is relea	n and secondary waste treatment microbial respiration. When used directly or indirectly into the environment is not expected a BOD5 (G Oxygen (ML) = 0.14
Acute Aquatic effects Data: 24 96 hrs LC ₅₀ (Blue Gill Sunfish)		75,000 mg/L
SECTION 13 - DISPOSA	L CONSIDERATIONS	3
Waste Disposal According to local, provincial a	and federal government reg	uirements
, , , , , , , , , , , , , , , , , , ,		
SECTION 14 - TRANSPO	ORT INFORMATION	
Special Shipping Information: Normal procedures. Keep from	n franzina	
Normal procedures. Neep	Theezing.	PIN
TDG: N/AP	[DC	OT]
[IMO]	[IC.	AO]
SECTION 15 - REGULA	TORY INFORMATION	
[WHMIS Classification] Class D Div 2 Mate	erials Causing Other Toxi	IA]
[SERA]	[TSC/	AJ
		in accordance with the hazard criteia of the me MSDS contains all of the information required by CPR
SECTION 16 - OTHER II	NFORMATION	
Notice to Reader:		
nor any of its subsidiaries assi herein. Final determination o	umes any liability whatsoev of suitability of any material I be used with caution. altho	If herein is accurate. However, neither the above named supplier over for the accuracy or completeness of the information contained is the sole responsibility of the user. All materials may present ough certain hazards are described herein, we cannot guarantee e only hazards that exist.