Prepared by: Regulatory Affairs Dept.

(Prepared According to 29 CFR 1910.1200)

N/A=Not Applicable Effective Date: 1/09Revision: n/a

SECTION 1-PRODUCT IDENTIFICATION AND SUPPLIER INFORMATION

Product Name: Victory Lane

Generic Name: Ultra High Solids Low Maintenance Finish

Address: 2 Executive Park Drive Billerica, MA 01862 Chemical Family: Acrylic Wax Blend

Formula: Proprietary

Triple S Product Number: 48083

Manufactured For: Triple S

Phone #: 800-323-2251

SECTION 2-INGREDIENT INFORMATION						
CAS NO.	WT. %	PEL	TWA-TLV	STEL-TLV		
7732-18-5	to 100					
63744-68-3	45 to 50					
65405-63-2	5 to 10					
25722-45-6	0 to 5					
68441-17-8	5 to 10					
78-51-3	0 to 5					
111-90-0	0 to 5					
34590-94-8	0 to5					
	CAS NO. 7732-18-5 63744-68-3 65405-63-2 25722-45-6 68441-17-8 78-51-3 111-90-0	CAS NO. WT. % 7732-18-5 to 100 63744-68-3 45 to 50 65405-63-2 5 to 10 25722-45-6 0 to 5 68441-17-8 5 to 10 78-51-3 0 to 5 111-90-0 0 to 5	CAS NO. WT. % PEL 7732-18-5 to 100 63744-68-3 45 to 50 65405-63-2 5 to 10 25722-45-6 0 to 5 68441-17-8 5 to 10 78-51-3 0 to 5 111-90-0 0 to 5	CAS NO. WT. % PEL TWA-TLV 7732-18-5 to 100 63744-68-3 45 to 50 65405-63-2 5 to 10 25722-45-6 0 to 5 68441-17-8 5 to 10 78-51-3 0 to 5 111-90-0 0 to 5		

SECTION 4-FIRE AND EXPLOSION HAZARD DATA **SECTION 3-PHYSICAL DATA** Boiling Point (°F): 212 F. Flash Point (Method Used): None Specific Gravity: 1.039 Vapor Pressure: 20mm Hg @ 68 F. Upper Explosion Limit: N/A Vapor Density (Air=1): >1 Lower Explosion Limit: N/A **pH**: 8.0-9.0 % Volatile: 70+ Extinguishing Media: N/A Solubility in Water: Complete **Evaporation Rate (Water=1):** <1 Special Firefighting Procedures: Non Flammable Physical Description: Thin milky liquid with characteristic odor. Unusual Fire and Explosion Hazards: N/A

SECTION 5-REACTIVITY DATA

Hazardous Polymerization: None Stability: Stable Incompatibility (Materials to Avoid): None Hazards Decomposition Products: Will not occur.

SECTION 6-STORAGE AND HANDLING INFORMATION

Keep out of reach of children. For use by trained personnel only. Keep unauthorized personnel away when applying to floor. Keep container closed during storage. For institutional and industrial use only. Avoid contact with eyes, skin and clothing. Avoid breathing of vapors. Use in well-ventilated area.

SECTION 7-HEALTH HAZARDS AND FIRST AID

Effects of Overexposure:

Skin: Prolonged or repeated contact may cause dermatitis. Eyes: Eye irritant. May cause redness or swelling. Inhalation: Vapors may cause headache, dizziness, nausea.

Ingestion: May be irritating to the mouth, throat, and gastrointestinal system.

Vomiting and diarrhea expected with large doses.

First Aid Procedures:

Skin: Flush with water. Seek medical attention if irritation persists.

Eyes: Flush with large quantities of water, holding eyelids open. Seek medical

Inhalation: Remove victim to fresh air and monitor.

Ingestion: Dilute with 2 glasses of water. Seek medical attention if symptoms

persist.

CAS#

SECTION 8-SPECIAL PROTECTION INFORMATION

Respiratory Protection: Use in well-ventilated area.

Ventilation Requirements: Provide local exhaust to keep TLV of Section 2 in-

gredients below acceptable limit.

Protective Gloves: Chemical resistant rubber or neoprene. Eye Protection: Safety glasses or chemical splash goggles

Other Protective Equipment: Protective footwear (rubber boots) should be worn

when using product on floor.

SECTION 9-SPILL OR LEAK PROCEDURES

Steps to be taken in Case Material is Released or Spilled: Floors will become slippery. Avoid walking in product. Keep unessential personnel away. Mop up or otherwise absorb and hold disposal. Avoid discharge to sewer or open waterways. Waste Disposal Method: Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for intended purpose. Consult local authorities for disposal in public sewer. Do not dispose of into storm drain, stream, river or to ground. Rinse container thoroughly before discarding in trash.

Percent by Weight

SECTION 10-REGULATORY INFORMATION

SARA Title III - Section 311/312 -Hazard Categories:	Shipping Information:	HMIS Hazardous Materials	
No - Fire Hazard	FOR CONTAINERS > 1 Gallon: Liquid Floor Wax	Identification System	
No - Sudden Release of Pressure Hazard		Health	1
No - Reactivity Hazard	FOR 1 GALLON CONTAINERS: Liquid Floor Wax	Flammability	0
Yes - Immediate (acute) Health Hazard		Reactivity	0
No - Delayed (chronic) Health Hazard	FOR CONTAINERS < 1 GALLON: Liquid Floor Wax	Personal Protection	Α

FOR EMERGENCY MEDICAL OR TRANSPORT INFORMATION: ER# 1-888-779-1339

This product contains the following toxic chemical(s) subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

Chemical Name

	None		<u> </u>			
This product contains the following chemical(s) which have been established to be either a carcinogen or suspected carcinogen.						
CAS#	Chemical Name	Percent by Weight				
	None					

SECTION 11-OTHER INFORMATION

This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of our products either alone or in combination with other products. It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. This company will accept no liability for damages or loss incurred from the improper handling and use of this product