

# Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

**SUPER HDQ NEUTRAL** 

Spartan Chemical Company, Inc.

Product Number: 1204

1110 Spartan Drive Maumee OH 43537 Product Division: **Janitorial** 

Product/Technical Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spill Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Disinfectants, liquid corrosive, n.o.s., 8, UN 1903, III, (contains didecyl dimethyl ammonium chloride, n-alkyl dimethyl benzyl ammonium chloride)

NFPA Ratings:	HMIS Ratings:
Health: 3 - Serious	Health: 3 - Serious
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
	Pers. Prot. Equip.: See Section VIII

### SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z-1-A			
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	NTP, IARC or OSHA Carcinogen
Didecyl dimethyl ammonium	5-10	7173-51-5	Not Established	Not Established	Not Established	No
chloride	-	-	-	-	-	-
Alkyl dimethyl benzyl ammonium	5-10	68424-85-1	Not Established	Not Established	Not Established	No
chloride	-	-	-	-	-	-
Alcohol ethoxylate	1-5	68439-46-3	Not Established	Not Established	Not Established	No
Tetrasodium EDTA	1-5	64-02-8	Not Established	Not Established	Not Established	No
Ethanol	1-5	64-17-5	1900	Not Established	Not Established	No

## SECTION III: PHYSICAL DATA

Boiling Point: 212 °F	Vapor Pressure: Unknown
Vapor Density (AIR = 1): Unknown	Solubility in Water: Complete
pH: 7.2-8.2	Specific Gravity (H <sub>2</sub> O=1): 1.00
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 20-25
Physical State: Liquid	

Appearance & Odor: Non-viscous green liquid, cool fresh fragrance

### SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 212 °F	Method Used: ASTM-D56	
Flammable Limits: N/A	Flame Extension: N/A	
Extinguishing Media: Product does not support combustion.	Use extinguishing media appropriate for surrounding fire.	
Special Fire Fighting Procedures: Wear NIOSH approved self-contained containers with water spray.	d breathing apparatus and protective clothing. Cool fire-exposed	
Unusual Fire & Explosive Hazards: Products of combustion are toxic.		

SECTION V:		HA7ADD	DATA
SECTION V:	HEALIH	HAZAKU	DATA

SECTION V: HEALTH HAZARD DATA			
Threshold Limit Value:	Not Established	Primary Routes of Entry: Inhalation, Skin Contact, Eyes & Oral	
Effects of Overexposure- Conditions to Avoid:		MAGE: Symptoms may include pain, redness, swelling of the	
		s may include pain, redness and tissue destruction. Harmful if	
	HARMFUL IF SWALLOWED: Symptoms may include nausea, vomiting, pain and diarrhea.  INHALATION OF SPRAY MIST MAY CAUSE RESPIRATORY IRRITATION: Breathing spray mist reause coughing and respiratory irritation.  Do not get in eyes, on skin or clothing. Do not taste or swallow. Avoid inhalation of spray mist. W		
	thoroughly with soap and water after h	•	
Conditions Aggravated by Use:	Use of this product may aggravate pro	eexisting skin; eye; and respiratory disorders including asthma and	
	dermatitis.		
Emergency & First Aid Procedures:			
Eyes:	res: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses after the first 5 minutes then continue rinsing eye. Get immediate medical attention.  kin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Get		
Skin:			
	medical attention. Wash contaminate	ed clothing before reuse.	
Ingestion:	if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do		
	not give anything by mouth to an unc	onscious person.	
Inhalation:	Move person to fresh air. If person is not breathing; call 911 or an ambulance; then give artificial respiration; preferably mouth to mouth if possible. Call a poison control center or doctor for further		
	treatment advice.		
NOTE TO PHYSICIAN: Probable muc	cosal damage may contraindicate the u	se of gastric lavage.	
SECTION VI: REACTIVITY DATA			
Stability:	Stable	Incompatible Materials: Strong oxidizers	
Hazardous Decomposition Products:	dous Decomposition Products: CO, CO <sub>2</sub> Hazardous Polymerization: Will Not Occur		

## SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case

Material is Released or Spilled: Dike and contain spill with inert material (sand, earth, commercial absorbent, etc.) and transfer to containers for disposal. Rinse area with water and flush to sanitary sewer. Keep spill out of storm

sewers and waterways.

Waste Disposal Method: Dispose of in compliance with all federal, state and local laws and regulations.

#### SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection: Not normally required when good general ventilation is provided. However, if exposure limits (see Section II) are exceeded or if respiratory irritation occurs, use of a NIOSH approved respirator suitable for the

use-conditions and chemicals in Section II should be considered.

Ventilation: Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.

Protective Gloves(Specify Type): Rubber or other impervious gloves are recommended.

Eye Protection(Specify Type): Splash goggles and/or face shield

Other Protective Equipment: Eye wash stations and washing facilities should be readily accessible in areas where undiluted product is handled.. See 29 CFR 1910.132-138 for further guidance.

## SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing: Keep from freezing. Store at temperatures below 140 F. Keep containers closed until used.

Do not contaminate drinking water; food or feed by storage or disposal

Other Precautions: Keep out of reach of children.

© SCC 12/01/2011 Name: Title: Ronald T. Cook Manager, Regulatory Affairs

Effective Date: 12/01/2011 Supercedes: 06/08/2011 SUPER HDQ NEUTRAL

Ref: 29 CFR 1910.1200 (OSHA) Changes: Section II Correction

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as

to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations