MATERIAL SAFETY DATA SHEET

1. Product and Company Identification	
253110	
Wipe Away Foaming All Purpose Cleaner	
06-Jan-2009	
GORM, Incorporated	
Ontario, CA 91761 United States	
General Assistance 1-800-640-GORM	
1-800-255-3924	
703-527-3887	
06	
29-Feb-2008	
2. Hazards Identification	
CONTENTS UNDER PRESSURE. Aerosol. Pressurized container may explode when exposed to heat or flame. Prolonged exposure may cause chronic effects.	
Ingestion. Skin contact.	
Health injuries are not known or expected under normal use.	
This product may be harmful if it is absorbed through the skin. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).	
Intentional misuse by concentrating and inhaling the product can be harmful or fatal.	
Exposure by ingestion of an aerosol is unlikely. Components of the product may be absorbed into the body by ingestion.	
2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged and may cause blood damage. These effects have not been observed in humans. Blood. Central nervous system.	
Unconsciousness. May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion, and blurred vision) and/or damage.	
-	

3. Composition / Information on Ingredients

Components	CAS #	Percent
2-Butoxyethanol	111-76-2	3 - 5
n-Butane	106-97-8	1 - 3
Non-hazardous and other components below reportable levels		> 90

4. First Aid Measures		
First aid procedures		
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops or persists.	
Skin contact	Immediately take off all contaminated clothing. Wash off with warm water and soap. Get medical attention if irritation develops or persists.	
Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, get medical attention.	
Ingestion	Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.	

trade_name

Product #: 031 Wipe Away Foaming All Purpose Cleaner

Containers may explode when heated. Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may cause fire or explosion hazard. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn. 6. Accidental Release Measures
In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.
In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.
including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.
including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.
6. Accidental Release Measures
Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas.
Should not be released into the environment. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.
Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly.
7. Handling and Storage
Pressurized container: Do not pierce or burn, even after use. Do not handle or store nea an open flame, heat or other sources of ignition. Do not use if spray button is missing or defective. Use only with adequate ventilation. Do not get this material in contact with eyes. Do not get this material in contact with skin. Avoid prolonged exposure.
Level 1 Aerosol. Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Keep away from heat, sparks, and flame. Avoid exposure to long periods of sunlight. Store in cool place. Keep the containe dry. Keep out of the reach of children. Do not store, incinerate, or heat this material above 120 degrees Fahrenheit.
8. Exposure Controls / Personal Protection

ACGIH				
Components	CAS #	TWA	STEL	Ceiling
2-Butoxyethanol	111-76-2	20 ppm	Not established	Not established
n-Butane	106-97-8	1000 ppm	Not established	Not established
OSHA				
Components	CAS #	TWA	STEL	Ceiling
2-Butoxyethanol	111-76-2	50 ppm	Not established	Not established

 Personal protective equipment
 Eye / face protection
 Wear chemical goggles.

 Skin protection
 Wear appropriate chemical resistant clothing. Protective gloves.

 Respiratory protection
 When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

 9. Physical & Chemical Properties

 Appearance
 Compressed liquefied gas.

Boiling point212 °F (100 °C) estimatedColorPale yellow

trade_name

Product #: 031 Wipe Away Foaming All Purpose Cleaner

Flammability (HOC)	3.4153 kJ/g estimated			
Flash back	No -156 °F (-104.4 °C) estimated			
Flash point				
Form	Aerosol. Pleasant. 11.8 - 12.8 Liquid. 60 - 70 psig @70F			
Odor				
рН				
Physical state				
Pressure				
Solubility	Partially			
Specific gravity	0.978 estimated			
10.	Chemical Stability & Reactivity Information			
Chemical stability	Risk of ignition.			
Conditions to avoid	Heat, flames and sparks.			
Incompatible materials	None known.			
Hazardous decomposition products	No hazardous decomposition products are known.			
	11. Toxicological Information			
Acute effects	Acute LD50: 4536 mg/kg estimated, Rat, Dermal			
Sensitization	Not expected to be hazardous by OSHA criteria.			
Reproductive effects	Not expected to be hazardous by OSHA criteria.			
Teratogenicity	Not expected to be hazardous by OSHA criteria.			
	12. Ecological Information			
Ecotoxicity	Components of this product have been identified as having potential environmental concerns.			
	LC50 1190 mg/L estimated, Fish, 96.00 Hours, EC50 44525 mg/L estimated, Daphnia, 48.00 Hours, IC50 88.19 mg/L estimated, Algae, 72.00 Hours,			
	13. Disposal Considerations			
Waste codes	D001: Waste Flammable material with a flash point <140 F D002: Waste Corrosive material [pH <=2 or $=>12.5$, or corrosive to steel]			
Disposal instructions	Contents under pressure. Dispose of this material and its container at hazardous or special waste collection point. Do not incinerate sealed containers. Do not allow this material to drain into sewers/water supplies. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations.			
	14. Transport Information			
Department of Transportation (DOT)	Requirements			
Basic shipping requirements:	•			
Proper shipping name	Consumer commodity			
Hazard class	ORM-D			
Subsidiary hazard class	None			
Additional information:				
Packaging exceptions	156, 306			
Packaging non bulk	156, 306			

None

Packaging bulk

IMDG			
Basic shipping requirement			
Proper shipping name	AEROSOLS		
Hazard class	2.1		
UN number	1950		
Additional information:			
Packaging exceptions	LTD QTY		
ltem	5F	2	
Labels required	None		
Transport Category	2	•	
ΙΑΤΑ			
Basic shipping requirement	:		
Proper shipping name	Aerosols, flammable		
Hazard class	2.1		
UN number	1950		
Additional information:			
Packaging exceptions	LTD QTY		
	2.1		
Labels required	2.1	2	
	15. Regulatory Infor	mation	
	• •		
US federal regulations	This product is a "Hazardous Che Standard, 29 CFR 1910.1200.	emical" as defined by the OSHA Hazard Communication	
U.S CERCLA/SARA - Section	313 - Emission Reporting		
2-Butoxyethanol	2-Butoxyethanol 111-76-2 1.0 % de minimis concentration (applies to R-(OCH2CH2)n-OR', where n = 1,2, or 3 R=alkyl C7 or less, or R = phenyl or alkyl substituted phenyl, R' = H or alkyl C7 or less, or OR' consisting of carboxylic acid ester, sulfate, phosphate, nitrate, or sulfonate, Chemical Category N230)		
Occupational Safety and Health	Administration (OSHA)		
29 CFR 1910.1200 hazardou chemical	Yes		
CERCLA (Superfund) reportable	quantity		
None			
	uthorization Act of 1986 (SARA)		
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No		
Section 302 extremely hazardous substance	No		
Section 311 hazardous cher	i cal Yes		
Inventory status			
Country(s) or region	Inventory name	On inventory (yes/no)*	
China	Inventory of Existing Chemical Substa		
Europe	European Inventory of New and Existi		
Europe	European List of Notified Chemical Su		
Japan	Inventory of Existing and New Chemic		
Korea	Existing Chemicals List (ECL)	No	
United States & Puerto Rico	Toxic Substances Control Act (TSCA)		
		requirements administered by the governing country(s)	
State regulations	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
U			

U.S. - Pennsylvania - RTK (Right to Know) List

-	 -	
2-Butoxyethanol	111-76-2	Present
n-Butane	106-97-8	Present

trade_name

Product #: 031 Wipe Away Foaming All Purpose Cleaner

HMIS® is a registered trade and service mark of the NPCA.
Health: 1 Flammability: 1 Physical hazard: 0 Personal protection:
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
This document has undergone significant changes and should be reviewed in its entirety.