Version 1.0	Revision Date 04/28/2015	Print Date 05/30/2015

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	SSS® Journey Heavy-Duty Multi-Purpose Cleaner
Material number	:	A00166
Manufacturer or supplier's	deta	ils
Company	:	Triple S
Address	:	2 Executive Park Drive Billerica, MA 01862
Telephone	:	978-667-7900

Emergency telephone nun	nbei	rs
For SDS Information	:	978-667-7900
For a Medical Emergency	:	1-888-779-1339
For a Transportation	:	1-888-779-1339
Emergency		

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas	
Colour	colourless	
Odour	characteristic	

GHS Classification	
Gases under pressure	: Liquefied gas
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H280 Contains gas under pressure; may explode if heated.
Precautionary statements	<ul> <li>Storage: P410 + P403 Protect from sunlight. Store in a well-ventilated place.</li> <li>Disposal: P501 Dispose of contents/container in accordance with local regulation.</li> </ul>
Potential Health Effects	

#### **Potential Health Effects**

#### Carcinogenicity:

Version 1.0	Revision Date 04/28/2015	Print Date 05/30/2015
IARC	No component of this product presen equal to 0.1% is identified as probabl human carcinogen by IARC.	
ACGIH	No component of this product presen equal to 0.1% is identified as a carcir carcinogen by ACGIH.	
OSHA	No component of this product presen equal to 0.1% is identified as a carcir carcinogen by OSHA.	
NTP	No component of this product present equal to 0.1% is identified as a know by NTP.	

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical Name	CAS-No.	Concentration [%]
butane	106-97-8	>= 1 - < 5

#### **SECTION 4. FIRST AID MEASURES**

General advice	Do not leave the victim unattended.	
If inhaled	<ul> <li>If unconscious place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>	
In case of skin contact	<ul> <li>If on clothes, remove clothes.</li> <li>If skin irritation persists, call a physician.</li> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> <li>Wash contaminated clothing before re-use.</li> </ul>	
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> <li>In case of contact, immediately flush eyes with plenty of wat for at least 15 minutes.</li> </ul>	ter
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>If symptoms persist, call a physician.</li> <li>DO NOT induce vomiting unless directed to do so by a physician or poison control center.</li> <li>Take victim immediately to hospital.</li> </ul>	

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Alcohol-resistant foam
------------------------------	---	------------------------

(#00000)			
Version 1.0		Revision Date 04/28/2015	Print Date 05/30/2015
		Carbon dioxide (CO2) Dry chemical Water spray jet	
Unsuitable extinguishing media	:	High volume water jet	
Specific hazards during firefighting	:	Do not allow run-off from fire fighting t courses. Carbon dioxide (CO2) Carbon monoxide Smoke	o enter drains or water
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	:	Use extinguishing measures that are circumstances and the surrounding end	
Further information	:	Standard procedure for chemical fires Use extinguishing measures that are circumstances and the surrounding en Fire residues and contaminated fire e be disposed of in accordance with loc	appropriate to local nvironment. xtinguishing water must
Special protective equipment for firefighters	:	Wear self-contained breathing appara necessary.	tus for firefighting if

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>
Environmental precautions	<ul> <li>Prevent further leakage or spillage if safe to do so.</li> <li>Prevent product from entering drains.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>
Methods and materials for containment and cleaning up	: Neutralise with acid. Sweep up or vacuum up spillage and collect in suitable container for disposal.

# SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid contact with skin and eyes.</li> <li>For personal protection see section 8.</li> <li>Avoid exposure - obtain special instructions before use.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> </ul>
	application area.

Version 1.0	Revision Date 04/28/2015	Print Date 05/30/2015
Conditions for safe storage	Dispose of rinse water in accordar regulations. Do not breathe vapours or spray m Take precautionary measures aga Provide sufficient air exchange and Always replace cap after use. BEWARE: Aerosol is pressurized.	nist. inst static discharges. d/or exhaust in work rooms.
	exposure and temperatures over 5 or throw into fire even after use. De red-hot objects. Keep in a dry, cool and well-ventila Observe label precautions. Electrical installations / working ma the technological safety standards	o not spray on flames or ated place. aterials must comply with
Materials to avoid	: Oxidizing agents	

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0

# Components with workplace control parameters

### Personal protective equipment

Respiratory protection	:	In case of insufficient ventilation, wear suitable respiratory equipment.
Hand protection Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Tightly fitting safety goggles
Skin and body protection	:	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	Wash hands before breaks and at the end of workday. Do not smoke. Avoid contact with skin, eyes and clothing.

Version 1.0

Revision Date 04/28/2015

Print Date 05/30/2015

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied ga	as
Colour	: colourless	
Odour	: characteristic	
Odour Threshold	: no data available	
рН	: not applicable	
Melting point/freezing point	: no data available	
Boiling point	: no data available	
Flash point	: not applicable	
Evaporation rate	: no data available	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Density	: no data available	
Solubility(ies)		
Water solubility	: no data available	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
reactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO2)

 Version 1.0
 Revision Date 04/28/2015
 Print Date 05/30/2015

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

### Product:

Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method

### Components:

### butane:

Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l
	Exposure time: 2 h

LC50 rat: 1,355 mg/l

# Skin corrosion/irritation

no data available

#### Serious eye damage/eye irritation

no data available

## Respiratory or skin sensitisation

no data available

### Germ cell mutagenicity

no data available

# Carcinogenicity

no data available

# Reproductive toxicity

no data available

butane:

# STOT - single exposure

no data available

# STOT - repeated exposure

no data available

# Aspiration toxicity

no data available

# **Further information**

# Product:

Remarks: no data available

Version 1.0	Revision Date 04/28/2015	Print Date 05/30/2015
SECTION 12. ECOLOGICAL INFO	RMATION	
Ecotoxicity		
no data available		
Persistence and degradability		
no data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: no data available	
Partition coefficient: n- octanol/water	: Pow: 2.89	
Mobility in soil		
no data available		
Other adverse effects		
no data available Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sect Substances	
Remarks	This product neither contains, no with a Class I or Class II ODS as Clean Air Act Section 602 (40 CF + B).	defined by the U.S.
Additional ecological information	: no data available	

# SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

Version 1.0

Revision Date 04/28/2015

Print Date 05/30/2015

#### **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

#### **SECTION 15. REGULATORY INFORMATION**

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Sudden Release of Pressure Hazard
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	This product contains one or several components that are not on the
	Canadian DSL nor NDSL.
AICS	Not in compliance with the inventory
NZIOC	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory

Version 1.0

Revision Date 04/28/2015


Print Date 05/30/2015

### Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

### **SECTION 16. OTHER INFORMATION**





# OSHA GHS Label Information:



We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.