

SAFETY DATA SHEET

	1. Product and Company	⁷ Identification	
Product Code:	02061		
Product Name:	Concentrated Glass Cleaner		
Company Name:	Genlabs	Phone Number:	
	5568 Schaefer Ave. Chino, CA 91710	1 (909)591-8451	
Web site address:	www.genlabscorp.com		
Emergency Contact:	Chemtrec	1 (800)424-9300	
Recommended Use:	Glass & Surface Cleaner		
Intended Use:	For sale to, use and storage by service persons only.		

2. Hazards Identification

Flammable Liquids, Category 3 Serious Eye Damage/Eye Irritation, Category 2A Target Organ Systemic Toxicity (single exposure), Category 3 Acute Toxicity: Oral, Category 4 Acute Toxicity: Skin, Category 4 Acute Toxicity: Inhalation, Category 4



· · ·	
GHS Signal Word:	Warning
GHS Hazard Phrases:	Flammable liquid and vapor.
	Causes serious eye irritation.
	May cause respiratory irritation.
	Harmful if swallowed.
	Harmful in contact with skin.
	Causes skin irritation.
	Harmful if inhaled.
GHS Precaution Phrases:	Keep container tightly closed.
	Take precautionary measures against static discharge.
	Wash hands thoroughly after handling. Keep out of reach of children.
	Use only outdoors or in a well-ventilated area.
	Do not eat, drink or smoke when using this product.
	Take off contaminated clothing and wash it before reuse.
	Wear protective gloves and eye/face protection as specified by the supplier or the
	competent authority.
GHS Response Phrases:	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
·	present and easy to do. Continue rinsing.
	If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for
	breathing.
	If on skin (or in hair): Wash with plenty of soap and water.
	If swallowed: Immediately call a Poison Center or doctor.
GHS Storage and Disposal	Dispose of contents and container according to the local, city, state and federal
Phrases:	regulations. Store in cool dry place at room temperature away from direct sunlight.



SAFETY DATA SHEET

Potential Health Effects (Acute and Chronic):			
Inhalation:	May cause respiratory tract irritation.		
Skin Contact:	May cause skin irritation.		
Eye Contact:	Substance causes slight eye irritation.		
Ingestion:	Causes gastrointestinal irritation with nausea, vomiting and diarrhea.		
3	. Composition/Information on Ingredients		
CAS # Hazardous Com	ponents (Chemical Name) Concentration		
67-63-0 Isopropyl alcohol	Proprietary		
111-76-2 Ethanol, 2-Butoxy	- Proprietary		
	4. First Aid Measures		
Emergency and First Aid Procedures:			
In Case of Inhalation:	If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medical aid immediately.		
In Case of Skin Contact:	In case of contact, flush skin with plenty of water. Get medical aid if irritation develops and persists.		
In Case of Eye Contact:	In case of contact, immediately flush eyes with plenty of water for a t least 15 minutes. Get medical aid.		
In Case of Ingestion:	Do not induce vomiting. Give victim a glass of water or milk. Call a physician or poison control center immediately.		
Note to Physician:	e to Physician: Treat symptomatically and supportively.		
	5. Fire Fighting Measures		
Flash Pt:	5. Fire Fighting Measures > 125.00 F Method Used: Pensky-Marten Closed Cup		
Flash Pt: Explosive Limits:			
	> 125.00 F Method Used: Pensky-Marten Closed Cup		
Explosive Limits: Autoignition Pt:	> 125.00 F Method Used: Pensky-Marten Closed Cup LEL: N/A UEL: N/A		
Explosive Limits: Autoignition Pt:	 > 125.00 F Method Used: Pensky-Marten Closed Cup LEL: N/A UEL: N/A NE 		
Explosive Limits: Autoignition Pt: Suitable Extinguishing Media	 > 125.00 F Method Used: Pensky-Marten Closed Cup LEL: N/A UEL: N/A NE a:Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form 		
Explosive Limits: Autoignition Pt: Suitable Extinguishing Media Fire Fighting Instructions: Flammable Properties and	 > 125.00 F Method Used: Pensky-Marten Closed Cup LEL: N/A UEL: N/A NE a: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form explosive mixtures with air. Use water spray to keep fire-exposed containers cool. 		
Explosive Limits: Autoignition Pt: Suitable Extinguishing Media Fire Fighting Instructions: Flammable Properties and	 > 125.00 F Method Used: Pensky-Marten Closed Cup LEL: N/A UEL: N/A NE a: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form explosive mixtures with air. Use water spray to keep fire-exposed containers cool. No data available. 		
Explosive Limits: Autoignition Pt: Suitable Extinguishing Media Fire Fighting Instructions: Flammable Properties and Hazards: Steps To Be Taken In Case Material Is Released Or	 > 125.00 F Method Used: Pensky-Marten Closed Cup LEL: N/A UEL: N/A NE a: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form explosive mixtures with air. Use water spray to keep fire-exposed containers cool. No data available. Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Use water spray to dilute spill to a non-flammable mixture. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove 		
Explosive Limits: Autoignition Pt: Suitable Extinguishing Media Fire Fighting Instructions: Flammable Properties and Hazards: Steps To Be Taken In Case Material Is Released Or	 > 125.00 F Method Used: Pensky-Marten Closed Cup LEL: N/A UEL: N/A NE a:Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form explosive mixtures with air. Use water spray to keep fire-exposed containers cool. No data available. 6. Accidental Release Measures Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Use water spray to dilute spill to a non-flammable mixture. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition. Use a spark-proof tool. Provide ventilation.		



SAFETY DATA SHEET Concentrated Glass Cleaner

Storing:

closed container. Keep from contact with oxidizing materials. Store in a cool, dry, well-ventilated area away from incompatible substances.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits	
67-63-0	Isopropyl alcohol		PEL: 400 ppm	TLV: 200 ppm STEL: 400 ppm	No data.	
111-76-2	Ethanol, 2-Butoxy	1-	PEL: 50 ppm	TLV: 20 ppm	No data.	
Respiratory I (Specify Type		No special requiren	nents under normal use	e conditions.		
Eye Protection	on:	Safety glasses.				
Protective G	loves:	Wear appropriate p	protective gloves to prevent skin exposure.			
Other Protec	tive Clothing:	Wear appropriate p	protective clothing to pre	event skin exposure.		
Engineering (Ventilation e		No special ventilation	on requirements. Gene	ral room ventilation is ad	equate.	
		0 Dhysiael	and Chamical C	roportion		
			and Chemical F	roperties		
Physical Stat		[]Gas [X]Lic				
Appearance		Blue color liquid wit	h solvent odor.			
Melting Poin		NE				
Boiling Point		> 212.00 F				
-	on Temperature:	NE NE				
Autoignition Flash Pt:	Ρι:		d Llood: Donaky Mart	on Cloand Cun		
Explosive Li	mito	LEL: N/A	od Used: Pensky-Mart UEL: N/A	en ciosea cup		
•	vity (Water = 1):	0.960	UEL. N/A			
Density:	vity (water = 1).	8.00 LB/GA				
	ure (vs. Air or	NE				
mm Hg):						
•	ty (vs. Air = 1):	NE				
Evaporation		NE				
Solubility in	Water:	100%				
Saturated Va	por	NE				
Concentratio	on:					
Viscosity:		NP				
pH:		9.0 - 10.5				
Percent Vola	tile:	No data.				
VOC / Volum	e:	283.0000 G/L				



SAFETY DATA SHEET

	10. Stability a	nd Reactivity	1		
Stability:	Unstable [] Stable [X]				
Conditions To Avoid - Instability:	Light, ignition sources, Excess heat, Incompatible materials.				
Incompatibility - Materials ٦ Avoid:	Fo Strong oxidizing agents.				
Hazardous Decomposition Byproducts:	Or Carbon monoxide, Carbon di	oxide.			
Possibility of Hazardous Reactions:	Will occur [] Will not oc	cur [X]			
Conditions To Avoid - Hazardous Reactions:	None.				
	11. Toxicologio	al Informatio	n		
Toxicological Information: Carcinogenicity/Other Information:	CAS# 67-63-0: Not listed by A A3 - Confirmed animal carcin California: Not listed. NTP: Not listed. IARC: Not listed.				1-76-2: ACGIH:
CAS # Hazardous Co	omponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
67-63-0 Isopropyl alcol	lor	n.a.	3	A4	n.a.
111-76-2 Ethanol, 2-Bute	оху-	n.a.	3	A3	n.a.
	12. Ecologica	I Information	1		
	No data available.				
	13. Disposal C	onsideration	S		
Waste Disposal Method:	Dispose of contents and cont regulations.	ainer according to t	he local, city	r, state and fee	deral
	14. Transpor	t Information			
LAND TRANSPORT (US DO	ЭТ):				
DOT Proper Shipping N DOT Hazard Class:	Five Gallons or Higher: N Alcohol), Comb. Liq., III.	•	e Liquid, n.o	.s., (Contains	lsopropyl
UN/NA Number:	NA1993	Packing Gro	up:	111	
LAND TRANSPORT (Canac	lian TDG):				
TDG Shipping Name:	NA1993, Combustible Liq	uid, n.o.s., (Contain	is Isopropyl A	Alcohol), Com	b. Liq., III.



SAFETY DATA SHEET Concentrated Glass Cleaner

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: NA1993, Combustible Liquid, n.o.s., (Contains Isopropyl Alcohol), Comb. Liq., III.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: NA1993, Combustible Liquid, n.o.s., (Contains Isopropyl Alcohol), Comb. Liq., III.

15. Regulatory Information

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
67-63-0	Isopropyl alcohol	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
111-76-2	Ethanol, 2-Butoxy-	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8

16. Other Information		
Hazard Rating System: HMIS:	HEALTH 1 FLAMMABILITY 1 PHYSICAL 0 PPE B	
Revision Date:	04/24/2015	
Additional Information About	No data available.	
This Product:		
Company Policy or Disclaimer:	The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and	

used at the customers discretion.