

Page: 1 Printed: 04/30/2018 Revision: 04/30/2018

Supersedes Revision: 04/17/2015

1. Product and Company Identification

Product Code: 280130 / 280135

Simply Mean Cleaner Degreaser **Product Name:**

GORM. Inc. **Phone Number: Company Name:** (909)292-1400

1501 South Hudson Avenue

Ontario, CA 91761

Web site address: www.gorminc.com

ChemTel (800)255-3924 **Emergency Contact:**

Recommended Use: Hard Surface Cleaner/Degreaser

Intended Use: For sale to, use and storage by service persons only.

Hazards Identification

Acute Toxicity: Inhalation, Category 4 Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word: Warning

GHS Hazard Phrases: Harmful if inhaled. Causes skin irritation.

Causes serious eye irritation.

GHS Precaution Phrases: Use only outdoors or in a well-ventilated area.

Wear protective gloves, protective clothing, eye protection, face protection.

Take off contaminated clothing and wash it before reuse.

Wash hands thoroughly after handling.

Keep out of reach of children.

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for **GHS Response Phrases:**

breathing.

If on skin (or in hair): Wash with plenty of soap and water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If swallowed: Immediately call a Poison Center or doctor.

GHS Storage and Disposal

Store in cool dry place at room temperature away from direct sunlight.

Phrases:

Dispose of contents and container according to the local, city, state and federal

regulations.

Potential Health Effects (Acute and Chronic):

Breathing vapors and spray mist can be irritating to nose, throat, lungs and respiratory Inhalation:

Skin Contact: Prolonged and/or repeated contact may cause irritation and/or dermatitis. Avoid any skin

contact.

Eye Contact: Contact with eyes may cause severe irritation, and possible eye burns.

Ingestion: May cause irritation of the digestive tract. May cause gastrointestinal irritation with

nausea, vomiting and diarrhea.



Page: 2
Printed: 04/30/2018
Revision: 04/30/2018

Supersedes Revision: 04/17/2015

3. Composition/Information on Ingredients

CAS # Hazardous Components (Chemical Name) Concentration

1310-58-3 Potassium hydroxide Proprietary

6834-92-0 Silicic acid (H2SiO3), Disodium salt Proprietary

111-76-2 Ethanol, 2-Butoxy-Proprietary

68439-46-3 Alcohol ethoxylate Proprietary

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If unconscious, call a

physician.

In Case of Skin Contact: Flush skin with plenty of water for at least 15 minutes while removing contaminated

clothing and shoes. Wash clothing before reuse. Consult a physician.

In Case of Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

In Case of Ingestion: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by

mouth to an unconscious person. Get medical aid immediately. Consult a physician.

Signs and Symptoms Of

Exposure:

Burning sensation, Cough, Wheezing, Laryngitis, Shortness of breath.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: NE

Explosive Limits: LEL: N/A N.E. UEL: N/A N.E.

Autoignition Pt: NE

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or chemical foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and

Hazards:

No data available.

6. Accidental Release Measures

Steps To Be Taken In Case

Use proper personal protective equipment as indicated in Section 8.

Material Is Released Or Spilled:

Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable

container.

7. Handling and Storage

Precautions To Be Taken in

Handling:

Avoid breathing dust, vapor, mist, or gas. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep out of reach of children. Wash hands thoroughly

after handling.

Precautions To Be Taken in

Store in a cool, dry, well-ventilated area away from incompatible substances.

Storing:

8. Exposure Controls/Personal Protection



Page: 3 Printed: 04/30/2018 Revision: 04/30/2018

Supersedes Revision: 04/17/2015

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1310-58-3	Potassium hydroxide	No data.	CEIL: 2 mg/m3	No data.
6834-92-0	Silicic acid (H2SiO3), Disodium salt	No data.	No data.	No data.
111-76-2	Ethanol, 2-Butoxy-	PEL: 50 ppm	TLV: 20 ppm	No data.
68439-46-3	Alcohol ethoxylate	No data.	No data.	No data.

Respiratory Equipment

Always use a NIOSH approved respirator when necessary.

(Specify Type):

Eye Protection: Face shield and safety glasses.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Handle with gloves.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls Use adequate ventilation to keep airborne concentrations low.

(Ventilation etc.):

Work/Hygienic/Maintenance Handle in accordance with good industrial hygiene and safety practice. Wash hands

Practices: before breaks and at the end of workday.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid Appearance and Odor: green color liquid with solvent odor.

Melting Point: NE

Boiling Point: >= 212.00 F

Decomposition Temperature: NE
Autoignition Pt: NE
Flash Pt: NE

Explosive Limits: LEL: N/A N.E. UEL: N/A N.E.

Specific Gravity (Water = 1): ~ 1.080 Density: $\sim 9.0 \text{ LB/GA}$

Bulk density: NE Vapor Pressure (vs. Air or NE

mm Hg):

Vapor Density (vs. Air = 1): NE
Evaporation Rate: NE
Solubility in Water: 100%
Saturated Vapor NE

Concentration:

Viscosity: NP

 pH:
 11.5 - 12.5

 Percent Volatile:
 No data.

 VOC / Volume:
 50.0000 G/L



Page: 4
Printed: 04/30/2018
Revision: 04/30/2018

Supersedes Revision: 04/17/2015

Particle Size: NE
Heat Value: NE
Corrosion Rate: NE

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - None.

Instability:

Incompatibility - Materials To Strong acids, Aluminum, Copper, Strong oxidizers.

Avoid:

Hazardous Decomposition Or CO, CO2.

Byproducts:

Possibility of Hazardous

Will occur [] Will

Will not occur [X]

Reactions:

Conditions To Avoid - None.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

CAS# 6834-92-0:

Acute toxicity, LD50, Oral, Mouse, 770.0 MG/KG.

Results:

Kidney, Ureter, Bladder: Changes in tubules (including acute renal failure, acute tubular

necrosis).

Kidney, Ureter, Bladder: Changes in bladder weight.

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

- Toxicology Letters., Elsevier Science Pub. B.V., POB 211, 1000 AE, Amsterdam 1000

AE Netherlands, Vol/p/yr: 31(Suppl),, 1986

CAS# 111-76-2:

Acute toxicity, LD50, Oral, Rat, 470.0 MG/KG.

Results:

Behavioral: Somnolence (general depressed activity).

Behavioral: Muscle weakness.

- Dow Chemical Company Reports., Dow Chemical USA, Health and Environment

Research, Toxicology Research Lab, Midland, MI 48640, Vol/p/yr: MSD-46,

Acute toxicity, LC50, Inhalation, Rat, 450.0 PPM, 4 H.

Results:

Behavioral: Ataxia.

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

- Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN

55802, Vol/p/yr: 68,405, 1983

CAS# 68439-46-3:

Acute toxicity, LD50, Oral, Rat, 1378. MG/KG.

Results:

Vascular: Measurement of regional blood flow.

Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels:

Dehydrogenases.

Biochemical: Metabolism (Intermediary): Lipids including transport.



Page: 5
Printed: 04/30/2018
Revision: 04/30/2018
Supersedes Revision: 04/17/2015

- Journal of the American College of Toxicology., Mary Ann Liebert, Inc., New York, NY,

Vol/p/yr: 10(4),427, 1991

Carcinogenicity/Other Information:

CAS# 1310-58-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65. Carcinogenicity. IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. California: Not listed.

NTP: Not listed. IARC: Not listed.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

General Ecological Information:

Environmental: TERRESTRIAL FATE: Based on a recommended classification scheme, an estimated Koc value of 67,, determined from an experimental log Kow and a recommended regression-derived equation, indicates that ethylene glycol mono-n-butyl ether is expected to have high mobility in soil. An estimated BCF value of 2.5 was calculated for ethylene glycol mono-n-butyl ether, using an experimental log Kow of 0.83 and a recommended regression-derived equation. According to a recommended classification scheme, this BCF value suggests that bioconcentration in aquatic organisms is low.

Physical: No information found.

Other: An estimated BCF value of 2.5,, from an experimental log Kow, suggests that ethylene glycol mono-n-butyl ether bioconcentration in aquatic organisms will be low, according to a recommended classification scheme.

Results of PBT and vPvB

CAS# 111-76-2:

assessment:

LC50, Brine Shrimp (Artemia salina), nauplii, 1000000. UG/L, 24 H, Mortality, Water

temperature: 24.00 C C.

Results:

Morphological changes.

- Brine Shrimp Bioassay and Seawater BOD of Petrochemicals, Price, K.S., G.T. Waggy,

and R.A. Conway, 1974

CAS# 68439-46-3:

LC50, Fathead Minnow (Pimephales promelas), 11000. UG/L, 96 H, Mortality, Water

temperature: 22.00 C C.

Results:

Morphological changes.

- Acute Toxicity and Structure-Activity Relationships of Nine Alcohol Ethoxylate

Surfactants to Fathead Minnow and Daphnia magna, Wong, D.C.L., P.B. Dorn, and E.Y.

Chai, 1997

Persistence and Degradability:

No data available.

Bioaccumulative Potential:

No data available.

Mobility in Soil:

No data available.



Page: 6
Printed: 04/30/2018
Revision: 04/30/2018
Supersedes Revision: 04/17/2015

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal

regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: NOT REGULATED FOR DOMESTIC TRANSPORT.

DOT Hazard Class: UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. Regulatory Information

CAS # Hazardous Components (Chemical Name)

1310-58-3 Potassium hydroxide

6834-92-0 Silicic acid (H2SiO3), Disodium salt

111-76-2 Ethanol, 2-Butoxy
68439-46-3 Alcohol ethoxylate

Other US EPA or State Lists

CA PROP.65: No; CA TAC, Title 8: Title 8

CA PROP.65: No; CA TAC, Title 8: TAC, Title 8


CA PROP.65: No; CA TAC, Title 8: TAC, Title 8

CA PROP.65: No; CA TAC, Title 8: No

16. Other Information

Hazard Rating System:





HMIS:

Revision Date: 04/30/2018

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.