SAFETY DATA SHEET

Date Prepared: 06/04/2015 Revision Date: 08/23/2016 Version No.:

SDS No.: Triple S 62 Perisept

SSS Navigator #62 Perisept Sporicidal Disinfectant Cleaner

1. Product and Company Identification

Product identifier NAVIGATOR #62 PERISEPT SPORICIDAL DISINFECTANT CLEANER

Other means of identification

48027 **Product Code**

Product registration 10324-214-12120

number

Recommended use FIFRA Regulated End Use Product (EUP)

Recommended restrictions None known.

Distributor information

Company name Triple S

Address 2 Executive Park Drive

Billerica, MA 01862

United States

Telephone (978) 667-7900

(800)-323-2251

Emergency phone number (888)-779-1339

2. Hazard(s) identification

Physical hazards Flammable liquids Category 4

> Organic peroxides Type F

Health hazards Acute toxicity, oral Category 4

> Skin corrosion/irritation Category 1B Serious eye damage/eye irritation Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Not classified. OSHA defined hazards

GHS Label elements

Signal word





CORROSIVE

EXCLAMATION

DANGER

Hazard statement Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. Causes

serious eye damage. May cause respiratory irritation.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe mist or

> vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye

protection/face protection.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse c autiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse. In case of fire: Use appropriate media to

extinguish.

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment,

long-term hazard

Hazard(s) not otherwise

classified (HNOC)

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Category 2

Supplemental information 7% of the mixture consists of component(s) of unknown long-term hazards to the aquatic

environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%	
Hydrogen Peroxide		7722-84-1	20 - < 30	
Acetic Acid		64-19-7	5 - < 10	
Peracetic Acid		79-21-0	5 - < 10	
Etidronic Acid		2809-21-4	1 - < 3	
Sulfuric Acid		7664-93-9	< 1	
Other components below reportable levels			50 - < 60	

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician if you feel unwell.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

blindness could result. May cause respiratory irritation.

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

Ingestion

Indication of immediate medical attention and special

treatment needed

General information

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show

this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions

Specific methods General fire hazards Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

mixtures. During fire, gases hazardous to health may be formed.

The product is combustible, and heating may generate vapors which may form explosive vapor/air

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Combustible liquid.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

TO NEUTRALIZE SPILL:

Add sodium carbonate (soda ash) at a rate of 1-3 pounds for each gallon of concentrated solution.

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

IF CONTAMINATION OCCURS:

The drum or container may be hot to the touch. Cool the drum with water if possible. Excessive bubbles may be present in the liquid. Move the drum to an outside location or ventilated area to prevent exposure damage. If possible, dilute the concentrated product within the drum or container. Be aware that heat may be generated during this process.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. Keep liquid away from clothing and other combustible materials. Keep away from heat, sparks and open flame. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment when handling. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store drums locked up. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Keep only in the original container. Store in a well-ventilated place. Store material away from alkaline corrosive materials. Keep in an area equipped with sprinklers.

DO NOT allow the concentrated solution to contact any metals other than stainless steel. Preferred materials are plastics such as polypropylene, PVC, polyethylene, Kynar and PTFE. DO NOT allow galvanized metal, copper, iron, steel or brass to come in contact with the

concentrated solution.

DO NOT place anything into the concentrated container that is not new in order to avoid contamination and unwanted reaction.

DO NOT return unused solution back into the container.

DO NOT store the product in direct sunlight.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)				
Components	Type	Value		
Acetic Acid (CAS 64-19-7)	PEL	25 mg/m3		
		10 ppm		
Hydrogen Peroxide (CAS 7722-84-1)	PEL	1.4 mg/m3		
		1 ppm		
Sulfuric Acid (CAS 7664-93-9)	PEL	1 mg/m3		

US. ACGIH Threshold Limit Values			
Components	Type	Value	Form
Acetic Acid (CAS 64-19-7)	STEL	15 ppm	
	TWA	10 ppm	
Hydrogen Peroxide (CAS 7722-84-1)	TWA	1 ppm	
Peracetic Acid (CAS 79-21-0)	STEL	0.4 ppm	Inhalable fraction and vapor.
Sulfuric Acid (CAS 7664-93-9)	TWA	0.2 mg/m3	Thoracic fraction.
US. NIOSH: Pocket Guide to Chemical Haz	zards		
Components	Type	Value	
Acetic Acid (CAS 64-19-7)	STEL	37 mg/m3	
		15 ppm	
	TWA	25 mg/m3	
		10 ppm	
Hydrogen Peroxide (CAS 7722-84-1)	TWA	1.4 mg/m3	
		1 ppm	
Sulfuric Acid (CAS 7664-93-9)	TWA	1 mg/m3	

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with organic vapor

cartridge.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Color Colorless

Odor Pungent Vinegar
Odor threshold Not available.

pH >1

Melting point/freezing point Not available.

Initial boiling point and boiling 212 °F (100 °C)

range

Flash point 181.4 °F (83.0 °C) Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%)

Explosive limit - upper (%)

Not available.

Not available.

Vapor pressure 22 mm Hg @ 25 deg C

Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Miscible
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Specific gravity 1.1 @ 25 deg C VOC (Weight %) 7 % estimated

10. Stability and reactivity

Reactivity Reacts violently with strong alkaline substances. This product may react with reducing agents.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Do not mix with other chemicals. Contact with incompatible materials.

Incompatible materials Bases. Strong oxidizing agents. Reducing agents.

Hazardous decomposition

products

Toxic gas.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns.

Eye contact Causes serious eye damage.

Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result. May cause respiratory irritation.

Information on toxicological effects

Acute toxicity In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and

central nervous system effects. Harmful if swallowed. May cause respiratory irritation.

Components Species Test Results

Acetic Acid (CAS 64-19-7)

<u>Acute</u> Oral

LD50 Rat 3310 mg/kg

Etidronic Acid (CAS 2809-21-4)

Acute Dermal

2.50

LD50 Rabbit > 10000 mg/kg

Components	Species	Test Results
Oral		
LD50	Rat	3130 mg/kg
Hydrogen Peroxide (CAS 772	2-84-1)	
<u>Acute</u>		
Dermal		
LD50	R a bbit	> 2000 mg/kg
Inhalation		
LC50	Rat	> 170 mg/m3, 4 h
Oral		
LD50	Rat	1193 - 1270 mg/kg
Peracetic Acid (CAS 79-21-0)		
<u>Acute</u>		
Dermal		
	Rabbit	1147 mg/kg
Inhalation		
	Mouse	204 mg/m³, 4 h
Oral		
	Rat	1656 mg/kg
Sulfuric Acid (CAS 7664-93-9)		
<u>Acute</u>		
Inhalation		
LC50	Rat	375 mg/m3, 4 h
Oral		
LD50	Rat	2140 mg/kg
* Estimates for product r	may be based on additional compo	nent data not shown.
•	•	

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Risk of cancer cannot be excluded with prolonged exposure. IARC has concluded that

"occupational exposure to strong inorganic mists containing sulfuric acid is carcinogenic for

humans (Group 1)".

IARC Monographs. Overall Evaluation of Carcinogenicity

Hydrogen Peroxide (CAS 7722-84-1) 3 Not classifiable as to carcinogenicity to humans.

Sulfuric Acid (CAS 7664-93-9) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Sulfuric Acid (CAS 7664-93-9) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.

Components		Species	Test Results
Acetic Acid (CAS 64-19-	7)		
Aquatic			
Acute			
Algae	EC50	Algae	> 1000 mg/l, 72 h
Crustacea	EC50	Daphnia	> 1000 mg/l, 48 h
Fish	LC50	Oncorhynchus mykiss	> 1000 mg/l, 96 h
Etidronic Acid (CAS 280	9-21-4)		
Aquatic			
Acute Algae	EC50	Algae	7.23 mg/l, 96 h
		Daphnia	_
Crustacea	EC50		527 mg/l, 48 h
Fish	LC50	Oncorhynchus mykiss	195 mg/l, 96 h
Chronic Algae	NOEC	Algae	13 mg/l, 14 d
Crustacea	NOEC	Daphnia	6.75 mg/l, 28 d
Hydrogen Peroxide (CA		Барппа	0.73 Hig/I, 28 d
Aquatic	3 //22-04-1)		
Acute			
Algae	EC50	Algae	1.38 mg/l, 72 h
Crustacea	LC50	Daphnia	2.4 mg/l, 48 h
Fish	LC50	Fathead minnow (Pimephales promelas)	16.4 mg/l, 96 h
Chronic			3 .
Crustacea	NOEC	Daphnia	0.63 mg/l, 21 d
Peracetic Acid (CAS 79-	21-0)		
Aquatic			
Acute			
Algae	EC50	Algae	0.16 mg/l, 72 h
Crustacea	EC50	Daphnia	0.73 mg/l, 48 h
Fish	LC50	Bluegill (Lepomis macrochirus)	1.1 mg/l, 96 h
Chronic			
Crustacea	NOEC	Daphnia	0.08 mg/l, 21 d
Fish	NOEC	Fish	0.0022 mg/l, 33 d
Sulfuric Acid (CAS 7664	-93-9)		
Aquatic			
Acute			
Algae	EC50	Algae	> 100 mg/l, 72 h
Crustacea	EC50	Daphnia	> 100 mg/l, 48 h
Fish	LC50	Bluegill (Lepomis macrochirus)	16 - 28 mg/l, 96 h
Chronic	NOTO	D. 1.:	0.15
Crustacea	NOEC	Daphnia 	0.15 mg/l, 35 d
Fish	NOEC	Fish	0.025 mg/l, 65 d

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential See next page.

Acetic Acid -0.17

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or

rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous

Waste Representative at the nearest EPA Regional Office for guidance.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN3109

UN proper shipping name

Transport hazard class(es)

Organic peroxide type F, liquid (Peroxyacetic acid, type F, stabilized)

Class 5.2
Subsidiary risk 8
Label(s) 5.2
Packing group II

Special precautions for user

Read safety instructions, SDS and emergency procedures before handling.

Special provisionsIP5Packaging exceptions152Packaging non bulk225Packaging bulk225ERG number145

IATA

UN number UN3109

UN proper shipping name Organic peroxide type F, liquid (Peroxyacetic acid, type F, stabilized)

Transport hazard class(es)

Class 5.2
Subsidiary risk 8
Packing group II
Environmental hazards No.
ERG Code 5L

Special precautions for user

Other information

Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo Allowed.

aircraft

Cargo aircraft only

Allowed.

IMDG

UN number UN3109

UN proper shipping name ORGANIC PEROXIDE TYPE F, LIQUID (PEROXYACETIC ACID, TYPE F, STABILIZED)

Transport hazard class(es)

Class 5.2 Subsidiary risk 8 Packing group II


Environmental hazards

Marine pollutant No. EmS F-J, S-R

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

DOT



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Acetic Acid (CAS 64-19-7)

Peracetic Acid (CAS 79-21-0)

Sulfuric Acid (CAS 7664-93-9)

Listed.

Listed.

SARA 304 Emergency release notification

 Hydrogen Peroxide (CAS 7722-84-1)
 1000 LBS

 Peracetic Acid (CAS 79-21-0)
 500 LBS

 S ulfuric Acid (CAS 7664-93-9)
 1000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No SARA 302 Extremely hazardous substance

Chemical name CAS number Reportable Threshold Threshold Threshold quantity planning quantity planning quantity, planning quantity, lower value upper value Hydrogen Peroxide 7722-84-1 1000 1000 lbs Peracetic Acid 79-21-0 500 500 lbs Sulfuric Acid 7664-93-9 1000 1000 lbs Nο

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Chemical name CAS number % by wt. Peracetic Acid 79-21-0 5 - < 10 Sulfuric Acid 7664-93-9 < 1

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Peracetic Acid (CAS 79-21-0) Sulfuric Acid (CAS 7664-93-9)

Safe Drinking Water Act

Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Sulfuric Acid (CAS 7664-93-9)

6552

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Sulfuric Acid (CAS 7664-93-9) 20 %WV

DEA Exempt Chemical Mixtures Code Number

Sulfuric Acid (CAS 7664-93-9)

6552

FIFRA Information This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for

workplace labels of non-pesticide chemicals. Listed below is the hazard information as required on

the pesticide label.

DANGER Signal word

KEEP OUT OF REACH OF CHILDREN

CORROSIVE. Causes irreversible eye damage and skin burns. Harmful if swallowed. May be fatal Hazard statement

if inhaled. Do not get into eyes, on skin or on clothing. Do not breathe vapors or spray mist.

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Sulfuric Acid (CAS 7664-93-9)

US. Massachusetts RTK - Substance List

Acetic Acid (CAS 64-19-7)

Hydrogen Peroxide (CAS 7722-84-1)

Peracetic Acid (CAS 79-21-0)

Sulfuric Acid (CAS 7664-93-9)

US. New Jersey Worker and Community Right-to-Know Act

Acetic Acid (CAS 64-19-7)

Hydrogen Peroxide (CAS 7722-84-1)

Peracetic Acid (CAS 79-21-0)

Sulfuric Acid (CAS 7664-93-9)

US. Pennsylvania Worker and Community Right-to-Know Law

Acetic Acid (CAS 64-19-7)

Hydrogen Peroxide (CAS 7722-84-1)

Peracetic Acid (CAS 79-21-0)

Sulfuric Acid (CAS 7664-93-9)

US. Rhode Island RTK

Acetic Acid (CAS 64-19-7)

United States & Puerto Rico

Hydrogen Peroxide (CAS 7722-84-1) Peracetic Acid (CAS 79-21-0) Sulfuric Acid (CAS 7664-93-9)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
E urope	E uropean Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
E urope	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

Toxic Substances Control

Issue date	06-04-2015		HMIS RATING	
Revision date	08-23-2016		HEALTH	3
Version #	02		FLAMMABILITY	2
NFPA ratings	Health: Flammability:	3	PHYSICAL HAZARD	1
	Instability:	0	PERSONAL PROTECTION	D

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision Information Accidental release measures: Methods and materials for containment and cleaning up

Handling and storage: Conditions for safe storage, including any incompatibilities

Yes