

## Section I - Chemical Products & Company Identifications

|                                     |  |
|-------------------------------------|--|
| <b>Product Name / Item No.</b>      | SSS Sanotracin™ Concentrate, 18012   |
| <b>EPA Reg. No.</b>                 | 88089-2  |
| <b>Description</b>                  | Disinfectant   |
| <b>Product Dilution Information</b> | Prior to use, dilute with approved chemical dilution system - 26 oz/gal or 200 mL/L of water |
| <b>Manufactured for:</b>            | Triple S<br>2 Executive Park Drive<br>Billerica, MA 01862                                    |
| <b>Information Telephone No.</b>    | 1-800-323-2251   |
| <b>Emergency Telephone No.</b>      | 1-888-779-1339   |
| <b>Creation Date</b>                | 7-May-2012   |
| <b>Revision Date</b>                | 17-Apr-2013  |
| <b>Version</b>                      | 2.2  |

## Section II - Health Hazard Data

### Hazards to Humans and Domestic

**DANGER. CORROSIVE.** Causes irreversible eye damage and skin burns. May be fatal if absorbed through the skin or inhaled. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Do not breathe vapor or mist. Wear protective eyewear (goggles, face shield, or safety glasses), clothing, and chemical resistant gloves. Wash with soap and water thoroughly after handling and before eating, drinking, or using tobacco. Remove and wash clothing before reuse. Dilute concentrate to the appropriate use rate in a well ventilated area or have available proper respiratory protection.

### HMIS® Classification

|                         |          |
|-------------------------|----------|
| <b>Health Hazards</b>   | <b>3</b> |
| <b>Flammability</b>     | <b>0</b> |
| <b>Reactivity</b>       | <b>1</b> |
| <b>Physical Hazards</b> | <b>C</b> |

### NFPA® Rating

|                        |            |
|------------------------|------------|
| <b>Health</b>          | <b>3</b>   |
| <b>Flammability</b>    | <b>0</b>   |
| <b>Reactivity</b>      | <b>2</b>   |
| <b>Special Hazards</b> | <b>OX1</b> |

HMIS® Ratings Note: 4=Severe, 3=Serious, 2=Moderate, 1=Slight, 0=Minimal, C=Safety Glasses, Gloves and Apron

HMIS® is a registered trademark of the National Paint and Coating Association. NFPA® is a registered trademark of the National Fire Protection Association.

## Section III - Composition / Information on Ingredients

| <b>Ingredients</b> | <b>CAS#</b> | <b>Concentration</b> | <b>Exposure Limit</b>                                     |
|--------------------|-------------|----------------------|---|
| Hydrogen Peroxide  | 7722-84-1   | 23-25%               | 1ppm (TWA) ACGIH<br>1ppm PEL (1.4mg/m <sup>3</sup> ) OSHA |
| Peraoxyacetic Acid | 79-21-0     | 1.0-1.4%             | None established  |
| Other              |             | 1.0-2.0%             | None established  |
| Water              | 7732-18-5   | Balance              |   |

## Section IV - First Aid Measures

**Have the product container with you when calling a poison control center or doctor or going for treatment.**

|                               |  |
|-------------------------------|--|
| <b>If in Eyes</b>             | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>  |
| <b>If Swallowed</b>           | <ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul> |
| <b>In on Skin or Clothing</b> | <ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or physician for treatment advice.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>  |
| <b>If Inhaled</b>             | <ul style="list-style-type: none"> <li>• Move person to fresh air</li> <li>• If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>• Call a poison control center or physician for further treatment advice.</li> </ul>   |

---

**Section IV - First Aid Measures (Continued)**

---

**First Aid Notes**

This product can be corrosive to skin, eyes, and mucous membranes. Consideration should be given to careful endoscopy as stomach or esophageal burns, perforations or strictures may occur. Careful gastric lavage with an endotracheal tube in place should be considered. Observation may be warranted. Treatment is controlled removal of exposure followed by symptomatic and supportive care.

---

**Section V - Fire Fighting Measures**

---

**Flammable Limits**

Not available.

**Suitable Extinguishing Media**

Use flooding quantities of water only. Use water spray to keep fire-exposed containers cool. Fight fire from protected location or maximum distance. Chemical type extinguishers are not effective with peroxyacetic acid or hydrogen peroxide, which are ingredients in this product.

**Special Protective Equipment for Firefighters**

Use personal protective equipment and wear positive pressure self-contained breathing apparatus for fire-fighting.

**Fire-Point**

No fire-point. This material will not sustain a flame.

---

**Section VI - Accidental Release Measures**

---

**Steps to be taken in case of material spill or release**

CAUTION! Floors may be slippery. Wear appropriate protective equipment and, where mists or vapors of unknown concentrations may be generated, wear a respirator with an organic-vapor-removing cartridge and a prefilter approved for pesticides with MSHA/NIOSH approval number prefix TC-23C or with a canister approved for pesticides with MSHA/NIOSH approval number prefix TC-14G. Always approach spills from upwind. Ventilate the space involved. Small spills may be flushed to an approved sewer line with generous amounts of water. Combustible materials exposed to hydrogen peroxide should be rinsed immediately with large amounts of water to ensure that all the hydrogen peroxide is removed. Residual hydrogen peroxide which is allowed to dry on organic material such as paper, fabrics, cotton, leather, wood, or other combustibles can cause the material to ignite and result in a fire. Contain and recover liquid when possible. Collect liquid in an appropriate container or absorb with an inert material (e.g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust.

**Waste Disposal Method**

Dispose of in compliance with Federal, state and local laws and regulations. Consult a regulatory specialist for assistance.

---

**Section VII - Handling and Storage**

---

**Handling**

Store containers in upright position only. Avoid contamination; impurities accelerate decomposition. Never return product to original container. Empty containers as thoroughly as possible.

- One gallon and smaller container: If empty, wrap container and put in trash or offer for recycling. If partly filled, call your local solid waste agency for disposal instructions.
- Larger than one gallon container: Triple rinse prior to disposal. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or incineration.

**Storage**

Store in original containers in a cool, well-vented area, away from direct sunlight. Maintain temperature between 14°F and 104°F (-10°C and 40°C). Do not allow product to freeze or become overheated. This may cause increased degradation of the product, which will decrease product effectiveness. In case of spill, flood area with large quantities of water.

**Ventilation**

Provide mechanical local exhaust ventilation to prevent release of mist into the work area.

---

**Section VIII - Exposure Controls / Personal Protection**

---

**Engineering Controls**

Use only with adequate ventilation. Keep airborne contaminants below recommended or statutory limits.

**Skin Protection**

Use synthetic apron and protective clothing and other protection equipment as necessary to prevent skin contact.

**Respiratory Protection**

When used as directed on product labeling, respiratory protection is not required. If discomfort occurs during handling, use and approved acid/gas cartridge or canister.

**Protective Clothing**

Rubber or neoprene gloves.

**Eye & Face Protection**

Protective eye wear. When splash is a concern, wear goggles (eyecup or cover) or a face shield.

---

**Section IX - Physical and Chemical Properties**

---

**Description**

Colorless with slight gray tinge

**Odor**

Pungent, vinegar-like odor

**Section IX - Physical and Chemical Properties (Continued)**

|                           |                           |
|---------------------------|---------------------------|
| Form                      | Liquid                    |
| Melting Point             | Not applicable            |
| Boiling Point             | No data                   |
| Flash Point               | Not applicable            |
| Explosive Properties      | No data                   |
| Auto-Ignition Temperature | No data                   |
| Vapor Pressure            | No data                   |
| Vapor Density             | No data                   |
| Percent Volatiles         | >98%                      |
| Dynamic Viscosity         | 1.27 cP                   |
| Kinematic Viscosity       | No data                   |
| Specific Gravity          | 1.11 g/ml, 9.26 lbs./gal. |
| Solubility                | Water: 100% Soluble       |
| pH                        | 1.3 at 20°C               |

**Section X - Stability and Reactivity**

|                                  |   |
|----------------------------------|---|
| Hazardous Decomposition Products | Oxygen that supports combustion<br>Acetic Acid<br>Carbon Monoxide<br>Carbon Dioxide   |
| Hazardous Reactions              | This product is not considered to be an explosion hazard. Drying of concentrated hydrogen peroxide on clothing or other combustible materials may cause fire or explosion.<br>This product is incompatible with alkalis, metals, organic materials, and chlorinated products. |
| Sensitivity to Static Discharge  | Not available   |
| Sensitivity to Impact            | Not available   |

**Section XI - Toxicology Information**

|                                     |  |
|-------------------------------------|--|
| Acute Toxicity                      | Oral: LD <sub>50</sub> (rat) > 5000 mg/kg<br>Inhalation: LC <sub>50</sub> (rat) between .51 mg/l and 2.08 mg/l<br>Dermal: LD <sub>50</sub> (rat) = 3129 mg/kg  |
| Skin Corrosion / Irritation         | Severe Irritant. Corrosive. Primary Dermal Irritation Index (PDII) = 6.4   |
| Serious Eye Damage / Eye Irritation | Severe Irritant. Corrosive.  |
| Skin Sensitization                  | Not contact sensitizer.  |
| Target Organs                       | Eyes, skin, nose, throat, lungs  |
| Acute Effects from Overexposure     | No data available for this product. Liquid may cause severe burns and irreversible tissue damage to eyes. Inhalation of vapors may cause lacrimation and irritation of the mucous membranes, eyes, and nasal passages. Persons with asthma or susceptibility to asthma-like symptoms or with impaired or compromised respiratory function should avoid exposure  |
| Chronic Effects from Overexposure   | No data available for this product. Product contains hydrogen peroxide. There are reports of limited evidence of carcinogenicity of hydrogen peroxide to mice administered high concentrations in their drinking water (IARC Monograph 36, 1985). The U.S. Federal Drug Administration has concluded that there is insufficient evidence of carcinogenicity and the International Agency for Research on Cancer (IARC) has concluded that this chemical is not classifiable as to its carcinogenicity to humans (group 3). |
| Carcinogenicity                     |  |
| Hydrogen Peroxide                   | NTP - Not listed<br>IARC - IARC Group 3<br>OSHA - Not Listed<br>Other - ACGIH (A3, Animal Carcinogen)  |

**Section XII - Ecological Information**

|                              |  |
|------------------------------|--|
| Ecotoxicological Information | No data available for this product.  |
| Chemical Fate Information    | No data available for this product. Hydrogen peroxide and peracetic acid are completely miscible with water. Aqueous solutions of peracetic acid hydrolyze to acetic acid and hydrogen peroxide. Aqueous solutions of hydrogen peroxide degrade to oxygen and water. |

---

**Section XIII - Transport Information**

---

**DOT (US)**

|                                       |   |
|---------------------------------------|---|
| <b>Proper Shipping Name</b>           | Disinfectants, liquid, corrosive, n.o.s. (contains hydrogen peroxide, peroxyacetic acid)  |
| <b>Identification No.</b>             | UN1903  |
| <b>Dangerous Goods Classification</b> | 8 (Corrosive)   |
| <b>Packing Group</b>                  | III   |
| <b>Transport Label</b>                | Inner Packages over 1.3 gallons, 8 Corrosive<br>Inner Packages not over 1.3 gallons, white square-on-point limited quantity marking |

---

**Section XIV - Regulatory Information**

---

**United States**

|   |  |
|---|--|
| <b>Toxic Substances Control Act (TSCA)</b>  | Listed   |
| <b>US EPA Regulation on Pesticides</b>      | This product is an EPA FIFRA registered pesticide, EPA Registration No. 88089-2.<br>The product can only be used commercially in the EPA FIFRA registered application(s) noted on the product label. |
| <b>RCRA Status</b>                          | Waste No. D002 (corrosivity)   |
| <b>OSHA Hazards</b>                         | Corrosive, Oxidizer  |
| <b>SARA 302 Reportable Quantity</b>         | Peracetic Acid: RQ = 500 lbs.<br>Hydrogen Peroxide: TPQ = 1,000 lbs., RQ = 1,000 lbs.  |
| <b>SARA 311 Hazard Category</b>             | Fire Hazard, Immediate (Acute) Health Hazard   |
| <b>SARA 312 Threshold Planning Quantity</b> | Peracetic Acid: 500 lbs.<br><52% Hydrogen Peroxide: 10,000 lbs.  |
| <b>SARA 313 Components</b>                  | Listed   |
| <b>CERCLA Regulatory</b>                    | Listed (Acetic Acid = 5000 lbs.), Category D.  |

**Canada**

|   |   |
|---|---|
| <b>Workplace Hazardous Materials Information System (WHMIS)</b> | Hazard Classification: Class E (Corrosive), Class C (Oxidizer)<br>Ingredient Disclosure List: Listed (Hydrogen Peroxide, Peracetic Acid, Acetic Acid) |
|---|---|

---

**Section XV - Other**

---

The information in this document is correct to the best of our knowledge, information, and belief at the date of its publication and is applicable to the product with regard to appropriate safety precautions. It does not represent a warranty or guarantee of properties of the product. Triple S, nor the manufacturer shall not be held liable for any damage resulting from handling or from contact with the product.