

Page: 1
Printed: 04/23/2015
Revision: 04/23/2015

1. Product and Company Identification

Product Code: 03010

Product Name: Stainless Steel Polish

Company Name:GenlabsPhone Number:5568 Schaefer Ave.1 (909)591-8451

Chino, CA 91710

Web site address: www.genlabscorp.com

Emergency Contact: Chemtrec 1 (800)424-9300

Recommended Use: Polish

Intended Use: For sale to, use and storage by service persons only.

2. Hazards Identification

Aspiration Toxicity, Category 1 Flammable Liquids, Category 4

Acute Toxicity: Inhalation, Category 4
Acute Toxicity: Skin, Category 5

Serious Eye Damage/Eye Irritation, Category 2B





GHS Signal Word: Danger

GHS Hazard Phrases: May be fatal if swallowed and enters airways.

Combustible liquid.

May be harmful if inhaled.

May be harmful in contact with skin.

Causes eye irritation.

GHS Precaution Phrases: Wear protective gloves, protective clothing, eye protection, face protection.

Use only outdoors or in a well-ventilated area.

Wash hands thoroughly after handling.

Keep out of reach of children.

GHS Response Phrases: IF SWALLOWED: Immediately call a POISON CENTER or physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs, seek

medical attention. Do NOT induce vomiting.

GHS Storage and Disposal

Phrases:

Dispose of contents and container according to the local, city, state and federal

regulations.

Store in cool/well-ventilated place. Store locked up.



Page: 2 Printed: 04/23/2015 Revision: 04/23/2015

Potential Health Effects (Acute and Chronic):

Chronic: Prolonged or repeated skin contact may cause defatting and dermatitis.

May cause respiratory tract irritation. May cause dizziness, headaches and drowsiness. Inhalation:

May cause irritation with burning pain, itching and redness. Avoid any skin contact. **Skin Contact:**

May cause eye irritation. Avoid any eye contact. **Eve Contact:**

Ingestion: Aspiration hazard. May cause irritation of the digestive tract. Do not induce vomiting

unless directed by a physician. Toxic by ingestion. May cause dizziness, headaches and

drowsiness.

Composition/Information on Ingredients

Hazardous Components (Chemical Name) CAS# Concentration 64742-47-8 Hydrotreated light distillate (petroleum) Proprietary 8042-47-5 Technical white oil* (regulated as mist only) **Proprietary**

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get medical aid.

In Case of Skin Contact: In case of contact, flush skin with plenty of water. Remove contaminated clothing and

shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.

In case of contact, immediately flush eyes with plenty of water for a t least 15 minutes. In Case of Eye Contact:

Get medical aid.

In Case of Ingestion: Potential for aspiration if swallowed. Get medical aid immediately. Do not induce vomiting

unless directed to do so by medical personnel. Never give anything by mouth to an

unconscious person. If vomiting occurs naturally, have victim lean forward.

Treat symptomatically and supportively. Note to Physician:

5. Fire Fighting Measures

Flash Pt: > 320.00 F

UEL: N/A **Explosive Limits:** LEL: N/A N.E. N.E.

NE **Autoignition Pt:**

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: Combustible liquid. As in any fire, wear a self-contained breathing apparatus in

> pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition

or combustion. Use water spray to keep fire-exposed containers cool.

Flammable Properties and

Hazards:

No data available.



Page: 3
Printed: 04/23/2015
Revision: 04/23/2015

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section.

Remove all sources of ignition. Provide ventilation.

7. Handling and Storage

Precautions To Be Taken in Handling:

Wash thoroughly after handling. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Avoid ingestion and inhalation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat,

sparks or open flames. Keep away from heat and flame.

Precautions To Be Taken in

Keep away from sources of ignition. Store in a tightly closed container. Store in a cool,

dry, well-ventilated area away from incompatible substances.

8. Exposure Controls/Personal Protection

CAS # Partial Chemical Name OSHA TWA ACGIH TWA Other Limits
64742-47-8 Hydrotreated light distillate (petroleum) No data.

8042-47-5 Technical white oil* (regulated as mist No data. No data. No data.

only)

Respiratory Equipment

Always use a NIOSH approved respirator when necessary.

(Specify Type):

Storing:

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

(Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and

a safety shower. Use adequate ventilation to keep airborne concentrations low.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid Appearance and Odor: Colorless liquid with fruity fragrance.

Melting Point: NE

Boiling Point: > 450.00 F

Decomposition Temperature: NE **Autoignition Pt:** NE

Flash Pt: > 320.00 F

Explosive Limits: LEL: N/A N.E. UEL: N/A N.E.

Specific Gravity (Water = 1): 0.840

Density: ~ 7.00 LB/GA



Page: 4

Printed: 04/23/2015 Revision: 04/23/2015

NP **Bulk density:**

Vapor Pressure (vs. Air or

ΝE

NE

mm Hg):

Vapor Density (vs. Air = 1): ΝE **Evaporation Rate:** ΝE

Insoluble Solubility in Water:

Saturated Vapor

Concentration:

NP Viscosity: NA :Hq

No data. **Percent Volatile:** 16.8000 G/L VOC / Volume:

NP Particle Size: NP **Heat Value:** NP **Corrosion Rate:**

10. Stability and Reactivity

Unstable [] Stable [X] Stability:

Conditions To Avoid -Excessive heat, open flames and sparks. ignition sources.

Instability:

Incompatibility - Materials To Water, strong oxidizers, heat, open flames and sparks.

Avoid:

Hazardous Decomposition Or Nitrogen oxides, Carbon monoxide, oxides of sulfur.

Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid -None.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

CAS# 64742-47-8: Not listed by ACGIH, IARC, NTP, or CA Prop 65. Carcinogenicity/Other

Information:

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
64742-47-8	Hydrotreated light distillate (petroleum)	n.a.	n.a.	A4	n.a.
8042-47-5	Technical white oil* (regulated as mist only)	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

No data available.



Page: 5
Printed: 04/23/2015
Revision: 04/23/2015

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal

regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material.

DOT Hazard Class: UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. Regulatory Information


CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

64742-47-8 Hydrotreated light distillate (petroleum) CA PROP.65: No; CA TAC, Title 8: No 8042-47-5 Technical white oil* (regulated as mist only) CA PROP.65: No; CA TAC, Title 8: No

16. Other Information

Hazard Rating System:

HEALTH 1
FLAMMABILITY 1
PHYSICAL 0
PPE B



HMIS:

Revision Date: 04/23/2015

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.