



SAFETY DATA SHEET

Conforms to 1910.1200

Issued: May 15, 2015

Supersedes: March 5, 2013

ECLIPSE™ HARD FLOOR SEALER

1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Eclipse Hard Floor Sealer **Product Number:** 403

Recommended Use: Water-based hard floor sealer
Ready to Use
Product intended for commercial and industrial use only.

Uses Advised Against: Other than per labelled instructions

Manufacturer Address:

Amano Pioneer Eclipse Corporation
P.O. Box 909
1 Eclipse Road
Sparta, NC 28675
Telephone: 1-336-372-8080
Email: msds@pioneer-eclipse.com
Internet: www.pioneereclipse.com

FOR CHEMICAL EMERGENCY: Spill, Leak, Fire, Exposure or Accident. Call CHEMTREC Day or Night.
Within USA and Canada 1-800-424-9300. Outside USA and Canada 1-703-527-3887 (collect calls accepted)

2: HAZARDS IDENTIFICATION

Classification: Not classified as hazardous; as determined by OSHA 1910.1200.

Signal Word: None

Pictogram: None

Hazard Statements: None

Precautionary Statements: None

Other Hazards: None

Supplemental Information: None

3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS Number	Weight % *
propylene glycol monobutyl ether	5131-66-8	1 - 5
dipropylene glycol methyl ether	34590-94-8	1 - 5

* Exact concentration of the ingredients has been withheld as a trade secret.

4: FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

Eye Contact: Rinse with plenty of water. If irritation develops, seek medical attention.

Skin Contact: Wash with soap and plenty of water. If irritation develops, seek medical attention.

Inhalation: If breathing is difficult, remove to fresh air. If symptoms persist, seek medical attention.

Ingestion: If ingested, do not induce vomiting. Seek medical attention.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Eye Contact: None expected under normal use.

Skin Contact: None expected under normal use.

Inhalation: None expected under normal use.

Ingestion: None expected under normal use.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Treat symptomatically.

5: FIRE-FIGHTING MEASURES

Suitable Extinguishing media: Dry Chemical, water spray, foam, carbon dioxide

Specific Hazards: Materials can splatter above 212 °F / 100 °C

Protective Equipment and Precautions: No special fire fighting procedures recommended. Follow all general fire safety guidelines.

6: ACCIDENTAL RELEASE MEASURES

ECLIPSE™ HARD FLOOR SEALER

Personal Precautions:	Put on personal protective equipment (see Section 8). Keep spectators away. Floors may be slippery: use care to avoid falling.
Environment Precautions:	Keep spills and cleaning run-off out of sewers and open bodies of water.
CONTAINMENT AND CLEAN-UP	
Small Spills:	Absorb spill with inert material (e.g. sand, earth) and dispose of as waste material in accordance with local, state and federal regulations.
Large Spills:	Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for disposal.
Waste Disposal:	Landfill or incinerate the contaminated solids and diking material in accordance with local, state and federal regulations. Non-salvageable liquid should be drummed and disposed of in accordance with local, state and federal regulations.

7: HANDLING AND STORAGE

Precautions for Safe Handling:	Avoid contact with eyes and skin. Wash thoroughly after handling. Use in well-ventilated areas.
Conditions for Safe Storage:	Storage temperature (Max. 60°C/140°F - Min. 1°C/34°F).
Other Information:	Keep from freezing. Keep container sealed when not in use. Keep out of reach of children.

8: EXPOSURE CONTROLS/PERSONAL PROTECTION
Exposure Limits:

Ingredient	CAS Number	ACGIH		OSHA	
		TWA	STEL	TWA	STEL
(2-Methoxymethylethoxy)-propanol [dipropylene glycol methyl ether]	34590-94-8	100 ppm (skin)	150 ppm (skin)	100 ppm (skin)	N/E

Engineering Controls:	Use only with adequate ventilation. Use local ventilation and other engineering controls to maintain airborne contaminants below established and recommended exposure limits. If this product contains ingredients with exposure limits, monitoring may be required to determine the effectiveness of ventilation and other control measures.
------------------------------	---

Personal Protective Equipment (PPE)

Eye/Face Protection:	Safety eyewear is recommended, to avoid chemical splashes and mists.
Skin Protection:	Chemical resistant gloves are recommended.
Respiratory Protection:	Respiratory protection should be worn when there is a potential of inadequate ventilation. If exposure limits are exceeded or symptoms are experienced, use an approved respirator.

9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	milky, white liquid
Odor:	slight solvent
Odor Threshold:	N/E
pH:	7.8
Freezing Point:	N/E
Boiling Point:	N/E
Flash Point:	>200 °F / >93 °C
Evaporation Rate:	less than water
Flammability:	not combustible
Upper/Lower Flammability limits:	N/E
Vapor Pressure:	N/E
Vapor Density:	N/E
Relative Density:	8.5 lb/gal @ 68°F / 1.02 kg/l @ 20°C
Solubility:	miscible in water
Partition Coefficient:	N/E
Auto Ignition temperature:	N/E
Decomposition Temperature:	N/E
Viscosity:	< 10 centipoise @ 68 °F (20 °C)
VOC:	7.02%

ECLIPSE™ HARD FLOOR SEALER
10: STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions
Stability: Stable under normal conditions
Hazardous reactions: None known
Conditions to avoid: None known
Incompatible materials: Strong acids and bases
Hazardous decomposition products: None known

11: TOXICOLOGICAL INFORMATION

Acute Toxicity: Not determined on product.

LOCAL EFFECTS

Skin contact: May cause mild irritation
Eye contact: May cause mild irritation
Sensitization: None expected
Chronic effects: None expected

SPECIFIC EFFECTS

Carcinogenicity: None known
Reproductive effects: None known
Teratogenicity: None known
Mutagenicity: None known

COMPONENT INFORMATION

Component	LD50 Oral-Rat (mg/kg)	LD50 Dermal - Rabbit (µl/kg)	LC ₅₀ Inhalation-Rat (mg/m ³)
propylene glycol monobutyl ether	566	3100	N/A
dipropylene glycol methyl ether	5230	9500	N/A

Carcinogenicity: Components are not known to be classified as carcinogens.

12: ECOLOGICAL INFORMATION

Ecotoxicity: Ecological testing has not been completed on the mixture.
Persistence and Degradability: Data not available.
Bioaccumulative Potential: Data not available.
Mobility in Soil: Data not available.
Other Adverse Effects: Data not available.

13: DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, regional and national regulations.

14: TRANSPORT INFORMATION

This product is not classified as hazardous for transportation.

UN Number: None
UN Proper Shipping Name: None
Hazard Class: None
Packing Group: None
Marine Pollutant: None
Transport in Bulk: N/A
Other Information: None

15: REGULATORY INFORMATION

U.S. REGULATIONS/REPORTING: Components not subject to U.S. Reporting (SARA 302/304, 313, CERCLA)

STATE RIGHT-TO-KNOW STATUS:

Ingredient	CAS Number	MA - RTK	NJ - RTK	PA - RTK	RI - RTK
dipropylene glycol methyl ether	34590-94-8	present	present	present	present

CALIFORNIA PROPOSITION 65: Components are not present on CA Prop 65 listing.

16: OTHER INFORMATION
Abbreviations Used:

N/A - Not applicable

ECLIPSE™ HARD FLOOR SEALER

N/E - Not Established


N/L - Not Listed

* - listed as generic class Glycol Ethers

*** - No RQ assigned, although a CERCLA hazardous substance

Revision Information:

May 15, 2015 - Revisions to 1910.1200 GHS standard



Neither this data sheet nor any statement contained herein grants or extends any license, expressed or implied, in connection with patents issued or pending which may be the property of the manufacturer or others. The information in this data sheet has been assembled by the manufacturer based on its own studies and the work of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) or the vendee, the vendee's employees or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnish of such information.

This SDS has been provided to you in accordance with the OSHA Hazard Communication Standard (29CFR1910.1200).

****IMPORTANT SAFETY INFORMATION**DO NOT DISCARD**PLEASE ROUTE TO COMPANY SAFETY OFFICER****