SAFETY DATA SHEET PAGE 1 OF 3



Uptown Destainer

1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION Product Name Uptown Destainer
Product Use Laundry Bleach

Product Code 1012

For Medical Emergency Call Chemtrec 1-800-424-9300

Supplier's Information Cleanslate Inc. 1420 East Linden Avenue, Linden NJ 07036

2.HAZARD
IDENTIFICATION

GHS Classification. 1. Skin - Category 1A

2. Eyes - Category 1

GHS Label Element.

Signal Word. Danger

Hazard Statement. Causes eye and skin burns. Causes respiratory tract irritation. Harmful if swallowed.

Precautionary Statements. Wear protective gloves, splash goggles, face shield, full suit, vapor respirator and boots. Do not breathe mist /vapors /spray. Wash thoroughly after handling.

Acute Effects

Eyes. Corrosive to eyes. Causes burns. Inflammation of the eye is characterized by redness, watering and itching.

Skin. Corrosive to skin. Causes burns. Skin inflammation is characterized by itching, scaling, or reddening.

Inhalation. May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. Exposure can cause coughing, chest pains and difficulty in breathing.

Ingestion. Harmful if swallowed. May cause burns to mouth, throat and stomach. Ingestion may cause erosion of mucous membranes and perforation of the esophagus of stomach.

Chronic Effects

Carcinogenicity. No known critical effects or critical hazards.

Product /Ingredient Name. Not available.

3.COMPOSITION/INFORMATION ON INGREDIENTS

Name of Hazardous Ingerdients

Sodium Hypochlorite

CAS No.

WT.%

7681-52-9 10-13

4.FIRST AID MEASURES

Eye Contact. Check for and remove any contact lenses. Flush with large quantities of water, holding eyelids open for 15 minutes. Seek medical attention immediately.

Skin Contact. Wash skin with copious amounts of water. Seek medical attention immediately.

Inhalation. Remove to fresh air. Seek medical attention immediately.

Ingestion. Do not induce vomiting. Drink copious amounts of water. Seek medical attention immediately.

5.FIRE FIGHTING MEASURES

 $\textbf{Suitable Fire Extinguishing Media.} \ \textbf{Use water spray}, fog \ or \ foam$

Specific Hazards Arising from the Chemical. In a fire or if heated, a pressure increase will occur and the container may burst.


Hazardous Thermal Decomposition Products. Decomposition products may include following materials; Carbon Dioxides, Carbon Monoxides, Hazardous gases. Hydrogen chloride (HCI), Chlorine gas.

Specific Fire-Fighting Methods. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Specific Protective Equipment for Fire-Fighters. Fire-Fighters should wear appropriate protective equipment and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.



SAFETY DATA SHEET PAGE 2 OF 3



Uptown Destainer

6.ACCIDENTAL RELEASE MEASURES

Spill Clean Up. Put on appropriate personal protective equipment (see section 8). Stop leak if without risk. Move Containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

7.HANDLING AND STORAGE

Handling. Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Wash thoroughly after handling.

Storage. Store between the following temperatures: 4.44 to 48.9°C (40 to 120°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.leakage. Do not store in unlabeled containers.

8.EXPOSURE CONTROLS/ PERSONAL PROTECTION <u>Ingerdients Name</u> Sodium Hypochlorite **Exposure Limits**

AIHA WEEL STEL 2 mg/m³

Personal Protective Equipment

Eyes. Splash goggles. Face shield.

Skin. Use synthetic apron, other protective equipment as necessary to prevent skin contact.

Body. Face shield, full suit, vapor respirator, boots and gloves.

Respiratory. A self contained breathing apparatus should be used to avoid inhalation of product. Be sure to use an approved /certified respirator or equivalent.

9.PHYSICAL AND CHEMICAL PROPERTIES

Physical State Clear liquid Color Pale Yellow Odor Chlorine рΗ 12.5-13.0 Flash point >100°C (212°F) **Explosion limits** Not available Flammability (solid, gas) Not available **Melting point** Not available **Boiling point** >100°C (212°F) Evaporation rate (butyl acetate = 1) Not available Vapor pressure Not available Vapor density Not available Relative density 1.15-1.20 (Water = 1

Solubility Easily soluble in the following materials: cold water and hot water

 Partition coefficient n-octano/water
 Not available

 Auto-ignition temperature
 Not available


 Decomposition temperature
 Not available

 Odor threshold
 Not available

Viscosity Kinematic (room temperature): ≤ 10 cSt (CPS)



SAFETY DATA SHEET PAGE 3 OF 3



Uptown Destainer

10.STABILITY AND REACTIVITY

Stability. The product is stable.

Possibility of hazardous reactions. Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid. No specific data.

Materials to avoid. Reactive with oxidizing agents, organic materials, metals, acids, alkalis.

Hazardous decomposition products. Under normal conditions of storage and use, hazardous

decomposition should not be produced.

11.TOXICOLOGICAL **INFORMATION**

Product/Ingredient Name Sodium Hypochlorite

Result LD50 Oral **Species**

Rat

Dose 8910 mg/kg

12.ECOLOGICAL INFORMATION

N/A

13.DISPOSAL **CONSIDERATIONS** Waste Information.

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

14.TRANSPORT **INFORMATION**

Regulatory Information DOT Classification

UN Number UN1791

Proper Shipping Name Hypochlorite Solutions

Classes

PG* Ш

Label

Note. DOT classification applies to most package sizes. For specific container size classifications or size exceptions, refer to the bill of lading with your shipment.

PG*. Packing Group

15.REGULATORY **INFORMATION**

U.S. Federal Regulations

TSCA 8(b) inventory. All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances. No listed substance SARA 302/304 emergency planning and notification. No listed substance

SARA 313 Form R-Reporting requirements No listed substance

Product Name

CAS Number

Concentration

16.OTHER INFORMATION

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy of completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Date of Issue: 05/24/2022

*Hazard Determination

System (HDS):

Health.

Reactivity.

Flammability. 0

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimum hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.

