

**Eliminex Foaming Drain and General Purpose Cleaner** 

HMIS NFPA			Personal protective equipment		
Health	3	3	and Salah		
Flammability	0	0			
Physical Hazard / Instability	0	0			
Version Number: 2			Preparation date: 2014-06-04		

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Eliminex Foaming Drain and General Purpose Cleaner

MSDS #: MS0100546

**Product Code:** 4266308, 4266324, 4622333, CB4266308, CB4266324

Recommended use: • Kitchen hygiene product

• This product is intended to be diluted prior to use

Manufacturer, importer, supplier:Canadian HeadquartersUS HeadquartersDiversey, Inc. - CanadaDiversey, Inc.2401 Bristol Circle8310 16th St.Oakville, Ontario L6H 6P1Sturtevant, Wisconsin 53177-1964Phone: 1-800-668-3131

Phone: 1-888-352-2249

MSDS Internet Address: www.diversey.com

Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

## 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

DANGER. CORROSIVE. CAUSES SKIN AND EYE BURNS. HARMFUL OR FATAL IF SWALLOWED.

**Principal routes of exposure:** Eye contact. Skin contact. Inhalation.

Eye contact: Corrosive. Causes permanent eye damage, including blindness.

**Skin contact:** Corrosive. Causes permanent damage.

**Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract.

**Ingestion:** Corrosive. Causes burns to mouth, throat and stomach.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Sodium hypochlorite	7681-52-9	1 - 5%	5000	>10000 mg/kg	Not available
Potassium hydroxide	1310-58-3	1 - 5%	273	Not available	Not available

## 4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with running water for 15-20 minutes, keeping eyelids open. Get medical

attention immediately.

Skin contact: Immediately flush with plenty of water for 15-20 minutes. Get medical attention immediately.

**Inhalation:** If breathing is affected, remove to fresh air. Get medical attention immediately.

Ingestion: If swallowed, rinse mouth. Give a cupful of water or milk. THEN IMMEDIATELY CONTACT A

PHYSICIAN OR POISON CENTER. DO NOT induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc.,

may be more susceptible to irritating effects.

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Extinguishing media which must not be used for safety reasons: No information available.

Specific hazards: Not applicable.

Unusual hazards: Corrosive material (See sections 8 and 10).

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Use personal protective equipment.

Environmental precautions Clean-up methods - large spillage. Soak up with inert absorbent material. Sweep up and shovel into

and clean-up methods: suitable containers for disposal. Use a water rinse for final clean-up.

### 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing dust. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

**Eye protection:** Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves

**Skin and body protection:** Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear. In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

workplace conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS#	ACGIH	OSHA	Mexico
Potassium hydroxide	1310-58-3	2 mg/m³ (Ceiling)		

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Appearance: Aqueous solution Specific gravity: 1.1197

Vapor density: No information available Boiling point/range: Not determined

**Decomposition temperature:** Not determined

**Solubility:** No information available **Solubility in other solvents:** No information available

Partition coefficient (n-octanol/water): No information available

Elemental Phosphorus: 0.00 % by wt.

**pH:** 12.7

Explosion limits: - upper: Not determined - lower: Not determined

**Bulk density:** No information available **Evaporation Rate:** No information available

Color: Hazy, Yellow

Odor: Chlorine

Melting point/range: Not determined

Autoignition temperature: No information available

**Density:** 9.34 lbs/gal 1.1197 Kg/L **Flash point:** > 200 °F > 93.4 °C **Viscosity:** No information available

**VOC:** 0 % \*

**Dilution pH:** 11.6 @ 1:19

## 10. STABILITY AND REACTIVITY

Stability: The product is stable

<sup>\* -</sup> Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

Polymerization: Hazardous polymerization does not occur.

**Hazardous decomposition products:** None reasonably foreseeable.

Materials to avoid: Acids. Ammonia. Reacts with acids releasing chlorine.

## 11. TOXICOLOGICAL INFORMATION

Acute toxicity: Corrosive. Oral LD50 estimated to be between 4000 - 5000 mg/kg; Dermal LD50 estimated to be >

2000 mg/kg

Component Information: See Section 3.

Chronic toxicity: None known

Specific effects

Carcinogenic effects:

Mutagenic effects:

Reproductive toxicity:

Target organ effects:

None known

None known

None known

None known

## 12. ECOLOGICAL INFORMATION

**Environmental Information:** No data available.

# 13. DISPOSAL CONSIDERATIONS

### Waste from residues / unused products:

This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste

### 14. TRANSPORT INFORMATION

<u>DOT/TDG/IMDG:</u> Please refer to the Diversey HazMat Library, only available through Internet Explorer, http://naextranet.diversey.com/dot/, for up to date shipping information.

DOT (Ground) Bill of Lading Description: LTD. QTY.

<u>IMDG (Ocean) Bill of Lading Description:</u> UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (potassium hydroxide, sodium hypochlorite), 8, III, LTD. QTY.

## 15. REGULATORY INFORMATION

#### International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

## U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

### **RIGHT TO KNOW (RTK)**

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	=
Sodium hypochlorite	7681-52-9	X	X	X	Х
Sodium silicate	1344-09-8	-	-	=	-
Potassium polyacrylate	25608-12-2	-	-	=	-
Potassium hydroxide	1310-58-3	X	X	X	X

## CERCLA/ SARA

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Sodium hypochlorite	7681-52-9	1 - 5%	100		
Potassium hydroxide	1310-58-3	1 - 5%	1000		

### SARA 311/312 Hazard Categories

Immediate: X

Delayed: Fire: Reactivity: Sudden Release of Pressure: -

Canada

WHMIS hazard class: E Corrosive material.



# **16. OTHER INFORMATION**

Reason for revision: Not applicable Prepared by: NAPRAC

Additional advice:

• This product has been formulated to meet the criteria for deck washdown and above water line hull cleaning chemicals established in the EPA NPDES Vessel General Permit (VGP) and meets the

definitions of non-toxic, non-phosphated, biodegradable, and non-caustic under the VGP.

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.