

PINNACLE TILE POLISH 2

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PINNACLE TILE POLISH 2

Other means of identification : not applicable

Recommended use : Floor care product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.

370 N. Wabasha Street

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency telephone : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 06/30/2014

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion : Category 1A Serious eye damage : Category 1

GHS Label element

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**

Do not breathe dust or mist. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Do not mix with bleach or other chlorinated products — will course ablating are

cause chlorine gas.

Response:

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash

contaminated clothing before reuse.

Storage: Store locked up.

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

910977-01 1 / 9

PINNACLE TILE POLISH 2

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture Mixture

Chemical Name CAS-No. Concentration (%)

1344-28-1 aluminium oxide 60 - 100 magnesium hexafluorosilicate 16949-65-8 10 - 30 tin (iv) oxide 5 - 10 18282-10-5 77-92-9 1 - 5 citric acid

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

: Wash off immediately with plenty of water for at least 15 minutes. Use In case of skin contact

a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately. Apply calcium

gluconate gel, if available, or milk of magnesia to affected area.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

> anything by mouth to an unconscious person. Get medical attention immediately. If available, take several calcium antacid tablets (eg

Tums) or several tablespoons of milk of magnesia.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention

immediately.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

: Treat symptomatically. Notes to physician

See toxicological information (Section 11)

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

910977-01 2/9

PINNACLE TILE POLISH 2

and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Conditions for safe storage

: Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : -10 °C to 50 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
aluminium oxide	1344-28-1	TWA (Respirable fraction)	1 mg/m3	ACGIH
		TWA (Total dust)	15 mg/m3	OSHA Z1
		TWA (respirable fraction)	5 mg/m3	OSHA Z1
tin (iv) oxide	18282-10-5	TWA	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z1
		TWA	2 mg/m3	ACGIH

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

910977-01 3 / 9

PINNACLE TILE POLISH 2

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : opaque, white

Odor : odorless

pH : 2.0 - 4.0, 1 %

Flash point : not applicable

Odor Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and

boiling range

 $: > 100 \, ^{\circ}\text{C}$

Evaporation rate : no data available
Flammability (solid, gas) : no data available
Upper explosion limit : no data available
Lower explosion limit : no data available
Vapor pressure : no data available
Relative vapor density : no data available

Relative density : 0.5 - 0.7

Water solubility : slightly soluble
Solubility in other solvents : no data available

Partition coefficient: n-

octanol/water

: no data available

Autoignition temperature : no data available
Thermal decomposition : no data available
Viscosity, kinematic : no data available
Explosive properties : no data available
Oxidizing properties : no data available
Molecular weight : no data available
VOC : no data available

910977-01 4 / 9

PINNACLE TILE POLISH 2

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

: Causes serious eye damage. Eyes

Skin : May be harmful if absorbed through skin. Causes severe skin burns.

Chronic low level exposure may result in mottling of teeth, joint

stiffness, and weakening of bones (osteoschlerosis).

: May be harmful if swallowed. Causes digestive tract burns. Chronic Ingestion

low level exposure may result in mottling of teeth, joint stiffness, and

weakening of bones (osteoschlerosis).

Inhalation : May be harmful if inhaled. May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Toxicity

Acute oral toxicity : Acute toxicity estimate : 2,417 mg/kg Acute inhalation toxicity : 4 h Acute toxicity estimate : > 10 mg/l

Acute dermal toxicity : no data available Skin corrosion/irritation : no data available

910977-01 5/9

PINNACLE TILE POLISH 2

Serious eye damage/eye

irritation

: no data available

Respiratory or skin

sensitization

: no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT-single exposure : no data available

STOT-repeated exposure : no data available

Aspiration toxicity : no data available

Ingredients

Acute dermal toxicity : magnesium hexafluorosilicate

LD50 rat: > 2,000 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other : no data available

aquatic invertebrates

: no data available

Ingredients

Toxicity to algae

Toxicity to fish : magnesium hexafluorosilicate

96 h LC50 Fish: 112.5 mg/l

tin (iv) oxide

96 h LC50: > 100 mg/l

citric acid

96 h LC50 Fish: > 100 mg/l

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

SECTION 13. DISPOSAL CONSIDERATIONS

910977-01 6 / 9

PINNACLE TILE POLISH 2

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not re-

use empty containers.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

: D002 (Corrosive)

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

aluminium oxide 1344-28-1 80 %

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

1907/2006 (EU):

not determined

Switzerland. New notified substances and declared preparations :

910977-01 7 / 9

PINNACLE TILE POLISH 2

The mixture contains substances listed on the Swiss Inventory On the inventory, or in compliance with the inventory

United States TSCA Inventory:

On TSCA Inventory

Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL.

Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances:

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

Japan. ISHL - Inventory of Chemical Substances (METI) :

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS):


On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Issuing date : 06/30/2014

Version : 1.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material

910977-01 8 / 9

PINNACLE TILE POLISH 2

designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

910977-01 9 / 9