# Mason A Pilot Chemical Company

# SAFETY DATA SHEET

#### 1. Identification

Product identifier MAQUAT® SANI-FLOOR

Other means of identification

Product Code 867201 Product registration 10324-219

number

Recommended use FIFRA Regulated End Use Product (EUP)

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name
Address
Mason Chemical Company
723-B W. Algonquin Rd
Arlington Heights, IL 60005

**United States** 

**Telephone** (847) 290-1621

1-800-362-1855

E-mail sdsinfo@pilotchemical.com

Emergency phone number CHEMTREC International: 1-703-527-3887

CHEMTREC USA: 1-800-424-9300

# 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Acute toxicity, inhalation Category 2

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2A

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye irritation. Fatal if inhaled.

**Precautionary statement** 

**Prevention** Do not breathe dust. Wash thoroughly after handling. Use only outdoors or in a well-ventilated

area. Wear protective gloves. Wear eye/face protection. Wear respiratory protection.

Response If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable

for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment is urgent (see this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before

reuse.

**Storage** Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Environmental hazards Hazardous to the aquatic environment, acute Category 2

hazard

Hazardous to the aquatic environment, Category 2

long-term hazard

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Supplemental information

98.54% of the mixture consists of component(s) of unknown acute inhalation toxicity. 98.35% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 98.35% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Urea		57-13-6	90 - 100
1-decanaminium, n,n-dimethyl-n-octyl-, Chloride		32426-11-2	< 1
Quaternary Ammonium Compounds, Benzyl-C12-C16-alkyldimethyl, Chlorides		68424-85-1	< 1
1-octanaminium, N,n-dimethyl-n-octyl-, Chloride		5538-94-3	< 0.2
Didecyldimethylammonium Chloride		7173-51-5	< 0.2
Other components below reportable leve	els		< 1

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Dusts may irritate the respiratory tract, skin and eyes. Skin irritation. May cause redness

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim

develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

and pain.

Most important symptoms/effects, acute and

delayed

Indication of immediate

medical attention and special treatment needed

under observation. Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

#### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted. General fire hazards

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). This product is miscible in water. Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Collect dust using a vacuum cleaner equipped with HEPA filter.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

#### 7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Do not breathe dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage. including any incompatibilities Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

Occupational exposure limits

US. Workplace Environmental E Components	Exposure Level (WEEL) Guides Type	Value	Form	
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.	

# **Biological limit values**

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Eye wash facilities and emergency shower must be available when handling this product.

# Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter.

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove Hand protection

supplier.

Wear appropriate chemical resistant clothing. Other

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels Respiratory protection

exceeding the exposure limits. Chemical respirator with organic vapor cartridge, full facepiece,

dust and mist filter.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

#### 9. Physical and chemical properties

**Appearance** 

Physical stateSolid.FormPowder.ColorLavender.

Odor Mild Ammoniacal.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not Applicable

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not Applicable

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Miscible

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot Applicable

Other information

pH in aqueous solution 5 - 8 10% aqueous solution at 25 deg C

#### 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition No hazard

products

No hazardous decomposition products are known.

#### 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Fatal if inhaled.

**Skin contact** Causes skin irritation.

**Eye contact** Causes serious eye irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Dusts may irritate the respiratory tract, skin and eyes. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

#### Information on toxicological effects

Acute toxicity	Fatal if inhaled.

Components	Species	Test Results
1-decanaminium, n,n-dir	methyl-n-octyl-, Chloride (CAS 32426-11	-2)
<u>Acute</u>		
Dermal		
LD50		3342 mg/kg
Inhalation		
LC50		0.07 mg/l
Oral		222 #
LD50		238 mg/kg
	nethyl-n-octyl-, Chloride (CAS 5538-94-3	
Acute		
<b>Dermal</b> LD50		3342 mg/kg
Inhalation		5572 mg/ng
LC50		0.07 mg/l
Oral		0.07 mg/i
LD50		238 mg/kg
	um Chloride (CAS 7173-51-5)	200 mg/ng
Acute		
Dermal		
LD50		3342 mg/kg
	Rat	> 1000 mg/kg
Inhalation		
LC50		0.07 mg/kg
Oral		
LD50		238 mg/kg
	Rat	329 mg/kg
Quaternary Ammonium	Compounds, Benzyl-C12-C16-alkyldimet	hyl, Chlorides (CAS 68424-85-1)
<u>Acute</u>		
Dermal		
LD50		3560
Oral		
LD50		430
Urea (CAS 57-13-6)		
<u>Acute</u>		
Oral	Det	44000 45000 #
LD50	Rat	14300 - 15000 mg/kg
* Fetimates for prod	uct may be based on additional compon	ent data not shown

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye

Causes serious eye irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Material name: MAQUAT® SANI-FLOOR

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

# 12. Ecological information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

Components		Species	Test Results
1-decanaminium, n,n-d	imethyl-n-octyl-, C	hloride (CAS 32426-11-2)	
Aquatic			
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	0.032 mg/l, 96 h
Chronic			
Crustacea	NOEC	Daphnia	0.01 mg/l
1-octanaminium, N,n-di	imethyl-n-octyl-, C	hloride (CAS 5538-94-3)	
Aquatic			
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	0.032 mg/l, 96 h
Chronic			
Crustacea	NOEC	Daphnia	0.01 mg/l
Didecyldimethylammon	nium Chloride (CAS	S 7173-51-5)	
Aquatic			
Algae	EC50	Algae	0.062 mg/l, 72 h
Crustacea	LC50	Daphnia	0.057 mg/l, 48 h
	NOEC	Daphnia	0.021 mg/l, 21 d
Fish	LC50	Danio rerio	0.97 mg/l, 96 h
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	0.032 mg/l, 96 h
Chronic			
Crustacea	NOEC	Daphnia	0.01 mg/l
Quaternary Ammonium	Compounds, Ben	zyl-C12-C16-alkyldimethyl, Chlorides (CAS	6 68424-85-1)
Aquatic	·		·
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	0.515 mg/l
Chronic			
Crustacea	NOEL	Daphnia	0.0042 mg/l
Urea (CAS 57-13-6)			
Aquatic			
Acute			
Algae	EC50	Algae	> 10000 mg/l, 192 h
Crustacea	EC50	Daphnia	> 10000 mg/l, 24 h
Fish	LC50	lde, silver or golden orfe (Leuciscus idus)	> 6810 mg/l, 96 h

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

867201 Version #: 02 Revision date: 07-16-2015 Issue date: 07-01-2015

Material name: MAQUAT® SANI-FLOOR

Bioaccumulative potential

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or

rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous

Waste Representative at the nearest EPA Regional Office for guidance.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

### 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

One or more components are not listed on TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

This chemical is a pesticide product registered by the Environmental Protection Agency and is **FIFRA Information** 

subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Listed below is the hazard information as required on

the pesticide label.

**WARNING** Signal word

KEEP OUT OF REACH OF CHILDREN

Hazard statement Causes substantial but temporary eye injury. Do not get in eyes or on clothing.

Australian Inventory of Chemical Substances (AICS)

#### US state regulations

#### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

#### **US. Massachusetts RTK - Substance List**

Not regulated.

#### US. New Jersey Worker and Community Right-to-Know Act

#### US. Pennsylvania Worker and Community Right-to-Know Law

Inventory name

Not listed.

#### **US. Rhode Island RTK**

Not regulated.

Country(s) or region

#### International Inventories

Australia

Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

07-01-2015 Issue date Revision date 07-16-2015 Version # 02

Health: 4 NFPA ratings

Flammability: 0 Instability: 0

The information provided in this Safety Data Sheet is correct to the best of our knowledge. Disclaimer

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Physical and chemical properties: Color **Revision Information** 

Material name: MAQUAT® SANI-FLOOR

SDS US

On inventory (yes/no)\*

No

Yes