



# SAFETY DATA SHEET

Issuing Date 13-Nov-2013

Revision Date 13-Nov-2013

Revision Number 0

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

### GHS product identifier

Product Name SCRUBS® Carpet Spot Remover Wipes

### Other means of identification

Product Code(s) 91630, 91656

Synonyms None

### Recommended use of the chemical and restrictions on use

Recommended Use Carpet Cleaning Towel

Uses advised against None reasonably foreseeable

### Supplier's details

#### Supplier Address

ITW Pro Brands  
805 E. Old 56 Highway  
Olathe, KS 66061  
TEL: 1-800-443-9536

### Emergency telephone number

Emergency Telephone Number 800-535-5053 Infotrac

## 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Serious Eye Damage/Eye Irritation	Category 2
Flammable liquids	Category 4

### GHS Label elements, including precautionary statements

### Emergency Overview

<b>Signal Word</b>	<b>Warning</b>		
<b>Hazard Statements</b>	<ul style="list-style-type: none"> <li>• Causes serious eye irritation</li> <li>• Combustible liquid.</li> </ul>		
			
<b>Appearance</b>	Colorless	<b>Physical State</b>	Liquid.
			<b>Odor</b> Orange

**Precautionary Statements**

**Prevention**

- Wash face, hands and any exposed skin thoroughly after handling
- Keep away from heat/sparks/open flames/hot surfaces - No smoking
- Wear protective gloves/protective clothing/eye protection/face protection.

**General Advice**

- None

**Eyes**

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention.

**Fire**

- In case of fire: Use CO2, dry chemical, or foam for extinction.

**Storage**

- Store in a well-ventilated place. Keep cool.

**Disposal**

- Dispose of contents/container to an approved waste disposal plant.

**Hazard Not Otherwise Classified (HNOC)**

Not applicable

**Other information**

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %	Trade secret
Diethylene glycol monobutyl ether	112-34-5	10-30	*
Isopropyl alcohol	67-63-0	1-5	*

*\*The exact percentage (concentration) of composition has been withheld as a trade secret.*

**4. FIRST AID MEASURES**

**Description of necessary first-aid measures**

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.

<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
<b>Inhalation</b>	Not an expected route of exposure. Move to fresh air. If symptoms arise, call a physician.
<b>Ingestion</b>	Not an expected route of exposure. Large amounts: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

**Most important symptoms/effects, acute and delayed****Most Important Symptoms/Effects** No information available.**Indication of immediate medical attention and special treatment needed, if necessary****Notes to Physician** Treat symptomatically.**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**Dry chemical. Foam. Carbon dioxide (CO<sub>2</sub>). Water spray or fog.**Unsuitable Extinguishing Media** CAUTION: Use of water spray when fighting fire may be inefficient.**Specific Hazards Arising from the Chemical**

Vapors may travel to source of ignition and flash back.

**Hazardous Combustion Products** Soot. Carbon dioxide (CO<sub>2</sub>). Carbon monoxide. Hydrocarbons.**Explosion Data****Sensitivity to Mechanical Impact** None.**Sensitivity to Static Discharge** Yes.**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to cool surrounding containers.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures****Personal Precautions** Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. Avoid contact with eyes.**Environmental Precautions****Environmental Precautions** See Section 12 for additional Ecological Information. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.**Methods and materials for containment and cleaning up****Methods for Containment** Prevent further leakage or spillage if safe to do so.**Methods for Cleaning Up** Small spillage: Wipe up with absorbent material (e.g. cloth, fleece) Large spillage: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Handling** Avoid contact with skin and eyes. Avoid breathing vapors or mists. Do not take internally. Do not smoke. Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities**

**Storage** Keep container closed when not in use. Keep away from heat and sources of ignition. Keep containers tightly closed in a cool, well-ventilated place. Keep out of the reach of children. Keep from freezing. Do not contaminate food or feed stuffs.

**Incompatible Products** Strong alkalis. Strong oxidizing agents.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****Control parameters****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm 10% LEL TWA: 980 mg/m <sup>3</sup> TWA: 400 ppm STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** None required under normal usage. If direct contact possible: Safety glasses with side-shields.

**Skin and Body Protection** No special protective equipment required.

**Respiratory Protection** None required under normal usage. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid	<b>Appearance</b>	Colorless
<b>Odor</b>	Orange	<b>Odor Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ - Method</u>
pH	9.0 - 10.0	None known
Melting Point/Range	No data available	None known
Boiling Point/Boiling Range	100 °C / 212 °F	None known
Flash Point	73.889 °C / 165 °F	PMCC
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
upper flammability limit	No data available	
lower flammability limit	No data available	
Vapor Pressure	No data available	None known
Vapor Density	> 1	None known

<b>Relative Density</b>	No data available	None known
<b>Specific Gravity</b>	1.008	None known
<b>Water Solubility</b>	Completely soluble	None known
<b>Solubility in other solvents</b>	No data available	None known
<b>Partition coefficient: n-octanol/water</b>	No data available	None known
<b>Autoignition Temperature</b>	No data available	None known
<b>Decomposition Temperature</b>	No data available	None known
<b>Viscosity</b>	No data available	None known

**Flammable Properties** Not flammable

**Explosive Properties** No data available  
**Oxidizing Properties** No data available

#### Other information

**VOC Content (%)** 2%

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Conditions to avoid

Incompatible products.

#### Incompatible materials

Strong alkalis. Strong oxidizing agents.

#### Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Smoke Soot.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

##### Product Information

<b>Inhalation</b>	Vapors may cause drowsiness and dizziness
<b>Eye Contact</b>	Causes serious eye irritation.
<b>Skin Contact</b>	Repeated exposure may cause skin dryness or cracking.
<b>Ingestion</b>	Not an expected route of exposure.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Diethylene glycol monobutyl ether	= 3384 mg/kg ( Rat )	= 2700 mg/kg ( Rabbit )	-
Isopropyl alcohol	= 4396 mg/kg ( Rat )	12800 mg/kg ( Rat ) 12870 mg/kg ( Rabbit )	72.6 mg/L ( Rat ) 4 h

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** No information available.

**Delayed and immediate effects and also chronic effects from short and long term exposure**

**Sensitization** No information available.  
**Mutagenic Effects** No information available.  
**Carcinogenicity** Contains no ingredients above reportable quantities listed as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol		Group 3		X

**IARC: (International Agency for Research on Cancer)**

Group 3: Not Classifiable as to its Carcinogenicity to Humans

**OSHA: (Occupational Safety & Health Administration)**

X - Present

**Reproductive Toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Aspiration Hazard** No information available.

**Numerical measures of toxicity - Product**

The following values are calculated based on chapter 3.1 of the GHS document:

**LD50 Oral** 19624 mg/kg; Acute toxicity estimate  
**LD50 Dermal** 18000 mg/kg; Acute toxicity estimate  
**Inhalation dust/mist** 2989.1 mg/L; Acute toxicity estimate

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Diethylene glycol monobutyl ether 112-34-5	EC50 96 h: > 100 mg/L (Desmodesmus subspicatus)	LC50 96 h: = 1300 mg/L static (Lepomis macrochirus)		EC50 24 h: = 2850 mg/L (Daphnia magna) EC50 48 h: > 100 mg/L (Daphnia magna)
Isopropyl alcohol 67-63-0	EC50 96 h: > 1000 mg/L (Desmodesmus subspicatus) EC50 72 h: > 1000 mg/L (Desmodesmus subspicatus)	LC50 96 h: = 11130 mg/L static (Pimephales promelas) LC50 96 h: = 9640 mg/L flow-through (Pimephales promelas) LC50 96 h: > 1400000 µg/L (Lepomis macrochirus)		EC50 48 h: = 13299 mg/L (Daphnia magna)

**Persistence and Degradability** No information available.

**Bioaccumulation** No information available.

Chemical Name	Log Pow
Isopropyl alcohol	0.05

**Other Adverse Effects**

No information available.

**13. DISPOSAL CONSIDERATIONS**

**Waste Disposal Methods** Dispose of in accordance with federal, state, and local regulations

**Contaminated Packaging** Do not re-use empty containers.

Chemical Name	California Hazardous Waste

Isopropyl alcohol	Toxic Ignitable
-------------------	--------------------

## 14. TRANSPORT INFORMATION

**DOT** Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

#### Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory. All components of this product are either listed or are exempt on the TSCA inventory.

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Diethylene glycol monobutyl ether	112-34-5	15	1.0
Isopropyl alcohol	67-63-0	2	1.0

### SARA 311/312 Hazard Categories

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	No
<b>Fire Hazard</b>	Yes
<b>Sudden Release of Pressure Hazard</b>	No
<b>Reactive Hazard</b>	No

### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### U.S. State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Diethylene glycol monobutyl ether	X		X	X	
Isopropyl alcohol	X	X	X		X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. OTHER INFORMATION**

<b>NFPA</b>	Health Hazard 2	Flammability 2	Instability 0	Physical and Chemical Hazards -
<b>HMIS</b>	Health Hazard 2	Flammability 2	Physical Hazard 0	Personal Protection X

Prepared By Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

Issuing Date 13-Nov-2013  
Revision Date 13-Nov-2013  
Revision Note Initial Release.

**General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**