Version 1.0 Issue date: 3/13/2017

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Acculogic SOLO HW

Other means of identification

Product Code FM9100 UN/ID No UN3266

Document

Recommended use of the chemical and restrictions on use

Recommended use Automatic Dishmachine Detergent for Hard Water

Details of the supplier of the safety data sheet

Distributor

Accurate Companies 731 W. Fairmont Dr. Tempe, AZ 85282

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: 1-800-424-9300 (NORTH AMERICA)

1-703-527-3887 (INTERNATIONAL)

Company Phone Number 602-996-9191

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

Label elements

Emergency Overview

Danger

Hazard Statements

Causes severe skin burns and eye damage



Appearance Transparent to slightly hazy Physical state Liquid Odor Surfactant

Precautionary Statements - Prevention

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- In "Concentrated" form, wear protective gloves/protective clothing/eye protection/face protection



Version 1.0 Issue Date: 03-13-2017

Precautionary Statements - Response

- Immediately call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC) Other information

 May be harmful if swallowed Unknown Acute Toxicity

2.2% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Potassium hydroxide	1310-58-3	15%-25%	*
Sodium Hydroxide	1310-73-2	20%-30%	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice Show this safety data sheet to the doctor in attendance.

Eye contact Immediately flush eye with plenty of cool, running water. Remove contact lenses if

applicable, and continue flushing for at least 15 minutes, holding eyelids apart to ensure

thorough rinsing of the entire eye. GET IMMEDIATE MEDICAL ATTENTION.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing before re-use. If skin irritation persists, see a physician.

Inhalation If qualified give oxygen or artificial respiration as needed.

Ingestion DO NOT induce vomiting. Give large amounts of water if victim is conscious. Never give

anything by mouth to an unconscious person. Get medical attention immediately.

Protection of First-aiders Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce

artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device.



Version 1.0 Issue Date: 03-13-2017

Most important symptoms/effects, acute and delayed

Main Symptoms The most important known symptoms and effects are described in the labelling in section 2

and/or in section 11.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO₂). Alcohol-resistant foam. Dry chemical.

Unsuitable Extinguishing Media This product contains alcohols which will reduce the effectiveness of normal foam. Use

alcohol-resistant foam instead.

Specific hazards arising from the chemical

No information available.

Hazardous Combustion Sodium Oxides and Potassium Oxides

Products

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. Use personal protective equipment. Ensure

adequate ventilation.

Other information Common Weak Acids suitable for neutralizing caustic alkalis: acetic acid, citric acid, lemon

juice, tartaric acid, vinegar.

Environmental precautions

Environmental precautions Keep out of waterways. Neutralization is normally necessary before waste water is

discharged into water treatment plants. See Section 12 for additional Ecological

Information.

Methods and materials for containment and cleaning up

Methods for Containment Dike to contain spill and prevent entry into sewers, waterways, and low areas. Neutralize

with dilute acid.

Methods for cleaning up Mop up & flush neutralized material to sewer with plenty of water. Large spills: Dike or

dam spill. Pump to containers or soak up on inert absorbent.

7. HANDLING AND STORAGE



Version 1.0 Issue Date: 03-13-2017

Precautions for safe handling

Advice on safe handling Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or

using toilet facilities. Wash thoroughly after work using soap and water. Do not eat, drink or

smoke when using this product.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep container in cool well-ventilated area. Keep container tightly closed. Store away from

incompatible materials. Keep out of the reach of children.

Incompatible productsAcids, organohalogens, organonitro compounds, oxidizers, reactive metals (aluminum, zinc,

tin, alloys containing these metals).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	2 mg/m³	2 mg/m³	Ceiling: 2 mg/m ³
Sodium hydroxide		TWA: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³
1310-73-2			

Legend

Skin - Skin Absorber

NIOSH IDLH: Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Ensure adequate ventilation and that running water is available for washing eyes and skin Individual protection measures, such as personal protective equipment

Eye/Face Protection In "Concentrated" form, use splash-proof chemical goggles or face shield.

Skin and body protection Impervious rubber, alkali-proof protective gloves. Impervious rubber boots & apron..

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Odor

Surfactant

provided in accordance with current local regulations.

Hygiene measures Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state Liquid Appearance Transparent

Color Red Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

OH 13-14

Melting/freezing point No information available

Boiling point/boiling range NA

Flash Point No information available





Version 1 0 Issue Date: 03-20-2017

Evaporation rate Similar to Water

Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limitNo information availableLower flammability limitNo information available

Vapor pressure NE Vapor density NE Specific Gravity 1.444

Water solubility Miscible with water Miscible

Solubility in other solvents
Partition coefficient: n-octanol/waterNo information available
Autoignition temperature
No information available
Pecomposition temperature
Viscosity, kinematic
Viscosity, dynamic
Explosive properties
No information available

Other information

 Softening point
 N/A

 Molecular Weight
 N/A

 VOC Content(%)
 < .01</th>

 Density VALUE
 N/A

 Bulk Density VALUE
 N/A

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Prolonged contact with aluminum, tin, zinc, or lead may produce flammable hydrogen gas.

Incompatible Materials

Acids, organohalogens, organonitro compounds, oxidizers, reactive metals (aluminum, zinc, tin, alloys containing these metals).

Hazardous Decomposition Products

May emit toxic fumes under fire conditions. Carbon monoxide (CO). Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Causes severe skin burns and eye damage

Inhalation Severe respiratory irritant.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin contactContact causes severe skin irritation and possible burns. May be absorbed through the skin

in harmful amounts.

Ingestion Severe irritation of the gastrointestinal tract, causing vomiting, nausea and burns.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
---------------	-----------	-------------	-----------------



Version 1 0 Issue Date: 03-13-2017

Potassium hydroxide 1310-58-3	= 284 mg/kg (Rat)	50mg (24hr) = Severe skin irritation	-
Sodium hydroxide 1310-73-2	140 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic effects No information available.

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic toxicity No information available. Avoid repeated exposure.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 2.2% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 3301 mg/kg ATEmix (inhalation-dust/mist) 150 mg/l ATEmix (inhalation-vapor) 45000 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

2.7% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Potassium hydroxide 1310-58-3	,		-
Sodium hydroxide	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	
1310-73-2			

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Potassium hydroxide 1310-58-3	Not expected to bioaccumulate
Sodium hydroxide 1310-73-2	Not expected to bioaccumulate

Other adverse effects No information available



Version 1 0 Issue Date: 03-13-2017

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

Chemical Name	California Hazardous Waste Status	
Potassium hydroxid e	Toxic Corrosive	
1310-58-3		

14. TRANSPORT INFORMATION

DOT Regulated
UN/ID No UN3266

Proper shipping nameCorrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide)

Hazard class 8
Packing Group II
Emergency Response Guide 154

Number

15. REGULATORY INFORMATION

International Inventories **TSCA** Complies Complies **DSL/NDSL EINECS/ELINCS** Complies **ENCS IECSC** Complies **KECL** Complies **PICCS** Complies **AICS** Complies

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations



Version 1 0 Issue Date: 03-13-2017

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA).

This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	Yes

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3	1000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Potassium hydroxide 1310-58-3	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations

This product contains substances regulated by state right to know regulations.				
Chemical Name	New Jersey	Massachusetts	Pennsylvania	
Potassium hydroxide 1310-58-3	X	X	X	
Sodium hvdroxide	X	X	X	

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

Physical and chemical **NFPA Health Hazards** 3 Flammability 0 Instability 1 hazards COR Health hazard 3 Flammability 0 Physical Hazards 1 **HMIS** Personal protection X

Prepared By

Accurate Companies 731 W. Fairmont Dr. Tempe, AZ 85282 01-June-2015 14-September-2017

Issuing date **Revision Date Revision Note**

1





Version 1 0 Issue Date: 03-13-2017

<u>Disclaimer</u>
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet