

# STONEMEDIC MPC MARBLE POLISHING COMPOUND

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name

: STONEMEDIC MPC MARBLE POLISHING COMPOUND

Other means of identification

Not applicable

Recommended use

: Floor care product

Restrictions on use

Reserved for industrial and professional use.

Product dilution information

Product is sold ready to use.

Company

Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date

05/09/2019

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Acute toxicity (Oral)

Skin corrosion Serious eye damage Category 4

Category 1A Category 1

# GHS label elements

Hazard pictograms





Signal Word

: Danger

**Hazard Statements** 

: Harmful if swallowed.

Causes severe skin burns and eye damage.

**Precautionary Statements** 

Prevention:

Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

Storage: Store locked up. Disposal:

# STONEMEDIC MPC MARBLE POLISHING COMPOUND

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Concentration (%) CAS-No. **Chemical name** 30 - 60127-95-7 potassium hydrogen oxalate 1344-28-1 10 - 30aluminium oxide fatty acids, vegetable-oil, compds. with 68783-56-2 1 - 5 ethanolamine 1-5 34590-94-8 Dipropylene glycol methyl ether

### **SECTION 4. FIRST AID MEASURES**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately. Apply calcium

gluconate gel, if available, or milk of magnesia to affected area.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention immediately. If available, take several calcium antacid tablets (eg

Turns) or several tablespoons of milk of magnesia.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms : See Section 11 for more d

and effects, both acute and sy

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

## **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

911095 2/9

# STONEMEDIC MPC MARBLE POLISHING COMPOUND

Special protective equipment for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

# **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

: Keep out of reach of children. Store in suitable labeled containers.

Storage temperature

911095

: 0 °C to 50 °C

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
aluminium oxide	1344-28-1	TWA (Total dust)	15 mg/m3	OSHA Z1
		TWA (respirable fraction)	5 mg/m3	OSHA Z1
		TWA (Respirable fraction)	1 mg/m3 (Aluminium)	ACGIH
Dipropylene glycol methyl ether	34590-94-8	TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH
		STEL	150 ppm 900 mg/m3	NIOSH REL
		TWA	100 ppm 600 mg/m3	NIOSH REL

3/9

# STONEMEDIC MPC MARBLE POLISHING COMPOUND

**TWA** 100 ppm OSHA Z1 600 mg/m3

Engineering measures

Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

#### Personal protective equipment

Eye protection

Wear the following personal protective equipment:

Hand protection Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

: Wear eye protection/ face protection.

Personal protective equipment comprising: suitable protective gloves, Skin protection

safety goggles and protective clothing

When workers are facing concentrations above the exposure limit they Respiratory protection

must use appropriate certified respirators.

Handle in accordance with good industrial hygiene and safety Hygiene measures

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance paste

opaque, amber Color

Odor citrus

: 1.5 - 2.5, (1 %) Hq

: Not applicable Flash point : No data available Odor Threshold

: No data available Melting point/freezing point

Initial boiling point and

boiling range

: > 100 °C

: No data available Evaporation rate

: No data available Flammability (solid, gas) : No data available Upper explosion limit

: No data available Lower explosion limit No data available Vapor pressure

: No data available Relative vapor density

: 1.4 - 1.8 Relative density

slightly soluble Water solubility : No data available Solubility in other solvents

Partition coefficient: noctanol/water

No data available

: No data available Autoignition temperature

## STONEMEDIC MPC MARBLE POLISHING COMPOUND

Thermal decomposition : No data available
Viscosity, kinematic : No data available
Explosive properties : No data available

Oxidizing properties : No data available

Molecular weight : No data available

VOC : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous : No dangerous reaction known under conditions of normal use.

reactions

Conditions to avoid : None known.

Incompatible materials : Bases

Hazardous decomposition

products

In case of fire hazardous decomposition products may be produced

such as: Carbon oxides

Nitrogen oxides (NOx)

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

**Potential Health Effects** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Harmful if swallowed. Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human exposure** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Toxicity** 

**Product** 

Acute oral toxicity : Acute toxicity estimate : 671.31 mg/kg

911095 5/9

# STONEMEDIC MPC MARBLE POLISHING COMPOUND

Acute inhalation toxicity

: No data available

Acute dermal toxicity

Acute toxicity estimate: 2,743 mg/kg

Skin corrosion/irritation

: Corrosive

Serious eye damage/eye

: No data available

irritation

: No data available

Respiratory or skin sensitization

: No data available

Carcinogenicity

Reproductive effects

: No data available

Germ cell mutagenicity

: No data available

Teratogenicity

: No data available

STOT-single exposure

No data available

STOT-repeated exposure

: No data available

Aspiration toxicity

: No data available

## **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

**Environmental Effects** 

: This product has no known ecotoxicological effects.

#### **Product**

Toxicity to fish

: No data available

Toxicity to daphnia and other

aquatic invertebrates

: No data available

Toxicity to algae

: No data available

## Components

Toxicity to fish

: Dipropylene glycol methyl ether

96 h LC50 Fish: > 1,000 mg/l

### Components

Toxicity to daphnia and other

aquatic invertebrates

: potassium hydrogen oxalate

48 h LC50 Daphnia: 137 mg/l

## Persistence and degradability

No data available

No data available

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

## STONEMEDIC MPC MARBLE POLISHING COMPOUND

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local

regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource : D002 (Corrosive)

Conservation and Recovery Authorization Act Hazardous

waste

# **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

Not dangerous goods

#### Sea transport (IMDG/IMO)

Not dangerous goods

#### **SECTION 15. REGULATORY INFORMATION**

#### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

aluminium oxide 1344-28-1 10 - 20 %

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

# California Cleaning Product Right to Know Act of 2017 (SB 258)

## STONEMEDIC MPC MARBLE POLISHING COMPOUND

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
potassium hydrogen oxalate	127-95-7	Abrasive	Not Applicable
Shellac	9000-59-3	Abrasive	Not Applicable
aluminium oxide	1344-28-1	Abrasive	10
water	7732-18-5	Diluent	Not Applicable
fatty acids, vegetable-oil, compds. with ethanolamine	68783-56-2	Cleaning Agent	Not Applicable
Dipropylene glycol methyl ether	34590-94-8	Solvent	Not Applicable
Citral	5392-40-5	Fragrance	FRA
Isopropanol	67-63-0	Fragrance	20

<sup>\*</sup>refer to ecolab.com/sds for electronic links to designated lists

# The ingredients of this product are reported in the following inventories:

# Switzerland. New notified substances and declared preparations :

On the inventory, or in compliance with the inventory

### **United States TSCA Inventory:**

All substances listed as active on the TSCA inventory

#### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

## Australia Inventory of Chemical Substances (AICS):

not determined

#### New Zealand. Inventory of Chemical Substances:

not determined

# Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

# Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

## Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

### China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory


## Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

### SECTION 16. OTHER INFORMATION

# STONEMEDIC MPC MARBLE POLISHING COMPOUND

#### NFPA:



#### HMIS III:

FLAMMABILITY PHYSICAL HAZARD	0
HEALTH	3

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

: 05/09/2019 Issuing date

Version : 1.1

: Regulatory Affairs Prepared by

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.