

## SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Go Clean Citrus Slam

PRODUCT USE: Concentrated cleaner

MANUFACTURED FOR: Go Clean Chemical  
3110 Venture Drive  
Las Vegas, NV 89101

866-839-7588

INFORMATION PHONE: 702-387-9625

EMERGENCY PHONE: INFOTRAC  
1-800-535-5053 USA & Canada  
352-323-3500 International

## SECTION 2 - HAZARD(S) IDENTIFICATION

CLASSIFICATION: Acute Toxicity - Oral: Category 4  
Skin Corrosion: Category 2  
Eye Damage: Category 2A

PICTOGRAMS:



GHS ELEMENTS:

SIGNAL WORD: Warning

HAZARD STATEMENT(S): H302 | Harmful if swallowed.  
H315 | Causes skin irritation.  
H319 | Causes serious eye irritation.

PRECAUTIONARY STATEMENT(S): P264 | Wash any exposed body parts thoroughly after handling.  
P270 | Do not eat, drink or smoke when using this product.  
P280 | Wear protective gloves/protective clothing/eye protection/face protection.  
P301 + P312 | IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P302 + P352 | IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 | Specific treatment (see supplemental first aid instruction on this label if immediate administration of antidote/specific measures/cleansing agent/immediate measures is/are appropriate/required).  
P330 | Rinse mouth.  
P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention.  
P337 + P313 | If eye irritation persists: Get medical advice/attention.  
P362 | Take off contaminated clothing and wash before reuse.  
P501 | Dispose of contents/container to appropriate waste disposal entity in

# Safety Data Sheet

Go Clean Citrus Slam

Page 2 of 8

Version: 1.0011

Revision Date: 02/07/2019

Print Date: 03/21/2021

accordance with local/regional/national/international regulation.

ADDITIONAL PRECAUTIONS: None Known

## SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS #	FUNCTIONAL PURPOSE	PERCENT
Potassium Hydroxide 45%	1310-58-3	pH Adjustment	5 - 10%
Lauramine Oxide	1643-20-5	Surfactant	5 - 10%
Sodium tripolyphosphate	7758-29-4	Alkaline Builder	5 - 10%
2-Butoxyethanol	111-76-2	Solvent	1 - 5%
Sodium Xylenesulfonate	1300-72-7	Surfactant	1 - 5%
Nonylphenol ethoxylate	127087-87-0	Surfactant	1 - 5%
d-Limonene	94266-47-4	Solvent	< 1.0%
Lemon Yellow 316	not available	Colorant	< 1.0%
#328 Sunflower Yellow Dye	Not Available	Colorant	< 1.0%
DEFOAMER	Not Available	Foam Control	< 1.0%
Acrylic Polymer	NA	Viscosity	< 1.0%
Sodium Hydroxide 50%	1310-73-2	pH Adjustment	< 1.0%
Chloromethylisothiazolone	55965-84-9	Preservative	< 1.0%
PROPRIETARY BLEND	N/E	Adjuvant	< 1.0%

The chemical identity of some or all components is confidential business information (trade secret) and is being withheld as permitted by 29CFR19191200 (i). No other ingredients known to be hazardous.

## SECTION 4 - FIRST AID MEASURES

EYES:	Check for and remove contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
SKIN:	Wash skin surfaces thoroughly after contact. Wash clothing and clean shoes thoroughly before reuse. Get medical attention if irritation develops.
INHALATION:	Move exposed person to fresh air. If breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen clothing. Get medical attention immediately.
INGESTION:	Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
GENERAL:	Physicians: No specific treatment. Treat symptomatically. Contact poison treatment specialist if large quantities have been inhaled or ingested.

See Section 11 for exposure symptoms.

## SECTION 5 - FIRE FIGHTING MEASURES

FLAMMABILITY:	In a fire or if heated, a pressure increase will occur and the container may burst.
---------------	---

EXTINGUISHING MEDIA:	Use an extinguishing agent suitable for the surrounding fire.
PROTECTIVE EQUIPMENT:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with full face-piece operated in positive pressure mode.
ADDITIONAL INFORMATION:	Thermal decomposition products-carbon monoxide, sulfur oxides, metal oxide/oxides, halogenated compounds.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	No action should be taken involving individual risk or without suitable training. Isolate area. Avoid contact with material. Do not breathe vapors. Provide adequate ventilation. Wear proper personal protective equipment.
ENVIRONMENTAL:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform relevant authorities if the product reaches sewers, waterways or soil.
CONTAINMENT/CLEANUP:	Stop leak if without risk. Move containers from spill area. Contain or absorb with inert dry material. Dispose of according to local regulations. See Section 1 for emergency contact information and 13 for waste disposal.

## SECTION 7 - HANDLING AND STORAGE

SAFE HANDLING:	Wear appropriate personal protective equipment (see Section 8). Eating drinking and smoking should be prohibited. Do not get into eyes or on skin. Do not ingest. Keep containers tightly closed. Do not reuse container.
SAFE STORAGE:	Store in accordance with local regulations. Store in original container away from foods, drink and incompatible materials. Keep container tightly closed. Do not store unlabeled. Use appropriate containment.

## SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:	Apply technical measures to comply with occupational exposure limits. Mechanical ventilation, eyewash stations, showers where necessary.
EYE PROTECTION:	Safety eye-wear/face shield complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
RESPIRATORY PROTECTION:	Use a properly fitted air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates necessity. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product & the safe working limits of the chosen respirator.
HAND PROTECTION:	Chemical resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
SKIN PROTECTION:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a

# Safety Data Sheet

Go Clean Citrus Slam

Page 4 of 8

Version: 1.0011  
Revision Date: 02/07/2019  
Print Date: 03/21/2021

specialist before handling this product.

COMPONENT:	ACGIH TWA ppm	OSHA/NIOSH STEL ppm	OSHA/ACGIH STEL mg/m3
Potassium Hydroxide 45%	None	None	None
Lauramine Oxide	1.40	None	None
Sodium tripolyphosphate	10.00	None	None
2-Butoxyethanol	20.00	None	None
Sodium Xylenesulfonate	None	None	None
Nonylphenol ethoxylate	10.00	None	None
d-Limonene	30.00	None	None
Lemon Yellow 316	None	None	None
#328 Sunflower Yellow Dye	None	None	None
DEFOAMER	None	None	None
Acrylic Polymer	None	None	None
Sodium Hydroxide 50%	2.00	None	None
Chloromethylisothiazolone	None	None	None
PROPRIETARY BLEND	None	None	None

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Liquid	UPPER EXPLOSIVE LIMITS:	NA
COLOR:	Orange	LOWER EXPLOSIVE LIMITS:	NA
ODOR:	Citrus	VAPOR PRESSURE:	NA
ODOR THRESHOLD:	NA	VAPOR DENSITY:	NA
PH:	11.5 - 14.0	RELATIVE DENSITY:	NA
MELTING POINT:	NA	SOLUBILITY:	Completely Water Soluble
FREEZING POINT:	23.00 F	PARTITION COEFFICIENT:	NA
BOILING POINT:	NA	AUTO-IGNITION TEMPERATURE:	NA
FLASH PT METHOD:	NA	DECOMPOSITION TEMPERATURE:	NA
FLASH POINT:	NA	SPECIFIC GRAVITY:	1.07000
EVAPORATION RATE:	NA	% VOLATILE:	NA
FLAMMABILITY:	Nonflammable	VISCOSITY (cst):	NA

## SECTION 10 - STABILITY AND REACTIVITY

REACTIVITY:	HAZARDOUS DECOMPOSITION PRODUCTS
CHEMICAL STABILITY:	Stable under normal conditions.
POSSIBILITY OF HAZARDOUS REACTIONS:	Non-reactive.

CONDITIONS TO AVOID: Excessive heat or open flame.

INCOMPATIBLE MATERIALS: Avoid contact with acidic materials and strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: Under normal conditions, none are known.

## SECTION 11 - TOXICOLOGICAL INFORMATION

ROUTES OF ENTRY: Inhalation Absorption Ingestion

### ACUTE EXPOSURE HAZARDS:

EYE CONTACT: Irritation, stinging, redness, burns.

DERMAL: Irritation, burns upon prolonged exposure.

ORAL: Nausea, vomiting.

INHALATION: No expected route of entry. Irritation.

Lauramine Oxide (CAS No. 1643-20-5)  
Oral LD50: Rat 500-5000 mg/kg

Sodium tripolyphosphate (CAS No. 7758-29-4)  
Oral LD50: 5400mg/kg rat  
Dermal LD50: 7940mg/kg rabbit

2-Butoxyethanol (CAS No. 111-76-2)  
Oral LD50: Rat 470 mg/kg

Sodium Xylenesulfonate (CAS No. 1300-72-7)  
Oral LD50: Rat 5 g/kg

Nonylphenol ethoxylate (CAS No. 127087-87-0)  
Oral LD50: Rat 1600 mg/kg

d-Limonene (CAS No. 94266-47-4)  
Oral LD50: 4,400 mg/kg rat

Acrylic Polymer (CAS No. NA)  
Oral LD50: Rat 5000 mg/kg

Chloromethylisothiazolone (CAS No. 55965-84-9)  
Oral LD50: 66mg/kg rabbit  
Dermal LD50: 141mg/kg rat

## SECTION 12 - ECOLOGICAL INFORMATION

ECOTOXICITY: No data available.

# Safety Data Sheet

Go Clean Citrus Slam

Page 6 of 8

Version: 1.0011  
Revision Date: 02/07/2019  
Print Date: 03/21/2021

PERSISTENCE & DEGRADABILITY: No data available.  
BIOACCUMULATIVE POTENTIAL: No data available.  
MOBILITY IN SOIL: No data available.  
OTHER ADVERSE EFFECTS: No data available.

Lauramine Oxide (CAS No. 1643-20-5)  
Fish LC50: greater than .71 mg/l 96h, danio  
Crustacean LC50: greater than 0.08mg/L 48h Daphnia  
Sodium tripolyphosphate (CAS No. 7758-29-4)  
Fish LC50: greater than 100mg/L 96h trout  
Crustacean LC50: greater than 1000mg/L 48h daphnia  
2-Butoxyethanol (CAS No. 111-76-2)  
Fish LC50: 1250mg/L, 96h, Inland Solverside  
Crustacean LC50: Daphnia 1818 mg/L 24h  
Sodium Xylenesulfonate (CAS No. 1300-72-7)  
Fish LC50: Minnow 1000 mg/L 96h  
d-Limonene (CAS No. 94266-47-4)  
Fish LC50: 0.702 mg/L 96h minnow  
Acrylic Polymer (CAS No. NA)  
Fish LC50: Minnow 100 mg/L 96h  
Sodium Hydroxide 50% (CAS No. 1310-73-2)  
Fish LC50: 144mg/L, 96H guppy  
Chloromethylisothiazolone (CAS No. 55965-84-9)  
Fish LC50: 0.22mg/L 96h trout  
Crustacean LC50: 6.76mg/L 48h daphnia

## SECTION 13 - DISPOSAL CONSIDERATION

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of the product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions. Dispose of container and unused contents in accordance with federal, state and local requirements.

## SECTION 14 - TRANSPORT INFORMATION

DOT (US)

UN NUMBER: NA  
SHIPPING NAME: NA  
TECHNICAL NAME: NA  
HAZARD CLASS: NA  
PACKAGING GROUP: NA

## SECTION 15 - REGULATORY INFORMATION

# Safety Data Sheet

Go Clean Citrus Slam

Page 7 of 8

Version: 1.0011  
 Revision Date: 02/07/2019  
 Print Date: 03/21/2021

SARA 313 COMPONENTS	CAS NO.	% LESS THAN
Potassium Hydroxide 45%	1310-58-3	5 - 10%
2-Butoxyethanol	111-76-2	1 - 5%

CALIFORNIA PROP. 65 COMPONENTS	CAS NO.	% LESS THAN
2-Butoxyethanol	111-76-2	1 - 5%
Nonylphenol ethoxylate	127087-87-0	1 - 5%
Acrylic Polymer	NA	< 1.0%

RQ 1,000#

RTK: PA, NJ, MA, RI (hydrogen Peroxide 1-3%)

RQ: 1000# (hydrogen Peroxide 1-3%)

This product can expose you to Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm..

127087-87-0 Nonylphenol polyethylene glycol ether 90 - 100 %

25322-68-3 Polyethylene glycol 1 - 5 %

123-91-1 1,4-Dioxane 0 - 0.1 %

64-19-7 Acetic acid 0 - 0.1 %

75-21-8 Ethylene oxide 0 - 0.1 %

RTK: MA, PA, NJ,

WARNING! This product contains a chemical known to the State of California to cause cancer birth defects or other reproductive harm.

123-91-1 1,4-Dioxane 0 - 0.1 %

64-19-7 Acetic acid 0 - 0.1 %

75-21-8 Ethylene oxide 0 - 0.1 %

RTK: PA, NJ

This product contains a chemical that is at or below California Prop. 65's "safe harbor level". Therefore it is not required to be listed. (Acrylic polymer)

RQ 1,000#

## SECTION 16 - OTHER INFORMATION

### HAZARDOUS MATERIAL INFORMATION SYSTEM (U.S.A.)

<b>Health Hazard</b>	<b>2</b>
<b>Fire Hazard</b>	<b>0</b>
<b>Reactivity</b>	<b>0</b>
<b>Personal Protection</b>	<b>B</b>

Caution: HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks and 4 representing significant hazards or risks.

- A Safety Glasses
- B Safety Glasses, Gloves
- C Safety Glasses, Gloves, Apron
- D Face Shield, Gloves, Apron
- E Safety Glasses, Gloves, Dust Respirator
- F Safety Glasses, Gloves, Apron, Dust Respirator
- G Safety Glasses, Gloves, Vapor Respirator
- H Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- I Safety Glasses, Gloves, Dust & Vapor Respirator
- J Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- K Airline Hood or Mask, Gloves, Full Suit, Boots
- X Consult your supervisor for special handling directions

Flammability

# Safety Data Sheet

Go Clean Citrus Slam


Page 8 of 8

Version: 1.0011

Revision Date: 02/07/2019

Print Date: 03/21/2021

NATIONAL FIRE PROTECTION  
ASSOCIATION (U.S.A.)



NFPA warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health, and reactivity hazards of chemicals.

Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act of 1970 and shall not be used for any other purpose. Use or dissemination of all or any part of this information can be grounds for legal action.

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as of the date of its issue. However, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. The information this Safety Data Sheet contains is being given to that material when combined with other material(s) or when used otherwise than as described herein.

In all cases, it is the responsibility of the user to determine the applicability of such information and recommendations and the suitability of any product for its own particular purpose. All materials may represent unknown hazards and should be used with caution.