



SAFETY DATA SHEET

Section 1: Chemical Product and Company Identification

Product name: Streamline's Hylite
Product Code: 3118C
Chemical Use: Aqueous Degreaser

Date Prepared: 4/15/15
Supersedes: New

Restrictions on use: Use in accordance with all Federal, State and local regulations.

Company Identification: Streamline Supply Inc.
460 N. 1000 W.
Centerville, Utah 84014

Manufactured by: Streamline Supply Inc.
460 N. 1000 W.
Centerville, Utah 84014

Emergency Telephone Numbers: For Transportation Emergency: PERS (800) 633-8253
For Medical Emergency: PERS (800) 633-8253 or (877) 350-5426
For SDS or other information: (877) 350-5426 or (801) 294-2980
Email: info@streamlinesupply.com
Fax: (801) 294-2626

Section 2: Hazard(s) Identification

GHS Classification: **Skin Corrosion:** Category 1A
Serious Eye Damage/Eye Irritation: Category 1

GHS Label element

Hazard pictograms:



Signal Word: DANGER

Hazard Statements: H314 Causes severe skin burns and eye damage.

PRECAUTIONARY STATEMENTS:

Prevention: P264 Wash exposed skin thoroughly after handling.
P280 Wear protective gloves, protective clothing, face and eye protection.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN: Remove/ Take off immediately all contaminate clothing. Rinse skin with water/shower.
IF INHALED: Remove victim to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.

Section 2: Hazard(s) Identification (continued)**Response (continued):**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local regulations.

Section 3: Composition/Information on Ingredients

CHEMICAL NAME	CAS NUMBER	% BY WEIGHT
Butoxyethanol; Butyl Cellosolve; 2-butoxyethanol	111-76-2	1-10%
Benzenesulfonic Acid, C10-16 Alkyl Derivatives	68584-22-5	1-5%
Disodium Metasilicate	6834-92-0	1-3%
Triphosphoric Acid, sodium salt	7758-29-4	1-3%
Sodium phosphate tribasic dodecahydrate	10101-89-0	1-3%

Trace components: Trace ingredients (if any) are present in < 1% concentration, (<0.1% for potential carcinogens, reproductive toxins, respiratory tract mutagens, and sensitizers). None of the trace ingredients contribute significant additional hazards at the concentrations that may be present in this product. All pertinent hazard information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalents, and Canadian Hazardous Materials Identification System Standard (CPR 4).

SEE SECTION 8, 11 AND 12 FOR TOXICOLOGICAL INFORMATION.

Section 4: First Aid Measures**First Aid Procedures:**

General Advice: Move out of danger area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave a victim unattended.

EYE CONTACT: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing eyes during transport to hospital. Immediately call a doctor or ophthalmologist.

IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and shoes. Wash these before reuse. If skin irritation occurs get medical attention.

INHALATION: Moved exposed person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms persist.

INGESTION: Do NOT induce vomiting unless directed to do so by medical personnel. Rinse mouth. If vomiting occurs, the head should be kept low so vomit does not enter the lungs. If affected person is conscious, give plenty of water to drink. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in Section 2 and/or section 11.

Indication of any immediate medical attention and special treatment needed.

No data available.

Section 5: Fire-Fighting Measures

Suitable extinguishing media: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

Specific hazards arising from chemical: Do Not allow run-off from fire-fighting to enter drains or water courses.

Section 5: Fire-Fighting Measures (continued)

Hazardous combustion products: Carbon dioxide (CO₂)
Carbon monoxide
Smoke
Sulphur oxides

Special protective action for fire-fighters: As in any fire, always wear self-contained breathing apparatus in pressure-demand (MSA/NIOSH approved or equivalent), and full protective gear. Use water spray or fog to cool exposed containers.

Specific Explosion Hazards: If in fire or heated, a pressure increase will occur and the container may burst.

Further Information: Standard procedure for chemical fire.

Section 6: Accidental Release Measures**Steps to Take in Case Material Is Released or Spilled:****Personal precautions, protective equipment and emergency procedures:****For non-emergency personnel:**

Evacuate unnecessary personnel. Always use proper personal protective equipment as described in section 8. Avoid run-off into storm sewers and ditches that lead to waterways. Use inert material such as clay or diatomaceous earth to contain spill. Use these products to soak up material or mop or vacuum up spill and rinse with water.

For emergency responders:

Wear proper protection during cleanup. PVC, nitrile or rubber. Ventilate area.

Avoid run-off into storm sewers and ditches that lead to waterways. Use inert material such as clay or diatomaceous earth to contain spill. Neutralize with acid.

Contain spilled material for disposal according to Federal, State, and local regulations.

Section 7: Handling and Storage

Precautions: Always use proper personal protective equipment as described in section 8. Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Remove contaminated clothing and wash before reuse. Do not ingest. Use with adequate ventilation. Avoid breathing vapor or mist. Do not reuse container. Observe label precautions and direction for use.

Storage: Store in original container protected from direct sunlight in a dry, cool and well-ventilated area. Store away from strong acids and oxidizing materials. Keep away from food and drinks. Store between 40° F- 120° F. Keep out of reach of children and pets. Keep in a tightly closed container.

Section 8: Exposure Controls/Personal Protection**Exposure Limits****Component workplace control parameters**

Product Name: Butoxyethanol; Butyl Cellosolve; 2-butoxyethanol OSHA PEL 1989 (United States 3/1989) Absorbed through skin. TWA: 25 ppm 8 hour(s). NOISH REL (United States 6/2009) Absorbed through skin. TWA: 5 ppm 10 hour(s) ACGIH TLV (United States 2/2010) TWA: 20 ppm 8 hour(s) OSHA PEL ((United States 6/2010) Absorbed through skin. TWA: 50 ppm 8 hour(s)	CAS #: 111-76-2
---	------------------------

Section 8: Exposure Controls/Personal Protection (continued)**Exposure Limits****Component workplace control parameters (continued)**

Product Name: Benzenesulfonic Acid, C10-16 Alkyl Derivatives
No occupational exposure limit values known

CAS #: 68584-22-5

Product Name: Disodium Metasilicate
No occupational exposure limit values known

CAS #: 6834-92-0

Product Name: Triphosphoric Acid, sodium salt
No occupational exposure limit values known

CAS #: 7758-29-4

Product Name: Triphosphoric Acid, sodium salt
No occupational exposure limit values known

CAS #: 7758-29-4

Product Name: Sodium phosphate tribasic dodecahydrate
No occupational exposure limit values known

CAS#: 10101-89-0

Engineering Controls

Engineering Measures: Facilities storing or using the material should be equipped with eyewash station. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Individual Protection

Personal Protective Equipment (PPE): Wear protective chemical goggles or appropriate eye protection. Use appropriate protective gloves and protective clothing to prevent skin exposure. The suitability for a specific workplace should be discussed with the producers of the protective gloves and clothing.

Respiratory Protection: A respiratory protection program that meets OSHA 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever possible. Always use a NIOSH or European Standard EN 149 approved respirator when necessary.

Section 9: Physical Data

Appearance: clear liquid/Yellow green

Odor: Mild

Odor Threshold: No data available

pH: 12.5 -13.5

Melting/freezing Point: No data available

Boiling Point: No data available

Boiling Range: No data available

Flash Point: Does not flash

Evaporation Rate: 1

Upper /lower flammability or

Explosive Limits: No data available

Vapor Pressure: No data available

Section 9: Physical Data (continued)

Vapor Density (Air =1): No data available
Relative density: 1.1
Weight/gallon: 9.5 lbs.
Solubility in Water: Soluble in water
Partition coefficient n-octanol/water): No data available
Auto-ignition Temperature: No data available
Decomposition Temperature: No data available
Viscosity: No data available
Viscosity, kinematic: No data available

Section 10: Stability and Reactivity

Reactivity: No additional information available.

Stability: Stable under normal temperatures and pressures.

Section 10: Stability and Reactivity (continued)

Conditions to Avoid: Extreme high or low temperatures.

Incompatibility With Various Substances: Strong oxidizing agents and acids.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide.

Section 11: Toxicological Information**Acute Toxicity:****Product**

Acute oral toxicity: Acute toxicity estimate: >5000 mg/kg
Method: Calculation method

Acute dermal toxicity: Acute toxicity estimate: >5000 mg/kg
Method: Calculation method

Acute inhalation toxicity: Acute toxicity estimate: >20000 ppm
Method: Calculation method

Product components:

Product Name: Butoxyethanol; Butyl Cellosolve; 2-butoxyethanol

CAS #: 111-76-2

Acute toxicity:

LD50 Oral - Rat - 470 mg/kg

LC50 Inhalation - Rat - 4 h - 450 ppm

Remarks: Behavioral: Ataxia. Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

Dermal: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

LD50 Intraperitoneal - Rat - 220 mg/kg

LD50 Intravenous - Rat - 307 mg/kg

Skin corrosion/irritation: Skin - Rabbit

Result: Open irritation test

Serious eye damage/eye irritation: Eyes - Rabbit

Result: Moderate eye irritation - 24 h

(continued on next page)

Section 11: Toxicological Information (continued)**Product Name:** Butoxyethanol; Butyl Cellosolve; 2-butoxyethanol **CAS #:** 111-76-2 **(continued)****Respiratory or skin sensitization:** No data available**Germ cell mutagenicity:** No data available**Carcinogenicity:**

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Butoxyethanol)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: No data available

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Specific target organ toxicity - single exposure: No data available**Specific target organ toxicity - repeated exposure:** No data available**Aspiration hazard:** No data available**Product Name:** Disodium Metasilicate**CAS #:** 6834-92-0**Acute toxicity**

LD50 Oral - rat - male and female - 1,152 - 1,349 mg/kg

Product**Skin corrosion/irritation:**

Remarks: Corrosive and destructive to tissue.

Serious eye damage/eye irritation:

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitization: No data available**Germ cell mutagenicity:** No data available**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: No data available**Specific target organ toxicity - single exposure:** No data available**Specific target organ toxicity - repeated exposure:** No data available**Aspiration hazard:** No data available**Further information:** No data available

Section 12: Ecological Information**Ecotoxicity**

No data available

Persistence and degradability: No data available

Bioaccumulative potential

Partition coefficient: N-octanol/water: No data available

Mobility in soil: No data available

Other adverse effects: No data available

Product components

Product Name: Butoxyethanol; Butyl Cellosolve; 2-butoxyethanol

CAS #: 111-76-2

Toxicity

Toxicity to fish LC50 - other fish - 220 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 1,815 mg/l - 24 h

Persistence and degradability

Ratio BOD/ThBOD 88 %

Bioaccumulative potential: No data available

Mobility in soil: No data available

Other adverse effects: No data available

Product

Additional ecological information: No data available

Section 13: Disposal Information**Disposal Considerations:**

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of this product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions found in 40 CFR 261.3. Dispose of container and unused contents in accordance with federal, state and local requirements.

Section 14: Transportation Information

Ground – DOT (US) Proper Shipping Name: Detergent Solution

Hazard Class: Non- Hazardous

U.N. Number: Not required

Section 15: Regulatory Information**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

Section 15: Regulatory Information (continued)**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards: Acute Health Hazards

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313: This product does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

The components of this product are reported in the following inventories:

TSCA	On TSCA inventory
DSL	All components of this product are on the Canadian DSL.
AICS	On the inventory, or in compliance with the inventory
NZIoC	On the inventory, or in compliance with the inventory
PICCS	On the inventory, or in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory


Section 16: Other Information**Hazardous Materials Identification System (HMIS)**

NOTE: HMIS ratings use a numbering scale that ranges from 0 - 4 to indicate the degree of hazard. A value of zero means the chemical presents no hazard while a value of four indicates a high hazard. These ratings are based on the inherent properties of this chemical under expected conditions of normal use and are not intended to be used in emergency situations. PPE is determined by the user based on their needs and conditions.

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	D

Section 16: Other Information (continued)**National Fire Protective Association (NFPA)**

NOTE: NFPA ratings use a numbering scale that ranges from 0 - 4 to indicate the degree of hazard. A value of zero means the chemical presents no hazard while a value of four indicates a high hazard. They are for use by emergency personnel to address the hazards that are presented by short term, acute exposure to this product under fire, spill, or similar emergencies. Ratings involve data and interpretations that may vary from company to company.

**OVERVIEW**

This information was compiled from current manufacturer's SDS's of the component parts of the product.

Disclaimer: The information contained herein is based on current knowledge and experience; no responsibility is accepted that the information is sufficient or correct in all cases. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment.

STREAMLINE SUPPLY INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, STREAMLINE SUPPLY INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.