according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON PROFESSIONAL® POWER CLEANER AND DEGREASER CONCENTRATE

Version 1.1 Print Date 11/07/2016

Revision Date 08/03/2016 SDS Number 350000029152

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : SC JOHNSON PROFESSIONAL® POWER CLEANER AND

DEGREASER CONCENTRATE

Recommended use : This product is intended to be diluted prior to use.

Manufacturer, importer,

supplier

S.C. Johnson & Son, Inc.

1525 Howe Street Racine WI 53403-2236

1100110 W1 00100 220

Telephone : +18005585252

Emergency telephone

24 Hour Medical Emergency Phone: (866)231-5406

number 24 Hour International Emergency Phone: (703)527-3887 24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Acute toxicity	Category 4	Harmful if swallowed.
Skin irritation	Category 2	Causes skin irritation.
Serious eye damage	Category 1	Causes serious eye damage.

Labelling

Hazard symbols

Corrosion

Exclamation mark

Signal word

Danger

Hazard statements

Harmful if swallowed.

Causes skin irritation.

Causes serious eye damage.

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON PROFESSIONAL® POWER CLEANER AND DEGREASER CONCENTRATE

Version 1.1 Print Date 11/07/2016

Revision Date 08/03/2016 SDS Number 350000029152

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Immediately call a POISON CENTER or doctor/ physician.

Specific treatment (see supplemental first aid instructions on this label).

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Rinse mouth.

Take off contaminated clothing and wash before reuse.

Dispose of contents/ container to an approved incineration plant.

Wear protective gloves/ eye protection/ face protection.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product. **Other hazards**: None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Benzyl alcohol	100-51-6	10.00 - 30.00
Sodium C14-17 Alkyl Sec Sulfonate	Mixture 68608-26-4	10.00 - 30.00
Diisopropanolamine	110-97-4	5.00 - 10.00
Ethyleneglycol Monohexylether	112-25-4	5.00 - 10.00
Propylene glycol n-propyl ether	1569-01-3	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/

physician.

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON PROFESSIONAL® POWER CLEANER AND DEGREASER CONCENTRATE

Version 1.1 Print Date 11/07/2016

Revision Date 08/03/2016 SDS Number 350000029152

Skin contact: Wash off with plenty of water. Take off contaminated clothing

and wash before reuse.

Inhalation : No special requirements.

Ingestion : IF SWALLOWED: Call a POISON CENTER or doctor/

physician if you feel unwell. Rinse mouth.

5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Container may melt and leak in heat of fire.

Further information : Fight fire with normal precautions from a reasonable distance.

Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing

apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear personal protective equipment.

Wash thoroughly after handling.

Environmental

precautions

: Outside of normal use, avoid release to the environment.

Methods and materials

for containment and

cleaning up

: Dike large spills.

Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Avoid contact with skin, eyes and clothing. For personal protection see section 8.

3/13

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON PROFESSIONAL® POWER CLEANER AND DEGREASER CONCENTRATE

Version 1.1 Print Date 11/07/2016

Revision Date 08/03/2016 SDS Number 350000029152

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS. Do not eat, drink or smoke when using this product.

Wash thoroughly after handling.

Advice on protection against fire and explosion

Normal measures for preventive fire protection.

Storage

Requirements for storage

areas and containers

Keep container closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Personal protective equipment

Respiratory protection : Substantial amounts of mist/vapors can be controlled with

local exhaust ventilation or respiratory protection.

Hand protection : Wear suitable gloves.

Eye protection : Wear splash-resistant Chemical goggles.

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling. Smoking, eating and drinking should be prohibited in the application area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : purple

Odor : solvent-like

4/13

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON PROFESSIONAL® POWER CLEANER AND DEGREASER CONCENTRATE

Version 1.1 Print Date 11/07/2016

Revision Date 08/03/2016 SDS Number 350000029152

Odour Threshold : Test not applicable for this product type

pН : 11.78

> at (25 C) (undiluted)

Melting point/freezing point : 0 C

Initial boiling point and

boiling range

: Test not applicable for this product type

: does not flash Flash point

Evaporation rate : Test not applicable for this product type

Flammability (solid, gas) : The product is not flammable.

explosive limits

Upper/lower flammability or : Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

Vapour density : Test not applicable for this product type

Relative density : 1.0188 g/cm3 at 25 C

Solubility(ies) : soluble

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON PROFESSIONAL® POWER CLEANER AND DEGREASER CONCENTRATE

Version 1.1 Print Date 11/07/2016

Revision Date 08/03/2016 SDS Number 350000029152

Auto-ignition temperature : Test not applicable for this product type

Decomposition temperature: Test not applicable for this product type

Viscosity, dynamic : Test not applicable for this product type

Viscosity, kinematic : Test not applicable for this product type

Oxidizing properties : Test not applicable for this product type

Volatile Organic : 9.7 % - additional exemptions may apply
Compounds *as defined by US Federal and State Consumer Product

Total VOC (wt. %)* Regulations

Other information : None identified :

10. STABILITY AND REACTIVITY

Possibility of hazardous

reactions

: If accidental mixing occurs and toxic gas is formed, exit area

immediately. Do not return until well ventilated.

Possibility of hazardous

reactions

: If accidental mixing occurs and toxic gas is formed, exit area

immediately. Do not return until well ventilated.

Conditions to avoid : Direct sources of heat.

Incompatible materials : Do not mix with bleach or any other household cleaners.

Strong bases

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON PROFESSIONAL® POWER CLEANER AND DEGREASER CONCENTRATE

Version 1.1 Print Date 11/07/2016

Revision Date 08/03/2016 SDS Number 350000029152

11. TOXICOLOGICAL INFORMATION

Emergency Overview : Danger

Acute oral toxicity : LD50 1982 mg/kg

Acute inhalation toxicity : LC50 > 10 mg/L

Acute dermal toxicity : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	Category 4	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin irritation	Category 2	-
Serious eye damage	Category 1	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single	No classification proposed	-

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON PROFESSIONAL® POWER CLEANER AND DEGREASER CONCENTRATE

Version 1.1 Print Date 11/07/2016

Revision Date 08/03/2016 SDS Number 350000029152

exposure		
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical

Condition

: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible

to irritating effects

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Benzyl alcohol	static test LC50	Pimephales promelas (fathead minnow)	460 mg/l	96 h
Sodium C14-17 Alkyl Sec Sulfonate	LC50	Danio rerio (zebra fish)	1 - 10 mg/l	96 h
Diisopropanolamine	LC50	Danio rerio (zebra fish)	1,466 mg/l	96 h
Ethyleneglycol Monohexylether	static test LC50	Pimephales promelas (fathead minnow)	140 mg/l	96 h

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON PROFESSIONAL® POWER CLEANER AND DEGREASER CONCENTRATE

Version 1.1 Print Date 11/07/2016

Revision Date 08/03/2016 SDS Number 350000029152

Propylene glycol n-propyl ether	LC50	Oncorhynchus mykiss (rainbow trout)	> 100 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Benzyl alcohol	EC50	Daphnia magna (Water flea)	230 mg/l	48 h
	NOEC	Daphnia	51 mg/l	21 d
Sodium C14-17 Alkyl Sec Sulfonate	EC50	Daphnia magna (Water flea)	9.81 mg/l	48 h
Diisopropanolamine	EC50	Daphnia magna Straus	277.7 mg/l	48 h
Ethyleneglycol Monohexylether	static test EC50	Daphnia magna (Water flea)	145 mg/l	48 h
Propylene glycol n-propyl ether	LC50	Daphnia magna (Water flea)	> 100 mg/l	48 h

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time	
		0/10			

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON PROFESSIONAL® POWER CLEANER AND DEGREASER CONCENTRATE

Version 1.1 Print Date 11/07/2016

Revision Date 08/03/2016 SDS Number 350000029152

Benzyl alcohol	static test EC50	Pseudokirchneriella subcapitata (green algae)	770 mg/l	72 h
Sodium C14-17 Alkyl Sec Sulfonate	EC50	Desmodesmus subspicatus (green algae)	> 61 mg/l	72 h
Diisopropanolamine	EC50	Desmodesmus subspicatus (green algae)	339 mg/l	72 h
Ethyleneglycol Monohexylether	static test EC50	Desmodesmus subspicatus (green algae)	147.128 mg/l	96 h
Propylene glycol n-propyl ether	EC50	Selenastrum capricornutum, Skeletonema costatum	3,440 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Benzyl alcohol	92 - 96 %	14 d	Readily biodegradable
Sodium C14-17 Alkyl Sec Sulfonate			
Diisopropanolamine	94 %	28 d	Readily biodegradable
Ethyleneglycol Monohexylether	96.8 %	20 d	Readily biodegradable
Propylene glycol n-propyl ether	> 70 %	10 d	Readily biodegradable

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Benzyl alcohol	1.37 estimated	1.1
Sodium C14-17 Alkyl Sec Sulfonate	No data available	No data available
Diisopropanolamine	3.16 estimated	-0.79
Ethyleneglycol Monohexylether	5.8 estimated	1.97
Propylene glycol n-propyl ether	No data available	0.621

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON PROFESSIONAL® POWER CLEANER AND DEGREASER CONCENTRATE

Version 1.1 Print Date 11/07/2016

Revision Date 08/03/2016 SDS Number 350000029152

Mobility

Component	End point	Value
Benzyl alcohol	No data available	-
Sodium C14-17 Alkyl Sec Sulfonate	No data available	
Diisopropanolamine	Koc	43 estimated
Ethyleneglycol Monohexylether	Koc	10 estimated
Propylene glycol n-propyl ether	No data available	

PBT and vPvB assessment

Component	Results
Benzyl alcohol	Not fulfilling PBT and vPvB criteria
Sodium C14-17 Alkyl Sec Sulfonate	Not fulfilling PBT and vPvB criteria
Diisopropanolamine	Not fulfilling PBT and vPvB criteria
Ethyleneglycol Monohexylether	Not fulfilling PBT and vPvB criteria
Propylene glycol n-propyl ether	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON PROFESSIONAL® POWER CLEANER AND DEGREASER CONCENTRATE

Version 1.1 Print Date 11/07/2016

Revision Date 08/03/2016 SDS Number 350000029152

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

California Prop. 65 : This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

State Right To Know

Ctate ragin re raien		
Massachusetts RTK	Benzyl alcohol	100-51-6
	Diisopropanolamine	110-97-4
Minnesota HSL	Benzyl alcohol	100-51-6
No components are subject	to the New Jersey "Right To Know" Act	
Pennsylvania RTKL	Water	7732-18-5
	Benzyl alcohol	100-51-6
	Sodium C14-17 Alkyl Sec Sulfonate	
	Diisopropanolamine	110-97-4
	Ethyleneglycol Monohexylether	112-25-4
	Propylene glycol n-propyl ether	1569-01-3

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON PROFESSIONAL® POWER CLEANER AND DEGREASER CONCENTRATE

Version 1.1 Print Date 11/07/2016

Revision Date 08/03/2016 SDS Number 350000029152

16. OTHER INFORMATION

ŀ	٩N	ΛI	S	R	at	ti	n	a	s

Tilviio Natiliyo		
Health	3	
Flammability	0	
Reactivity	0	

NFPA Ratings

THE A RULINGS		
Health	3	
Fire	0	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Power Cleaner End Use Dilution

Version 1.1 Print Date 11/14/2016

Revision Date 12/08/2015 SDS Number 350000029153

GEN_SOF Number 55211

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : SC Johnson Professional Power Cleaner End Use Dilution

Recommended use : Hard Surface CleanerExperimental Formula

Manufacturer, importer,

supplier

: S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

Telephone : +18005585252

Emergency telephone

number

24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887 24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

Precautionary statements

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Benzyl alcohol	100-51-6	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Power Cleaner End Use Dilution

Version 1.1 Print Date 11/14/2016

Revision Date 12/08/2015 SDS Number 350000029153

GEN_SOF Number 55211

4. FIRST AID MEASURES

: No special requirements Eye contact

Skin contact : No special requirements

Inhalation : No special requirements.

Ingestion : No special requirements

5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Container may melt and leak in heat of fire.

Further information : Fight fire with normal precautions from a reasonable distance.

> Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing

apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wash thoroughly after handling.

Environmental precautions

Outside of normal use, avoid release to the environment.

Methods and materials for containment and

cleaning up

: Dike large spills.

Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Power Cleaner End Use Dilution

Version 1.1 Print Date 11/14/2016

Revision Date 12/08/2015 SDS Number 350000029153

GEN_SOF Number 55211

Precautions for safe

handling

: Avoid contact with skin, eyes and clothing. For personal protection see section 8.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection

against fire and explosion

: Normal measures for preventive fire protection.

Storage

areas and containers

Requirements for storage : Keep container closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Personal protective equipment

Respiratory protection : No special requirements.

Hand protection : No special requirements.

Eye protection No special requirements.

Skin and body protection : No special requirements.

: Handle in accordance with good industrial hygiene and safety Hygiene measures

practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color purple

Odor solvent-like

Odour Threshold : Test not applicable for this product type

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Power Cleaner End Use Dilution

Version 1.1 Print Date 11/14/2016

Revision Date 12/08/2015 SDS Number 350000029153 GEN_SOF Number 55211

pН : 10.34

at (25 C)

Melting point/freezing point : 0 C

Initial boiling point and

boiling range

: Test not applicable for this product type

Flash point : does not flash

Evaporation rate : Test not applicable for this product type

Flammability (solid, gas) : The product is not flammable.

explosive limits

Upper/lower flammability or : Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

Vapour density : Test not applicable for this product type

Relative density : 1.0188 g/cm3 at 25 C

Solubility(ies) : soluble

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

Auto-ignition temperature : Test not applicable for this product type

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Power Cleaner End Use Dilution

Version 1.1 Print Date 11/14/2016

Revision Date 12/08/2015 SDS Number 350000029153

GEN_SOF Number 55211

Decomposition temperature : Test not applicable for this product type

Viscosity, dynamic : Test not applicable for this product type

Viscosity, kinematic : Test not applicable for this product type

Oxidizing properties : Test not applicable for this product type

Volatile Organic Compounds Total VOC (wt. %)* : 0.6 % - additional exemptions may apply

*as defined by US Federal and State Consumer Product

Regulations

Other information : None identified :

10. STABILITY AND REACTIVITY

Possibility of hazardous

reactions

: If accidental mixing occurs and toxic gas is formed, exit area

immediately. Do not return until well ventilated.

Conditions to avoid : Direct sources of heat.

Incompatible materials : Do not mix with bleach or any other household cleaners.

Strong bases

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Power Cleaner End Use Dilution

Version 1.1 Print Date 11/14/2016

Revision Date 12/08/2015 SDS Number 350000029153 GEN_SOF Number 55211

11. TOXICOLOGICAL INFORMATION

Emergency Overview : This product does not meet the criteria for classification in any

hazard class according to regulation OSHA 29 CFR

1910.1200.

Acute oral toxicity : NA GHS LD50

Calculated > 5,000 mg/kg

Acute inhalation toxicity : NA GHS LC50 (dust and mist)

Calculated > 5.0 mg/l

Acute dermal toxicity : NA GHS LD50

Calculated > 5,000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Power Cleaner End Use Dilution

Version 1.1 Print Date 11/14/2016

Revision Date 12/08/2015 SDS Number 350000029153 GEN_SOF Number 55211

Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical

Condition

: None known.

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Benzyl alcohol	static test LC50	Pimephales promelas (fathead minnow)	460 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Benzyl alcohol	EC50	Daphnia magna (Water flea)	230 mg/l	48 h

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Power Cleaner End Use Dilution

Version 1.1 Print Date 11/14/2016

Revision Date 12/08/2015 SDS Number 350000029153 GEN_SOF Number 55211

NOEC Dap	nnia 51	1 mg/l 21 d
----------	---------	-------------

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Benzyl alcohol	static test EC50	Pseudokirchneriella subcapitata (green algae)	770 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Benzyl alcohol	92 - 96 %	14 d	Readily biodegradable

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Benzyl alcohol	1.37 estimated	1.1

Mobility

Component	End point	Value
Benzyl alcohol	No data available	-

PBT and vPvB assessment

Component	Results
Benzyl alcohol	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Power Cleaner End Use Dilution

Version 1.1 Print Date 11/14/2016

Revision Date 12/08/2015 SDS Number 350000029153 GEN_SOF Number 55211

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

California Prop. 65 : This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Power Cleaner End Use Dilution

Version 1.1 Print Date 11/14/2016

Revision Date 12/08/2015 SDS Number 350000029153 GEN_SOF Number 55211

16. OTHER INFORMATION

HMIS Ratings

niviis katings		
Health	0	
Flammability	0	
Reactivity	0	

NFPA Ratings

Health	0	
Fire	0	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)