SAFETY DATA SHEET



Fragrance 49385007

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product code : Fragrance 49385007
Product name : CINNAMON AFL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Fragrance. Restricted to professional users. Industrial use only.

1.3 Details of the supplier of the safety data sheet

Supplier's details : drom fragrances GmbH & Co. KG

Oberdiller Straße 18 tel. +49 89 74425-0 fax. +49 89 7934966 D-82065 Baierbrunn

e-mail address of person responsible for this SDS

: safety@drom.com

1.4 Emergency telephone number

National advisory body/Poison Center

Telephone number : www.rshm.gov.tr

Supplier

Emergency telephone number (with hours of

operation)

: +49 89 74425 288 9h - 17h (Mo - Fr)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Xn; R21

Xi; R38 R43

Human health hazards : Harmful in contact with skin. Irritating to skin. May cause sensitization by skin

contact.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



Signal word : Warning

Date of issue/Date of revision : 2015-03-02. Date of printing : 2015-06-03. Version : 1 1/14



SECTION 2: Hazards identification

Hazard statements : H319 - Causes serious eye irritation.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

Precautionary statements

Prevention: P280 - Wear protective gloves. Wear eye or face protection.

P261 - Avoid breathing vapor.

Response : P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Hazardous ingredients : cinnamaldehyde

cinnamyl alcohol

eugenol coumarin cinnamonitrile

α-methylcinnamaldehyde

Supplemental label

elements

: Not applicable.

2.3 Other hazards

Other hazards which do not result in classification

: None known.

SECTION 3: Composition/information on ingredients

3.1 Substances : Not applicable.

3.2 Mixtures : Mixture

			Classification		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
cinnamaldehyde	EC: 203-213-9 CAS: 104-55-2	33.00	Xn; R21 Xi; R38 R43	Acute Tox. 4, H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317	[1]
cinnamyl alcohol	EC: 203-212-3 CAS: 104-54-1	8.70	R43	Skin Sens. 1B, H317	[1]
eugenol	REACH #: 01-2119971802-33	6.00	Xi; R36	Eye Irrit. 2, H319	[1]
	EC: 202-589-1 CAS: 97-53-0		R43	Skin Sens. 1B, H317	
3-ethoxy- 4-hydroxybenzaldehyde	REACH #: 01-2119958961-24 EC: 204-464-7 CAS: 121-32-4	6.00	Not classified.	Eye Irrit. 2, H319	[1]
coumarin	REACH #: 01-2119949300-45	4.50	Xn; R22	Acute Tox. 4, H302	[1]
	EC: 202-086-7 CAS: 91-64-5		R43	Skin Sens. 1B, H317	
			See Section 16 for the full text of the R- phrases declared above.	See Section 16 for the full text of the H statements declared above.	

Date of issue/Date of revision : 2015-03-02. Date of printing : 2015-06-03. Version : 1 2/14



SECTION 3: Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

Hydrocarbon. (Content) : 0%

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation : No known significant effects or critical hazards.

Skin contact: Causes skin irritation. May cause an allergic skin reaction.

Ingestion: Irritating to mouth, throat and stomach.

Over-exposure signs/

<u>symptoms</u>

: Not available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Date of issue/Date of revision : 2015-03-02. Date of printing : 2015-06-03. Version : 1 3/14





SECTION 4: First aid measures

Specific treatments: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

: None known.

carbon monoxide

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

: Decomposition products may include the following materials: carbon dioxide

5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

Date of issue/Date of revision : 2015-03-02. Date of printing : 2015-06-03. Version : 1 4/14



SECTION 6: Accidental release measures

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations: Industrial use only.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

DNELs/DMELs

Product/ingredient name	Type	Exposure	Value	Population	Effects
eugenol	DNEL	Long term Inhalation	21.2 mg/m³	Workers	Systemic
	DNEL	Long term Dermal	6 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	5.22 mg/m³	Consumers	Systemic
	DNEL	Long term Dermal	3 mg/kg bw/day	Consumers	Systemic
	DNEL	Long term Oral	3 mg/kg bw/day	Consumers	Systemic
coumarin	DNEL	Long term Inhalation	6.78 mg/m³	Workers	Systemic

Date of issue/Date of revision : 2015-03-02. Date of printing : 2015-06-03. Version : 1 5/14



SECTION 8: Exposure controls/personal protection DNEL Long term Dermal 0.39 mg/ Consumers Systemic kg bw/day **DNEL** Long term 1.69 mg/m³ Consumers Systemic Inhalation **DNEL** Long term Oral 0.39 mg/ Consumers Systemic kg bw/day

PNECs

Product/ingredient name	Compartment Detail	Value	Method Detail
eugenol	Fresh water	1.13 µg/l	-
	Marine water	0.113 μg/l	-
	Intermittent release	11.3 µg/l	-
	Fresh water sediment	0.081 mg/kg	-
	Marine water sediment	0.0081 mg/kg	-
	Soil	0.0155 mg/kg dwt	-
3-ethoxy-4-hydroxybenzaldehyde	Fresh water	0.118 mg/l	-
	Marine water	0.0118 mg/l	-
	Soil	2.923 mg/kg dwt	-
	Fresh water	15 mg/kg dwt	-
	Marine water	1.5 mg/kg dwt	-
	Sewage Treatment Plant	10 mg/l	-
coumarin	Fresh water	19 µg/l	Assessment Factors
	Marine water	1.9 µg/l	Assessment Factors
	Intermittent release	14.5 μg/l	Assessment Factors
	Fresh water sediment	0.15 mg/kg dwt	-
	Marine water sediment	0.015 mg/kg dwt	-
	Soil	0.018 mg/kg dwt	-
	Sewage Treatment Plant	6.4 mg/l	-

8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Date of issue/Date of revision : 2015-03-02. Date of printing : 2015-06-03. Version : 1 6/14



SECTION 8: Exposure controls/personal protection

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid.

Color Characteristic. Odor Characteristic. **Odor threshold** Not available. pH Not available. Melting point/freezing point : Not available. Initial boiling point and : Not available.

boiling range

Flash point Closed cup: 110°C **Evaporation rate** Not available. **Upper/lower flammability or** : Not available.

explosive limits Vapor pressure

0.02 hPa

Vapor density : Not available. **Density** 1.051 to 1.061 g/cm³ [20°C]

Solubility in water : Non water-soluble liquid

Partition coefficient: n-octanol/ : Not available.

Auto-ignition temperature : Not available. Not available. **Decomposition temperature**

Kinematic (40°C): <0.07 cm²/s (Estimated.) **Viscosity**

Explosive properties Not available.

Date of issue/Date of revision : 2015-03-02. Date of printing : 2015-06-03. Version :1





SECTION 9: Physical and chemical properties

Oxidizing properties : Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

: The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

: No specific data.

10.5 Incompatible materials

: No specific data.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
cinnamaldehyde	LD50 Dermal	Rabbit	620 mg/kg	-
	LD50 Oral	Rat	2220 mg/kg	-
cinnamyl alcohol	LD50 Dermal	Rabbit	>5 g/kg	-
eugenol	LD50 Oral	Guinea pig	2130 mg/kg	-
	LD50 Oral	Mouse	3 g/kg	-
	LD50 Oral	Rat	2680 mg/kg	-
3-ethoxy- 4-hydroxybenzaldehyde	LD50 Dermal	Rabbit	>7940 mg/kg	-
	LD50 Oral	Rat - Male, Female	>3160 mg/kg	-
coumarin	LD50 Oral	Rat	293 mg/kg	-

Acute toxicity estimates

Route	ATE value
Oral	8396.9 mg/kg
Dermal	3333.3 mg/kg

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
cinnamaldehyde	Skin - Severe irritant	Human	-	48 hours 40 milligrams	-
cinnamyl alcohol	Skin - Moderate irritant	Rabbit	-	24 hours 500 milligrams	-

Date of issue/Date of revision : 2015-03-02. Date of printing : 2015-06-03. Version : 1 8/14



SECTION 11: Toxicological information

Sensitization

Product/ingredient name	Route of exposure	Species	Result
cinnamaldehyde	skin	Mouse	Sensitizing
	skin	Guinea pig	Sensitizing
cinnamyl alcohol	skin	Human	Sensitizing
3-ethoxy- 4-hydroxybenzaldehyde	skin	Mouse	Not sensitizing

Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation : No known significant effects or critical hazards.

Skin contact: Causes skin irritation. May cause an allergic skin reaction.

Ingestion: Irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

effects

: Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate

effects

: Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
3-ethoxy- 4-hydroxybenzaldehyde	Sub-chronic NOAEL Oral	Rat - Male, Female	500 mg/kg	-

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed

to very low levels.

Carcinogenicity: No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Teratogenicity: No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.

Fertility effects: No known significant effects or critical hazards.

No known significant effects or critical hazards.

Interactive effects : Not available.

Toxicokinetics

Absorption : Not available.

Distribution : Not available.

Date of issue/Date of revision : 2015-03-02. Date of printing : 2015-06-03. Version : 1 9/14



SECTION 11: Toxicological information

Metabolism: Not available.Elimination: Not available.Other information: Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
cinnamaldehyde	Acute EC50 7.05 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 >10 mg/l	Fish	96 hours
	Acute LC50 1.67 ppm Fresh water	Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
cinnamyl alcohol	Acute EC50 >10 mg/l	Daphnia	48 hours
	Acute IC50 >10 mg/l	Algae	72 hours
	Acute LC50 >10 mg/l	Fish	96 hours
eugenol	Acute EC50 23 mg/l	Aquatic plants	72 hours
	Acute EC50 1.05 mg/l	Daphnia	48 hours
	Acute LC50 24000 μg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
3-ethoxy- 4-hydroxybenzaldehyde	Acute EC50 130 mg/l	Daphnia - Daphnia magna	24 hours
	Acute LC50 87600 μg/l Fresh water	Fish - Pimephales promelas	96 hours
	Acute NOEC 100 mg/l	Micro-organism	-
coumarin	Acute EC50 1.45 mg/l	Algae	72 hours
	Acute LC50 13500 μg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 2.94 mg/l	Fish	96 hours

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
cinnamaldehyde	OECD 301E Ready Biodegradability - Modified OECD Screening Test	100 % - Readily - 28 days	-	-
cinnamyl alcohol	OECD 301B Ready Biodegradability - CO ₂ Evolution Test	98 % - Readily - 28 days	-	-
eugenol	OECD 301F Ready Biodegradability - Manometric Respirometry	97 % - Readily - 28 days	-	-

Date of issue/Date of revision : 2015-03-02. Date of printing : 2015-06-03. Version : 1 10/14



SECTION 12: Ecological information

	Test			
3-ethoxy- 4-hydroxybenzaldehyde	OECD 301F Ready Biodegradability - Manometric Respirometry Test	84 % - Readily - 28 days	-	Activated sludge
coumarin	OECD 301F Ready Biodegradability - Manometric Respirometry Test	90 % - Readily - 28 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
cinnamaldehyde	-	-	Readily
cinnamyl alcohol	-	-	Readily
eugenol	-	-	Readily
3-ethoxy- 4-hydroxybenzaldehyde	-	-	Readily
coumarin	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
cinnamaldehyde	1.83	8	low
cinnamyl alcohol	1.636	5	low
eugenol	2.27	-	low
3-ethoxy- 4-hydroxybenzaldehyde	1.58	-	low
coumarin	1.39	-	low

12.4 Mobility in soil

Soil/water partition

coefficient (Koc)

: Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

Date of issue/Date of revision : 2015-03-02. Date of printing : 2015-06-03. Version : 1 11/14



SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste

The classification of the product may meet the criteria for a hazardous waste.

European waste catalogue (EWC)

Waste code	Waste designation	
16 03 05*	organic wastes containing dangerous substances	

Packaging

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Additional information	-	-	-

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

Date of issue/Date of revision : 2015-03-02. Date of printing : 2015-06-03. Version :1 12/14





SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Registration status

All components are listed : Australia inventory (AICS)

China inventory (IECSC)

Japan inventory

New Zealand Inventory of Chemicals

(NZIoC)

Philippines inventory (PICCS)

United States inventory (TSCA 8b)

Europe inventory (EINECS/ELINCS/

NLP)

Canada inventory (DSL)

15.2 Chemical Safety **Assessment**

: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration

RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification	
Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317	Calculation method Calculation method Calculation method	

Full text of abbreviated H

statements

: H302 Harmful if swallowed.

H312 Harmful in contact with skin.

Causes skin irritation. H315

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

Date of issue/Date of revision : 2015-03-02. Date of printing : 2015-06-03. Version :1 13/14

SECTION 16: Other information

Full text of classifications

[CLP/GHS]

: Acute Tox. 4, H302 ACUTE TOXICITY (oral) - Category 4 Acute Tox. 4, H312 ACUTE TOXICITY (dermal) - Category 4 Eye Irrit. 2, H319

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2

Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2

Skin Sens. 1, H317 SKIN SENSITIZATION - Category 1 Skin Sens. 1A, H317 SKIN SENSITIZATION - Category 1A Skin Sens. 1B, H317 SKIN SENSITIZATION - Category 1B

Full text of abbreviated R

phrases

: R21- Harmful in contact with skin. R22- Harmful if swallowed.

R36- Irritating to eyes. R38- Irritating to skin.

R43- May cause sensitization by skin contact.

Full text of classifications

[DSD/DPD]

Date of printing

: Xn - Harmful Xi - Irritant 2015-06-03.

Date of issue/ Date of

revision

: 2015-03-02.

Date of previous issue : No previous validation.

: 1 **Version**

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision : 2015-03-02. Date of printing : 2015-06-03. Version :1