SAFETY DATA SHEET



Fragrance 49437458

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

	1.1	Pro	duct	ident	tifier
--	-----	-----	------	-------	--------

Product code	: Fragrance 49437458
Product name	: SENSUAL SPICY RD

1.2 Relevant identified uses of the substance or mixture and uses advised against

Fragrance. Restricted to professional users. Industrial use only.

1.3 Details of the supplier of th	e safety data sheet
Supplier's details	: drom fragrances GmbH & Co. KG Oberdiller Straße 18 tel. +49 89 74425-0 fax. +49 89 7934966 D-82065 Baierbrunn
e-mail address of person responsible for this SDS	: safety@drom.com

1.4 Emergency telephone number National advisory body/Poison Center

Telephone number	: www.rshm.gov.tr
Supplier	
Emergency telephone number (with hours of operation)	: +49 89 74425 288 9h - 17h (Mo - Fr)

SECTION 2: Hazards identification

2.1 Classification of the sub	stance or mixture
Product definition	: Mixture
Classification according to	Regulation (EC) No. 1272/2008 [CLP/GHS]
Skin Sens. 1, H317 Aquatic Chronic 3, H412	
Classification according to	Directive 1999/45/EC [DPD]
The product is classified as	dangerous according to Directive 1999/45/EC and its amendments.
Classification	: R43 R52/53
Human health hazards	: May cause sensitization by skin contact.
Environmental hazards	: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
See Section 16 for the full te	xt of the R phrases or H statements declared above.
See Section 11 for more deta	ailed information on health effects and symptoms.
2.2 Label elements	
Hazard pictograms	

Signal word



: Warning

SECTION 2: Hazards identification

Hazard statements	: H317 - May cause an allergic skin reaction.
	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements	
Prevention	: P280 - Wear protective gloves.
	P273 - Avoid release to the environment.
	P261 - Avoid breathing vapor.
Response	: P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.
	P333 + P313 - If skin irritation or rash occurs: Get medical attention.
Storage	: Not applicable.
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	: 🕅)-3,4,5,6,6-pentamethylhept-3-en-2-one
	α-methylcinnamaldehyde
	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one pin-2(3)-ene
	cinnamonitrile
	2-methoxy-4-propylphenol
	(E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one
Supplemental label elements	: Not applicable.

2.3 Other hazards


Other hazards which do	: None known.
not result in classification	

SECTION 3: Composition/information on ingredients

3.1 Substances	: Not applicable.
3.2 Mixtures	: Mixture

			<u>Cla</u>	<u>ssification</u>	
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
✓ methoxymethylethoxy) propanol	REACH #: 01-2119450011-60 EC: 252-104-2 CAS: 34590-94-8	78.75	Not classified.	Not classified.	[2]
(Z)-3,4,5,6, 6-pentamethylhept- 3-en-2-one	EC: 279-822-9 EC: 279-825-5 EC: 279-823-4 EC: 289-194-8 CAS: 81786-73-4 CAS: 81786-75-6 CAS: 81786-74-5 CAS: 86115-11-9	3.00	R43 N; R51/53	Skin Sens. 1B, H317 Aquatic Chronic 2, H411	[1]
vanillin	REACH #: 01-2119516040-60 EC: 204-465-2 CAS: 121-33-5	2.40	Xi; R36	Eye Irrit. 2, H319	[1]
linalool	REACH #: 01-2119474016-42 EC: 201-134-4 CAS: 78-70-6	1.78	Xi; R38	Skin Irrit. 2, H315 Eye Irrit. 2, H319	[1]
1-[(2-tert-butyl) cyclohexyloxy] -2-butanol	EC: 412-300-2 CAS: 139504-68-0 Index: 603-154-00-2	1.60	N; R51/53	Aquatic Chronic 2, H411	[1]







SECTION 3: Composition/information on ingredients

			J		
(E)-4-(2,6,6-trimethyl- 1-cyclohexen-1-yl) -3-buten-2-one	REACH #: 01-2119449921-34 EC: 201-224-3 CAS: 79-77-6	1.00	N; R51/53	Aquatic Chronic 2, H411	[1]
[3R-(3α,3aβ,6α,7β,8aα)]-octahydro-3,6,8,8- tetramethyl-1H-3a,7- methanoazulen-5-yl acetate	EC: 201-036-1 CAS: 77-54-3	1.00	N; R51/53	Aquatic Chronic 2, H411	[1]
1-(1,2,3,4,5,6,7, 8-octahydro-2,3,8, 8-tetramethyl- 2-naphthyl)ethan-1-one	REACH #: 01-2119489989-04 EC: 915-730-3 CAS: 54464-57-2 CAS: 68155-66-8 CAS: 68155-67-9	0.80	Xi; R38 R43 N; R51/53	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410	[1]
2-ethyl-4-(2,2, 3-trimethyl- 3-cyclopenten-1-yl) -2-buten-1-ol	REACH #: 01-2119529224-45 EC: 248-908-8 CAS: 28219-61-6	0.80	Xi; R36 N; R50/53	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	[1]
[3R-(3α,3aβ,7β,8aα)]-2 ,3,4,7,8,8a-hexahydro- 3,6,8,8-tetramethyl-1H- 3a,7-methanoazulene	EC: 207-418-4 CAS: 469-61-4	0.02	Xn; R65 N; R50/53	Asp. Tox. 1, H304 Aquatic Chronic 1, H410	[1]
			See Section 16 for the full text of the R- phrases declared above.	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

Hydrocarbon. (Content) : 1.72%

SECTION 4: First aid measures

4.1 Description of first aid m	easures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Date of issue/Date of revision



SECTION 4: First aid measures

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
ns and effects, both acute and delayed
<u>tts</u>
: No known significant effects or critical hazards.
: No known significant effects or critical hazards.
: May cause an allergic skin reaction.
: No known significant effects or critical hazards.
: Not available.
ate medical attention and special treatment needed
 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
: No specific treatment.
ting measures
: Use an extinguishing agent suitable for the surrounding fire.
: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	:	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide
5.3 Advice for firefighters Special protective actions	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if

for fire-fighters		there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.



SECTION 6: Accidental release measures

6.1 Personal precautions, pre	tective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
6.3 Methods and materials fo	r containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	 Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Date of issue/Date of revision

SECTION 7: Handling and storage

Recommendations

: Industrial use only.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
C-methoxymethylethoxy)propanol	TR ISGGM OEL (Turkey, 12/2013). Absorbed through skin. TWA: 308 mg/m ³ 8 hours. TWA: 50 ppm 8 hours.

DNELs/DMELs

Product/ingredient name	Туре	Exposure	Value	Population	Effects
vanillin	DNEL	Short term Oral	10 mg/kg bw/day	Consumers	Systemic
linalool	DNEL	Long term Dermal	2.5 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	2.8 mg/m³	Workers	Systemic
	DNEL	Long term Dermal	15 mg/cm ²	Workers	Local
	DNEL	Short term Dermal	15 mg/cm ²	Workers	Local
	DNEL	Long term Dermal	1.25 mg/ kg bw/day	Consumers	Systemic
	DNEL	Long term Inhalation	0.7 mg/m³	Consumers	Systemic
	DNEL	Long term Oral	0.2 mg/kg bw/day	Consumers	Systemic
	DNEL	Short term Dermal	15 mg/cm ²	Consumers	Local
	DNEL	Short term Dermal	2.5 mg/cm ²	Consumers	Systemic
	DNEL	Short term Inhalation	4.1 mg/m³	Consumers	Systemic
	DNEL	Short term Oral	1.2 mg/kg bw/day	Consumers	Systemic
	DNEL	Long term Dermal	15 mg/cm ²	Consumers	Local
	DNEL	Short term Dermal	5 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Inhalation	16.5 mg/m³	Workers	Systemic
(E)-4-(2,6,6-trimethyl-1-cyclohexen- 1-yl)-3-buten-2-one	DNEL	Long term Inhalation	3.1 mg/m³	Consumers	Systemic
	DNEL	Long term Inhalation	12.7 mg/m³	Workers	Systemic
	DNEL	Long term Dermal	3.6 mg/kg	Consumers	Systemic





SECTION 8: Exposure controls/personal protection

	DNEL	Long term Dermal	6 mg/kg	Workers	Systemic
	DNEL	Long term Oral	1.8 mg/kg	Consumers	Systemic
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8, 8-tetramethyl-2-naphthyl)ethan- 1-one	DNEL	Long term Dermal	0.1011 mg/ cm²	Workers	Local
	DNEL	Long term Inhalation	1.76 mg/m³	Workers	Systemic
	DNEL	Long term Dermal	1.73 mg/ kg bw/day	Workers	Systemic
2-ethyl-4-(2,2,3-trimethyl- 3-cyclopenten-1-yl)-2-buten-1-ol	DNEL	Short term Oral	3 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Oral	0.5 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Dermal	6 mg/kg	Workers	Systemic
	DNEL	Long term Dermal	1.4 mg/kg bw/day	Workers	-
	DNEL	Short term Inhalation	7 mg/m³	Workers	Systemic
	DNEL	Long term Inhalation	7 mg/m³	Workers	Systemic

PNECs

Product/ingredient name	Compartment Detail	Value	Method Detail
vanillin	Fresh water	0.118 mg/l	-
	Marine water	0.0118 mg/l	-
	Fresh water sediment	58.22 mg/kg	-
	Marine water sediment	5.82 mg/kg	-
	Soil	11.54 mg/kg	-
	Sewage Treatment Plant	10 mg/l	-
linalool	Fresh water	0.2 mg/l	-
	Marine water	0.02 mg/l	-
	Intermittent release	2 mg/l	-
	Fresh water sediment	2.22 mg/kg dwt	-
	Marine water sediment	0.222 mg/kg dwt	-
	Soil	0.327 mg/kg dwt	-
	Sewage Treatment Plant	>10 mg/l	-
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl) -3-buten-2-one	Fresh water	0.00403 mg/l	-
	Marine water	0.0004 mg/l	-
te of issue/Date of revision : 2015-06-03.	Date of printing	2015-06-03.	Version : 1.01





SECTION 8: Exposure controls/personal protection

	Intermittent release	0.0403 mg/l	-
	Sewage Treatment Plant	1 mg/l	-
	Fresh water sediment	0.151 mg/kg	-
	Marine water sediment	0.0151 mg/kg	-
	Soil	0.0508 mg/kg	-
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8, 8-tetramethyl-2-naphthyl)ethan-1-one	Fresh water	0.0028 mg/l	-
	Marine water	0.00028 mg/l	-
	Fresh water sediment	3.73 mg/kg	-
	Marine water sediment	0.75 mg/kg	-
	Soil	0.705 mg/kg	-
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl) -2-buten-1-ol	Fresh water	0.63 µg/l	-
	Marine water	0.063 µg/l	-
	Fresh water sediment	0.04379 mg/kg dwt	-
	Marine water sediment	0.004379 mg/kg wwt	-
	Soil	0.00839 mg/kg	-

8.2 Exposure controls

Appropriate engineering controls <u>Individual protection meas</u> Hygiene measures	ures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.
		Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.
Hygiene measures	:	before eating, smoking and using the lavatory and at the end of the working period.
		Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Date of issue/Date of revision		: 2015-06-03. Date of printing : 2015-06-03. Version : 1.01 8/18



SECTION 8: Exposure controls/personal protection

Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties						
<u>Appearance</u>						
Physical state	1	Liquid.				
Color	1	Characteristic.				
Odor	1	Characteristic.				
Odor threshold	1	Not available.				
рН	÷	Not available.				
Melting point/freezing point	÷	Not available.				
Initial boiling point and boiling range	1	Not available.				
Flash point	1	Closed cup: 75°C				
Evaporation rate	1	Not available.				
Upper/lower flammability or explosive limits	:	Not available.				
Vapor pressure	1	0.72 hPa				
Vapor density	:	Not available.				
Density	÷	0.953 to 0.963 g/cm³ [20°C]				
Solubility in water	÷	Non water-soluble liquid				
Partition coefficient: n-octanol/ water	:	Not available.				
Auto-ignition temperature	1	Not available.				
Decomposition temperature	1	Not available.				
Viscosity	1	Kinematic (40°C): <0.07 cm ² /s	(Estimated.)			
Explosive properties	1	Not available.				
Oxidizing properties	1	Not available.				

9.2 Other information

No additional information.

SECTION 10: Stability	and reactivity
-----------------------	----------------

Date of issue/Date of revision	: 2015-06-03. Date of printing	: 2015-06-03.	Version : 1.01	9/18
10.4 Conditions to avoid	: No specific data.			
10.3 Possibility of hazardous reactions	: Under normal conditions of storage	ge and use, hazardous re	actions will not occur	
10.2 Chemical stability	: The product is stable.			
10.1 Reactivity	: No specific test data related to rea	activity available for this p	product or its ingredie	nts.

SECTION 10: Stability and reactivity

10.5 Incompatible materials : No specific data.

10.6 Hazardous
decomposition products: Under normal conditions of storage and use, hazardous decomposition products
should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
(2-methoxymethylethoxy) propanol	LC50 Inhalation Vapor	Rat	55 to 60 mg/l	4 hours
	LD50 Dermal	Rabbit	13000 to 14000 mg/kg	-
	LD50 Dermal	Rat	9500 mg/kg	-
	LD50 Oral	Rat	5135 mg/kg	-
(Z)-3,4,5,6, 6-pentamethylhept-3-en- 2-one	LD50 Oral	Rat	6100 mg/kg	-
vanillin	LD50 Dermal	Rabbit	>5010 mg/kg	-
	LD50 Oral	Rat - Male, Female	3978 mg/kg	-
linalool	LD50 Dermal	Rabbit	5610 mg/kg	-
	LD50 Dermal	Rat	5610 mg/kg	-
	LD50 Oral	Rat	2790 mg/kg	-
1-[(2-tert-butyl) cyclohexyloxy]-2-butanol	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	>2000 mg/kg	-
(E)-4-(2,6,6-trimethyl- 1-cyclohexen-1-yl)-3-buten- 2-one	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	>4000 mg/kg	-
[3R-(3α,3aβ,6α,7β,8aα)]- octahydro-3,6,8,8- tetramethyl-1H-3a,7- methanoazulen-5-yl acetate	LD50 Dermal	Rabbit	>5 g/kg	-
	LD50 Oral	Rat	44750 mg/kg	-
1-(1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethyl- 2-naphthyl)ethan-1-one	LD50 Dermal	Rat	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
2-ethyl-4-(2,2,3-trimethyl- 3-cyclopenten-1-yl)-2-buten- 1-ol	LD50 Dermal	Rabbit	4600 mg/kg	-
ate of issue/Date of revision	: 2015-06-03. Date of printing	: 201	5-06-03.	Version : 1.01

SECTION 11: Toxicological information

	LD50 Oral	Rat		5000	mg/kg -		
Acute toxicity estimates							
Route				ATE value			
Oral			55000) mg/kg			
Irritation/Corrosion							
Product/ingredient name	Result	Spec	cies	Score	Exposure	Observation	
(2-methoxymethylethoxy) propanol	Eyes - Mild irritant	Huma	n	-	8 milligrams	-	
	Eyes - Mild irritant	Rabbi	t	-	24 hours 500 milligrams	-	
	Skin - Mild irritant	Rabbi	t	-	500 milligrams	-	
linalool	Eyes - Moderate irritant	Rabbi	t	-	1 hours 0.1 Mililiters	-	
	Eyes - Moderate irritant	Rabbi	t	-	100 microliters	-	
	Skin - Moderate irritant	Guine	a pig	-	24 hours 100 milligrams	-	
	Skin - Mild irritant	Huma	n	-	72 hours 32 Percent	-	
	Skin - Mild irritant	Man		-	48 hours 16 milligrams	-	
	Skin - Mild irritant	Rabbi	t	-	24 hours 500 milligrams	-	
	Skin - Severe irritant	Rabbi	t	-	24 hours 100 milligrams	-	
1-(1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethyl- 2-naphthyl)ethan-1-one	Skin - Irritant	Huma	n	-	-	-	
[3R-(3α,3aβ,7β,8aα)]-2,3,4,7 ,8,8a-hexahydro-3,6,8,8- tetramethyl-1H-3a,7- methanoazulene	Skin - Moderate irritant	Rabbi	t	-	24 hours 500 milligrams	-	

Sensitization

Product/ingredient name	Route of exposure	Species	Result
(E)-4-(2,6,6-trimethyl- 1-cyclohexen-1-yl)-3-buten- 2-one	skin	Human	Not sensitizing
1-(1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethyl- 2-naphthyl)ethan-1-one	skin	Mouse	Sensitizing

Mutagenicity





SECTION 11: Toxicological information

Product/ingredient name	Test	Experiment	Result
(E)-4-(2,6,6-trimethyl- 1-cyclohexen-1-yl)-3-buten- 2-one	-	Experiment: In vitro Subject: Bacteria	Negative
1-(1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethyl- 2-naphthyl)ethan-1-one	-	Experiment: In vitro Subject: Mammalian-Human	Negative
	-	Experiment: In vivo Subject: Mammalian-Animal	Negative

Aspiration hazard

Product/i	ngredient name	Result
[3R-(3α,3aβ,7β,8aα)]-2,3,4,7, 1H-3a,7-methanoazulene	8,8a-hexahydro-3,6,8,8-tetramethyl-	ASPIRATION HAZARD - Category 1
Potential acute health effects	<u>s</u>	
Eye contact	: No known significant effects or	critical hazards.
Inhalation	: No known significant effects or	critical hazards.
Skin contact	: May cause an allergic skin reac	tion.
Ingestion	: No known significant effects or	critical hazards.
Symptoms related to the phy	sical, chemical and toxicological	<u>characteristics</u>
Eye contact	: No specific data.	
Inhalation	: No specific data.	
Skin contact	: Adverse symptoms may include irritation redness	the following:
Ingestion	: No specific data.	
Delayed and immediate effect	cts and also chronic effects from s	short and long term exposure
<u>Short term exposure</u>		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
<u>Long term exposure</u>		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Potential chronic health eff	ects	
General	: Once sensitized, a severe allerg to very low levels.	gic reaction may occur when subsequently exposed
Carcinogenicity	: No known significant effects or	critical hazards.
Mutagenicity	: No known significant effects or	critical hazards.
Teratogenicity	: No known significant effects or	critical hazards.
Developmental effects	: No known significant effects or	critical hazards.
Fertility effects	: No known significant effects or	critical hazards.
Interactive effects	: Not available.	
Toxicokinetics		
Absorption	: Not available.	
Distribution	: Not available.	
Metabolism	: Not available.	
Elimination	: Not available.	

Date of issue/Date of revision

SECTION 11: Toxicological information

Other information

: Not available.

SECTION 12: Ecological information

12.1 Toxicity

Acute EC50 969 mg/l Acute LC50 1919 mg/l	Algae - Selenastrum capricornutum	96 hours
Acute LC50 1919 mg/l		
	Daphnia	48 hours
Acute LC50 >10000 mg/l	Fish - Pimephales promelas	96 hours
Acute EC50 36.8 mg/l	Daphnia	48 hours
Acute LC50 57000 μg/l Fresh water	Fish - Pimephales promelas	96 hours
Acute NOEC 47 mg/l	Aquatic plants	72 hours
Acute NOEC 5.9 mg/l	Daphnia	21 hours
Acute EC50 141.4 mg/l	Aquatic plants	96 hours
Acute EC50 59 mg/l	Daphnia	48 hours
Acute EC50 >100 mg/l	Micro-organism	3 hours
Acute LC50 27.8 mg/l	Fish	96 hours
Acute LC50 4.1 mg/l	Fish	96 hours
Acute EC50 4.03 mg/l	Daphnia	48 hours
Acute LC50 21.2 mg/l	Algae	72 hours
Acute LC50 5090 µg/l Fresh water	Fish - Pimephales promelas	96 hours
Acute EC50 6.8 mg/l	Daphnia	48 hours
Acute EC50 2.6 mg/l	Algae	72 hours
Acute EC50 1.38 mg/l	Daphnia	48 hours
Acute LC50 1.3 mg/l	Fish	96 hours
Chronic NOEC 0.028 mg/l	Daphnia	21 days
Chronic NOEC 0.16 mg/l	Fish	30 days
Acute EC50 0.6 mg/l	Algae	96 hours
Acute EC50 0.79 mg/l	Daphnia	48 hours
Acute LC50 0.78 mg/l	Fish	96 hours
	Acute LC50 57000 µg/l Fresh water Acute NOEC 47 mg/l Acute NOEC 5.9 mg/l Acute EC50 141.4 mg/l Acute EC50 59 mg/l Acute EC50 59 mg/l Acute EC50 27.8 mg/l Acute LC50 27.8 mg/l Acute LC50 4.1 mg/l Acute EC50 4.03 mg/l Acute EC50 21.2 mg/l Acute LC50 5090 µg/l Fresh water Acute EC50 6.8 mg/l Acute EC50 6.8 mg/l Acute EC50 1.38 mg/l Acute EC50 1.38 mg/l Acute LC50 1.3 mg/l Chronic NOEC 0.028 mg/l Chronic NOEC 0.16 mg/l Acute EC50 0.6 mg/l	Acute LC50 57000 µg/l Fresh waterFish - Pimephales promelasAcute NOEC 47 mg/lAquatic plantsAcute NOEC 5.9 mg/lDaphniaAcute EC50 141.4 mg/lAquatic plantsAcute EC50 59 mg/lDaphniaAcute EC50 >100 mg/lMicro-organismAcute LC50 27.8 mg/lFishAcute LC50 4.1 mg/lFishAcute EC50 509 µg/lDaphniaAcute LC50 21.2 mg/lAlgaeAcute LC50 5090 µg/l Fresh waterFish - Pimephales promelasAcute LC50 5090 µg/l Fresh waterDaphniaAcute EC50 6.8 mg/lDaphniaAcute EC50 1.38 mg/lDaphniaAcute LC50 1.3 mg/lDaphniaAcute LC50 1.3 mg/lDaphniaAcute EC50 1.3 mg/lDaphniaAcute EC50 1.3 mg/lDaphniaAcute EC50 0.79 mg/lAlgaeAcute EC50 0.79 mg/lAlgaeAcute EC50 0.79 mg/lDaphniaAcute LC50 0.78 mg/lFishAcute LC50 0.78 mg/lFish





SECTION 12: Ecological information

•			
[3R-(3α,3aβ,7β,8aα)]-2,3,4,7	Acute EC50 44 µg/l Fresh water	Daphnia - Daphnia pulex -	48 hours
,8,8a-hexahydro-3,6,8,8-		Neonate	
tetramethyl-1H-3a,7-			
methanoazulene			

12.2 Persistence and degradability

Product/ingredient name	Test	Result		Dose	Inoculum
(2-methoxymethylethoxy) propanol	OECD 301E Ready Biodegradability - Modified OECD Screening Test	>70 % - Re	adily - 28 days	-	-
vanillin	OECD 301F Ready Biodegradability - Manometric Respirometry Test	>60 % - Re	adily - 28 days	-	-
linalool	OECD 301C Ready Biodegradability - Modified MITI Test (I)	64.2 % - R(eadily - 28 days	-	-
(E)-4-(2,6,6-trimethyl- 1-cyclohexen-1-yl)-3-buten- 2-one	OECD 301F Ready Biodegradability - Manometric Respirometry Test	80 % - Rea	idily - 28 days	-	-
[3R-(3α,3aβ,6α,7β,8aα)]- octahydro-3,6,8,8- tetramethyl-1H-3a,7- methanoazulen-5-yl acetate	OECD 301D Ready Biodegradability - Closed Bottle Test	63 % - Rea	idily - 28 days	-	-
1-(1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethyl- 2-naphthyl)ethan-1-one	OECD 301C Ready Biodegradability - Modified MITI Test (I)	11 % - Not	readily - 28 days	-	-
2-ethyl-4-(2,2,3-trimethyl- 3-cyclopenten-1-yl)-2-buten- 1-ol	OECD 301D Ready Biodegradability - Closed Bottle Test	5 % - Not r	eadily - 28 days	-	-
Product/ingredient name	Aquatic half-life		Photolysis		Biodegradability
(2-methoxymethylethoxy) propanol	-		-		Readily
vanillin	-		-		Readily
linalool	-		-		Readily
(E)-4-(2,6,6-trimethyl- 1-cyclohexen-1-yl)-3-buten- 2-one	-		-		Readily
te of issue/Date of revision	: 2015-06-03. Da	te of printing	: 2015	5-06-03.	Version : 1.01 14

SECTION 12: Ecological information

0			
[3R-(3α,3aβ,6α,7β,8aα)]- octahydro-3,6,8,8- tetramethyl-1H-3a,7- methanoazulen-5-yl acetate	-	-	Readily
1-(1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethyl- 2-naphthyl)ethan-1-one	-	-	Not readily
2-ethyl-4-(2,2,3-trimethyl- 3-cyclopenten-1-yl)-2-buten- 1-ol	-	-	Not readily

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
(2-methoxymethylethoxy) propanol	-0.35	-	low
vanillin	1.21	-	low
linalool	2.84	-	low
1-[(2-tert-butyl) cyclohexyloxy]-2-butanol	-	173	low
(E)-4-(2,6,6-trimethyl- 1-cyclohexen-1-yl)-3-buten- 2-one	4.1	202.4	low
1-(1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethyl- 2-naphthyl)ethan-1-one	5.65	-	high
2-ethyl-4-(2,2,3-trimethyl- 3-cyclopenten-1-yl)-2-buten- 1-ol	4.3	667	high
[3R-(3α,3aβ,7β,8aα)]-2,3,4,7 ,8,8a-hexahydro-3,6,8,8- tetramethyl-1H-3a,7- methanoazulene	5.74	-	high

12.4 Mobility in soil	
Soil/water partition coefficient (K _{oc})	: Not available.
Mobility	: Not available.
12.5 Results of PBT and vPv	B assessment
PBT	: Not applicable.
vPvB	: Not applicable.
12.6 Other adverse effects	: No known significant effects or critical hazards.





SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods	
Product	
Methods of disposal	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	The classification of the product may meet the criteria for a hazardous waste.
European waste catalogue (EWC)

Waste code	Waste designation
16 03 05*	organic wastes containing dangerous substances
Packaging	·
Methods of disposal	 The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Additional information	-	-	-

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Date of issue/Date of revision

: Not applicable.



SECTION 15: Regulatory information

15.1 Safety, health and enviro	nr	nental regulations/legislation specific for the substance or mixture
EU Regulation (EC) No. 1907	<u>'/2</u>	<u>006 (REACH)</u>
Annex XIV - List of substan	ICE	s subject to authorization
Annex XIV		
None of the components are	e li	sted.
Substances of very high o	<u>10:</u>	<u>icern</u>
None of the components are	e li	sted.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Registration status		
All components are listed	:	China inventory (IECSC)
		United States inventory (TSCA 8b)
		Europe inventory (EINECS/ELINCS/ NLP)
		Canada inventory (DSL/NDSL)
		At least one component is not listed in DSL but all such components are listed in NDSL.
15.2 Chemical Safety Assessment	:	This product contains substances for which Chemical Safety Assessments are stil required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
	1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classi	fication	Justification
Skin Sens. 1, H317 Aquatic Chronic 3, H412		Calculation method Calculation method
Full text of abbreviated H statements	: H304 H315 H317 H319 H400 H410	May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.



SECTION 16: Other information

Full text of classifications [CLP/GHS]	: Aquatic Acute 1, H400 Aquatic Chronic 1, H410AQUATIC HAZARD (ACUTE) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 2
Full text of abbreviated R phrases	 R65- Harmful: may cause lung damage if swallowed. R36- Irritating to eyes. R38- Irritating to skin. R43- May cause sensitization by skin contact. R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Full text of classifications [DSD/DPD]	: Xn - Harmful Xi - Irritant N - Dangerous for the environment
Date of printing	: 2015-06-03.
Date of issue/ Date of revision	: 2015-06-03.
Date of previous issue	: 2015-03-24.
Version	: 1.01
Notice to reader	

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.