

# SAFETY DATA SHEET

## Fragrance 49415038

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product code** : Fragrance 49415038

**Product name** : TEA & THYME

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Fragrance. Restricted to professional users. Industrial use only.

#### 1.3 Details of the supplier of the safety data sheet

**Supplier's details** : drom fragrances GmbH & Co. KG  
Oberdiller Straße 18  
tel. +49 89 74425-0  
fax. +49 89 7934966  
D-82065 Baierbrunn

**e-mail address of person responsible for this SDS** : safety@drom.com

#### 1.4 Emergency telephone number

##### National advisory body/Poison Center

**Telephone number** : www.rshm.gov.tr

##### Supplier

**Emergency telephone number (with hours of operation)** : +49 89 74425 288  
9h - 17h (Mo - Fr)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Product definition** : Mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315

Eye Dam. 1, H318

Skin Sens. 1, H317

Aquatic Chronic 2, H411

##### Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

**Classification** : Xi; R38  
R43  
N; R51/53

**Human health hazards** : Irritating to skin. May cause sensitization by skin contact.

**Environmental hazards** : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements

**Hazard pictograms** :



## Fragrance 49415038

### SECTION 2: Hazards identification

<b>Signal word</b>	: Danger
<b>Hazard statements</b>	: H318 - Causes serious eye damage. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H411 - Toxic to aquatic life with long lasting effects.
<b>Precautionary statements</b>	
<b>Prevention</b>	: P280 - Wear protective gloves. Wear eye or face protection. P273 - Avoid release to the environment.
<b>Response</b>	: P305 + P351 + P310 - IF IN EYES: Rinse cautiously with water for several minutes. Immediately call a POISON CENTER or physician.
<b>Storage</b>	: Not applicable.
<b>Disposal</b>	: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
<b>Hazardous ingredients</b>	: <input checked="" type="checkbox"/> $\alpha$ -hexylcinnamaldehyde linalyl acetate linalool geraniol 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one citral dipentene 2,4-dimethylcyclohex-3-ene-1-carbaldehyde nerol 1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one 2-(4-tert-butylbenzyl)propionaldehyde pin-2(10)-ene
<b>Supplemental label elements</b>	: Not applicable.

#### 2.3 Other hazards

**Other hazards which do not result in classification** : None known.

### SECTION 3: Composition/information on ingredients

**3.1 Substances** : Not applicable.

**3.2 Mixtures** : Mixture

Product/ingredient name	Identifiers	%	Classification		Type
			67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	
$\alpha$ -hexylcinnamaldehyde	REACH #: 01-2119533092-50 EC: 202-983-3 EC: 639-566-4 CAS: 101-86-0 CAS: 165184-98-5	9.00	Xi; R38  R43 N; R50/53	Skin Sens. 1B, H317  Aquatic Acute 1, H400 Aquatic Chronic 2, H411	[1]
linalyl acetate	REACH #: 01-2119454789-19 EC: 204-116-4 CAS: 115-95-7	5.66	Xi; R38	Skin Irrit. 2, H315  Eye Irrit. 2, H319	[1]
linalool	REACH #: 01-2119474016-42 EC: 201-134-4 CAS: 78-70-6	5.38	Xi; R38	Skin Irrit. 2, H315  Eye Irrit. 2, H319	[1]
geraniol	REACH #: 01-2119552430-49	3.01	Xi; R41, R38	Skin Irrit. 2, H315	[1]

## Fragrance 49415038

**SECTION 3: Composition/information on ingredients**

2-phenylethanol	EC: 203-377-1 CAS: 106-24-1  REACH #: 01-2119963921-31 EC: 200-456-2 CAS: 60-12-8	3.00	R43  Xn; R22  Xi; R36	Eye Dam. 1, H318 Skin Sens. 1, H317  Acute Tox. 4, H302  Eye Irrit. 2, H319	[1]
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	REACH #: 01-2119489989-04 EC: 915-730-3 CAS: 54464-57-2 CAS: 68155-66-8 CAS: 68155-67-9	1.75	Xi; R38  R43 N; R51/53	Skin Irrit. 2, H315  Skin Sens. 1B, H317 Aquatic Chronic 1, H410	[1]
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	REACH #: 01-2119449921-34 EC: 201-224-3 CAS: 79-77-6	1.25	N; R51/53	Aquatic Chronic 2, H411	[1]
benzyl benzoate	REACH #: 01-2119976371-33 EC: 204-402-9 CAS: 120-51-4 Index: 607-085-00-9	1.04	Xn; R22  N; R51/53	Acute Tox. 4, H302  Aquatic Acute 1, H400 Aquatic Chronic 2, H411	[1]
2-cyclohexylidene-2-phenylacetonitrile	REACH #: 01-0000017023-83 EC: 423-740-1 CAS: 10461-98-0 Index: 608-044-00-8	1.00	Xn; R22  N; R51/53	Acute Tox. 4, H302  Aquatic Chronic 2, H411	[1]
phenethyl acetate	EC: 203-113-5 CAS: 103-45-7	1.00	Xi; R41	Eye Dam. 1, H318	[1]
dipentene	EC: 205-341-0 EC: 231-732-0 CAS: 138-86-3 CAS: 7705-14-8 Index: 601-029-00-7	0.48	R10 Xn; R65 Xi; R38 R43 N; R50/53	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	[1]
1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	EC: 245-833-2 CAS: 23696-85-7	0.20	R43 N; R51/53	Skin Sens. 1A, H317 Aquatic Chronic 2, H411	[1]
2-(4-tert-butylbenzyl)propionaldehyde	REACH #: 01-2119485965-18 EC: 201-289-8 CAS: 80-54-6	0.15	Repr. Cat. 3; R62  Xn; R22 Xi; R38 R43 N; R51/53	Acute Tox. 4, H302  Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361f (Fertility) Aquatic Chronic 2, H411	[1]
3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers	REACH #: 01-2119457636-29 EC: 230-597-5 CAS: 7212-44-4	0.10	N; R50/53	Aquatic Acute 1, H400  Aquatic Chronic 1, H410	[1]
			<b>See Section 16 for the full text of the R-phrases declared above.</b>	<b>See Section 16 for the full text of the H statements declared above.</b>	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

## Fragrance 49415038

### SECTION 3: Composition/information on ingredients

- [1] Substance classified with a health or environmental hazard  
 [2] Substance with a workplace exposure limit  
 [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII  
 [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII  
 [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

**Hydrocarbon. (Content)** : 0.89%

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- Eye contact** : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
- Inhalation** : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

##### Potential acute health effects

- Eye contact** : Causes serious eye damage.
- Inhalation** : May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- Skin contact** : Causes skin irritation. May cause an allergic skin reaction.
- Ingestion** : May cause burns to mouth, throat and stomach.
- Over-exposure signs/symptoms** : Not available.

## Fragrance 49415038

### SECTION 4: First aid measures

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

#### 5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides

#### 5.3 Advice for firefighters

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

#### 6.2 Environmental precautions

- : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

#### 6.3 Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Fragrance 49415038

### SECTION 6: Accidental release measures

- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.
- 6.4 Reference to other sections** : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

### SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

#### Seveso II Directive - Reporting thresholds (in tonnes)

##### Danger criteria

Category	Notification and MAPP threshold	Safety report threshold
E2: Hazardous to the aquatic environment - Chronic 2	200	500
C9ii: Toxic for the environment	200	500

#### 7.3 Specific end use(s)

- Recommendations** : Industrial use only.

### SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 8.1 Control parameters

##### Occupational exposure limits

No exposure limit value known.

##### DNELs/DMELs

## Fragrance 49415038

## SECTION 8: Exposure controls/personal protection

Product/ingredient name	Type	Exposure	Value	Population	Effects
α-hexylcinnamaldehyde	DNEL	Short term Dermal	0.525 mg/cm <sup>2</sup>	Workers	Local
	DNEL	Short term Inhalation	6.28 mg/m <sup>3</sup>	Workers	Local
	DNEL	Long term Dermal	18.2 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	0.078 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	0.525 mg/cm <sup>2</sup>	Workers	Local
	DNEL	Long term Inhalation	0.019 mg/m <sup>3</sup>	Consumers	Systemic
	DNEL	Short term Inhalation	4.7 mg/m <sup>3</sup>	Consumers	Local
	DNEL	Long term Dermal	9 mg/kg bw/day	Consumers	Systemic
	DNEL	Long term Dermal	0.079 mg/cm <sup>2</sup>	Consumers	Local
	DNEL	Short term Dermal	0.079 mg/kg bw/day	Consumers	Local
	DNEL	Long term Oral	0.056 mg/kg bw/day	Consumers	Systemic
linalyl acetate	DNEL	Long term Inhalation	2.75 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	2.5 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Dermal	8 mg/cm <sup>2</sup>	Workers	Local
	DNEL	Long term Inhalation	0.68 mg/m <sup>3</sup>	Consumers	Systemic
	DNEL	Long term Oral	0.2 mg/kg bw/day	Consumers	Systemic
	DNEL	Long term Dermal	1.25 mg/kg bw/day	Consumers	Systemic
	DNEL	Short term Dermal	8 mg/m <sup>3</sup>	Consumers	Local
	DNEL	Long term Dermal	8 mg/cm <sup>2</sup>	Workers	Local
linalool	DNEL	Long term Dermal	8 mg/cm <sup>2</sup>	Consumers	Local
	DNEL	Long term Dermal	2.5 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	2.8 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	15 mg/cm <sup>2</sup>	Workers	Local

## Fragrance 49415038

## SECTION 8: Exposure controls/personal protection

	DNEL	Short term Dermal	15 mg/cm <sup>2</sup>	Workers	Local
	DNEL	Long term Dermal	1.25 mg/kg bw/day	Consumers	Systemic
	DNEL	Long term Inhalation	0.7 mg/m <sup>3</sup>	Consumers	Systemic
	DNEL	Long term Oral	0.2 mg/kg bw/day	Consumers	Systemic
	DNEL	Short term Dermal	15 mg/cm <sup>2</sup>	Consumers	Local
	DNEL	Short term Dermal	2.5 mg/cm <sup>2</sup>	Consumers	Systemic
	DNEL	Short term Inhalation	4.1 mg/m <sup>3</sup>	Consumers	Systemic
	DNEL	Short term Oral	1.2 mg/kg bw/day	Consumers	Systemic
	DNEL	Long term Dermal	15 mg/cm <sup>2</sup>	Consumers	Local
	DNEL	Short term Dermal	5 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Inhalation	16.5 mg/m <sup>3</sup>	Workers	Systemic
geraniol	DNEL	Long term Inhalation	161.6 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	12.5 mg/kg	Workers	Systemic
	DNEL	Long term Dermal	11.8 mg/cm <sup>2</sup>	Workers	Local
	DNEL	Long term Oral	13.75 mg/kg	Consumers	Systemic
	DNEL	Long term Inhalation	47.8 mg/m <sup>3</sup>	Consumers	Systemic
	DNEL	Long term Dermal	7.5 mg/kg	Consumers	Systemic
	DNEL	Long term Dermal	11.8 mg/cm <sup>2</sup>	Consumers	Local
2-phenylethanol	DNEL	Long term Inhalation	59.9 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	21.2 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	17.7 mg/m <sup>3</sup>	Consumers	Systemic
	DNEL	Long term Dermal	12.7 mg/kg bw/day	Consumers	Systemic
	DNEL	Long term Oral	5.1 mg/kg bw/day	Consumers	Systemic
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	DNEL	Long term Dermal	0.1011 mg/cm <sup>2</sup>	Workers	Local

## Fragrance 49415038

## SECTION 8: Exposure controls/personal protection

(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	DNEL	Long term Inhalation	1.76 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	1.73 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	3.1 mg/m <sup>3</sup>	Consumers	Systemic
	DNEL	Long term Inhalation	12.7 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	3.6 mg/kg	Consumers	Systemic
	DNEL	Long term Dermal	6 mg/kg	Workers	Systemic
	DNEL	Long term Oral	1.8 mg/kg	Consumers	Systemic
	DNEL	Long term Oral	0.4 mg/kg bw/day	Consumers	Systemic
	DNEL	Short term Oral	78 mg/kg bw/day	Consumers	Systemic
	DNEL	Long term Inhalation	5.1 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Short term Inhalation	102 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Inhalation	1.25 mg/m <sup>3</sup>	Consumers	Systemic
	DNEL	Short term Inhalation	25 mg/m <sup>3</sup>	Consumers	Systemic
	DNEL	Long term Dermal	2.6 mg/kg bw/day	Workers	Systemic
benzyl benzoate	DNEL	Long term Inhalation	0.44 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Short term Dermal	0.41 mg/cm <sup>2</sup>	Workers	Local
	DNEL	Long term Dermal	2.075 mg/kg	Workers	Systemic
	DNEL	Long term Inhalation	0.11 mg/m <sup>3</sup>	Consumers	Systemic
	DNEL	Long term Oral	0.0625 mg/kg	Consumers	Systemic
	DNEL	Long term Dermal	1.0375 mg/kg	Consumers	Systemic
2-(4-tert-butylbenzyl) propionaldehyde	DNEL	Short term Dermal	0.41 mg/cm <sup>2</sup>	Consumers	Local
	DNEL	Long term Dermal	2.8 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	10 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Inhalation	10 mg/m <sup>3</sup>	Workers	Systemic
3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers	DNEL	Long term Dermal	2.8 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	10 mg/m <sup>3</sup>	Workers	Systemic

### Fragrance 49415038

## SECTION 8: Exposure controls/personal protection

	DNEL	Long term Dermal	1.7 mg/kg bw/day	Consumers	Systemic
	DNEL	Long term Inhalation	2.9 mg/cm <sup>2</sup>	Consumers	Systemic
	DNEL	Long term Oral	0.8 mg/kg bw/day	Consumers	Systemic

### PNECs

Product/ingredient name	Compartment Detail	Value	Method Detail
α-hexylcinnamaldehyde	Fresh water	3 mg/l	-
	Marine water	0.003 mg/l	-
	Sewage Treatment Plant	10 mg/l	-
	Fresh water sediment	4.7 mg/l	-
	Marine water sediment	4.77 mg/l	-
	Soil	9.51 mg/l	-
	Secondary Poisoning	6.6 mg/l	-
linalyl acetate	Fresh water	0.011 mg/l	-
	Marine water	0.0011 mg/l	-
	Marine water sediment	0.0609 mg/kg	-
	Soil	0.115 mg/kg	-
	Sewage Treatment Plant	10 mg/l	-
	Intermittent release	0.11 mg/l	-
	Fresh water sediment	0.609 mg/kg	-
linalool	Fresh water	0.2 mg/l	-
	Marine water	0.02 mg/l	-
	Intermittent release	2 mg/l	-
	Fresh water sediment	2.22 mg/kg dwt	-
	Marine water sediment	0.222 mg/kg dwt	-
	Soil	0.327 mg/kg dwt	-
	Sewage Treatment Plant	>10 mg/l	-
2-phenylethanol	Fresh water	0.215 mg/l	-
	Marine water	0.0215 mg/l	-
	Intermittent release	2.15 mg/l	-
	Sewage Treatment Plant	10 mg/l	-
	Fresh water sediment	1.454 mg/kg	-

### Fragrance 49415038

## SECTION 8: Exposure controls/personal protection

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Marine water sediment	0.1454 mg/kg	-
	Soil	0.164 mg/kg	-
	Fresh water	0.0028 mg/l	-
	Marine water	0.00028 mg/l	-
	Fresh water sediment	3.73 mg/kg	-
	Marine water sediment	0.75 mg/kg	-
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	Soil	0.705 mg/kg	-
	Fresh water	0.00403 mg/l	-
	Marine water	0.0004 mg/l	-
	Intermittent release	0.0403 mg/l	-
	Sewage Treatment Plant	1 mg/l	-
	Fresh water sediment	0.151 mg/kg	-
benzyl benzoate	Marine water sediment	0.0151 mg/kg	-
	Soil	0.0508 mg/kg	-
	Soil	2.12 mg/kg dwt	-
	Sewage Treatment Plant	100 mg/l	-
	Fresh water sediment	10.66 mg/kg wwt	-
	Marine water sediment	1.07 mg/kg wwt	-
2-(4-tert-butylbenzyl)propionaldehyde	Marine water	0.00168 mg/l	-
	Fresh water	0.0168 mg/l	-
	Fresh water	0.00204 mg/l	-
	Marine water	0.0002 mg/l	-
	Fresh water sediment	0.269 mg/kg	-
	Marine water sediment	0.0269 mg/kg	-
3,7,11-trimethyldodeca-1,6,10-trien-3-ol, mixed isomers	Soil	0.0525 mg/kg	-
	Sewage Treatment Plant	10 mg/l	-
	Fresh water	0.00051 mg/l	-
	Marine water	0.00005 mg/l	-
	Fresh water sediment	0.0698 mg/kg	-
	Marine water sediment	0.00698 mg/kg	-

## Fragrance 49415038

### SECTION 8: Exposure controls/personal protection

	Soil	0.0136 mg/kg	-
	Sewage Treatment Plant	10 mg/l	-

#### 8.2 Exposure controls

**Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

#### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### Appearance

**Physical state** : Liquid.  
**Color** : Characteristic.  
**Odor** : Characteristic.  
**Odor threshold** : Not available.  
**pH** : Not available.  
**Melting point/freezing point** : Not available.

## Fragrance 49415038

### SECTION 9: Physical and chemical properties

<b>Initial boiling point and boiling range</b>	: Not available.	
<b>Flash point</b>	: Closed cup: 98°C	
<b>Evaporation rate</b>	: Not available.	
<b>Upper/lower flammability or explosive limits</b>	: Not available.	
<b>Vapor pressure</b>	: 0.1 hPa	
<b>Vapor density</b>	: Not available.	
<b>Density</b>	: 0.979 to 0.989 g/cm <sup>3</sup> [20°C]	
<b>Solubility in water</b>	: Non water-soluble liquid	
<b>Partition coefficient: n-octanol/ water</b>	: Not available.	
<b>Auto-ignition temperature</b>	: Not available.	
<b>Decomposition temperature</b>	: Not available.	
<b>Viscosity</b>	: Kinematic (40°C): <0.07 cm <sup>2</sup> /s	(Estimated.)
<b>Explosive properties</b>	: Not available.	
<b>Oxidizing properties</b>	: Not available.	

#### 9.2 Other information

No additional information.

### SECTION 10: Stability and reactivity

<b>10.1 Reactivity</b>	: No specific test data related to reactivity available for this product or its ingredients.
<b>10.2 Chemical stability</b>	: The product is stable.
<b>10.3 Possibility of hazardous reactions</b>	: Under normal conditions of storage and use, hazardous reactions will not occur.
<b>10.4 Conditions to avoid</b>	: No specific data.
<b>10.5 Incompatible materials</b>	: No specific data.
<b>10.6 Hazardous decomposition products</b>	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
α-hexylcinnamaldehyde	LC50 Inhalation Dusts and mists	Rat	>2100 mg/m <sup>3</sup>	8 hours
	LD50 Oral	Rat	3100 mg/kg	-
linalyl acetate	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	13934 mg/kg	-
linalool	LD50 Dermal	Rabbit	5610 mg/kg	-
	LD50 Dermal	Rat	5610 mg/kg	-

## Fragrance 49415038

## SECTION 11: Toxicological information

geraniol	LD50 Oral	Rat	2790 mg/kg	-
	LD50 Dermal	Rabbit	>5000 mg/kg	-
2-phenylethanol	LD50 Oral	Rat	2.1 g/kg	-
	LD50 Dermal	Rabbit	2535 mg/kg	-
	LD50 Oral	Rat	1609 mg/kg	-
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	LD50 Dermal	Rat	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	>4000 mg/kg	-
benzyl benzoate	LD50 Dermal	Rabbit	4 g/kg	-
2-cyclohexylidene-2-phenylacetonitrile	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	619 mg/kg	-
phenethyl acetate	LD50 Dermal	Rabbit	6210 mg/kg	-
	LD50 Oral	Rat	3670 mg/kg	-
dipentene	LD50 Oral	Rat	5300 mg/kg	-
1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	LD50 Oral	Rat	>2000 mg/kg	-
2-(4-tert-butylbenzyl)propionaldehyde	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	1390 mg/kg	-
3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-

Acute toxicity estimates

Route	ATE value
Oral	18002.2 mg/kg

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
linalyl acetate	Skin - Moderate irritant	Guinea pig	-	24 hours 100 milligrams	-
	Skin - Severe irritant	Rabbit	-	24 hours 100 milligrams	-
linalool	Eyes - Moderate irritant	Rabbit	-	1 hours 0.1 Milliliters	-
	Eyes - Moderate irritant	Rabbit	-	100	-

## Fragrance 49415038

### SECTION 11: Toxicological information

geraniol	Skin - Moderate irritant	Guinea pig	-	microliters 24 hours 100 milligrams	-
	Skin - Mild irritant	Human	-	72 hours 32 Percent	-
	Skin - Mild irritant	Man	-	48 hours 16 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Severe irritant	Rabbit	-	24 hours 100 milligrams	-
	Skin - Mild irritant	Guinea pig	-	30 Percent	-
	Skin - Severe irritant	Guinea pig	-	24 hours 100 milligrams	-
	Skin - Severe irritant	Human	-	48 hours 32 Percent	-
	Skin - Severe irritant	Man	-	24 hours 16 milligrams	-
	Skin - Moderate irritant	Rabbit	-	4 hours 0.5 Milliliters	-
2-phenylethanol	Skin - Severe irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Severe irritant	Rabbit	-	-	-
	Eyes - Mild irritant	Rabbit	-	10 minutes 12 Grams	-
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Eyes - Severe irritant	Rabbit	-	24 hours 750 Micrograms	-
	Skin - Irritant	Human	-	-	-
phenethyl acetate	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
2-(4-tert-butylbenzyl)propionaldehyde	Skin - Moderate irritant	Rabbit	-	24 hours 500 milligrams	-

#### Sensitization

Product/ingredient name	Route of exposure	Species	Result
α-hexylcinnamaldehyde	skin	Mouse	Sensitizing
geraniol	skin	Mouse	Sensitizing
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	skin	Mouse	Sensitizing
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-	skin	Human	Not sensitizing

## Fragrance 49415038

**SECTION 11: Toxicological information**

2-one			
benzyl benzoate	skin	Mouse	Not sensitizing
1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	skin	Guinea pig	Not sensitizing
2-(4-tert-butylbenzyl) propionaldehyde	skin	Mouse	Sensitizing
	skin	Human	Sensitizing

**Mutagenicity**

Product/ingredient name	Test	Experiment	Result
hexylcinnamaldehyde	OECD 471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative
	OECD 474 Mammalian Erythrocyte Micronucleus Test	Experiment: In vivo Subject: Mammalian-Animal	Negative
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	-	Experiment: In vitro Subject: Mammalian-Human	Negative
	-	Experiment: In vivo Subject: Mammalian-Animal	Negative
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	-	Experiment: In vitro Subject: Bacteria	Negative
benzyl benzoate	OECD 471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative

**Reproductive toxicity**

Product/ingredient name	Maternal toxicity	Fertility	Development toxin	Species	Dose	Exposure
benzyl benzoate	-	-	-	Rat - Female	Oral: 646 mg/kg	-
2-(4-tert-butylbenzyl) propionaldehyde	-	Positive	-	Dog - Male	Oral	-

**Aspiration hazard**

Product/ingredient name	Result
dipentene	ASPIRATION HAZARD - Category 1

**Potential acute health effects**

- Eye contact** : Causes serious eye damage.
- Inhalation** : May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- Skin contact** : Causes skin irritation. May cause an allergic skin reaction.
- Ingestion** : May cause burns to mouth, throat and stomach.

**Symptoms related to the physical, chemical and toxicological characteristics**

## Fragrance 49415038

### SECTION 11: Toxicological information

- Eye contact** : Adverse symptoms may include the following:  
pain  
watering  
redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:  
pain or irritation  
redness  
blistering may occur
- Ingestion** : Adverse symptoms may include the following:  
stomach pains

#### Delayed and immediate effects and also chronic effects from short and long term exposure

##### Short term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

##### Long term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

##### Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
α-hexylcinnamaldehyde	Sub-acute NOAEL Oral	Rat	150 mg/kg	-
	Sub-acute LOAEL Dermal	Rat	125 mg/kg	-
benzyl benzoate	Sub-chronic NOAEL Oral	Rat - Male	800 mg/kg	90 days
	Sub-acute NOAEL Dermal	Rat - Male	781 mg/kg	30 days

- General** : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Teratogenicity** : No known significant effects or critical hazards.
- Developmental effects** : No known significant effects or critical hazards.
- Fertility effects** : No known significant effects or critical hazards.
- Interactive effects** : Not available.
- Toxicokinetics**
- Absorption** : Not available.
- Distribution** : Not available.
- Metabolism** : Not available.
- Elimination** : Not available.
- Other information** : Not available.

### SECTION 12: Ecological information

#### 12.1 Toxicity

## Fragrance 49415038

## SECTION 12: Ecological information

Product/ingredient name	Result	Species	Exposure
α-hexylcinnamaldehyde	Acute EC50 0.247 mg/l	Daphnia	48 hours
	Acute LC50 1.7 mg/l	Fish	96 hours
	Chronic NOEC 0.065 mg/l	Algae	72 hours
	Chronic NOEC 0.069 mg/l Fresh water	Daphnia	21 days
linalyl acetate	Acute EC50 15 mg/l	Daphnia	48 hours
	Acute LC50 11 mg/l	Fish	96 hours
	Chronic NOEC 9.6 mg/l	Algae	72 hours
linalool	Acute EC50 141.4 mg/l	Aquatic plants	96 hours
	Acute EC50 59 mg/l	Daphnia	48 hours
	Acute EC50 >100 mg/l	Micro-organism	3 hours
geraniol	Acute LC50 27.8 mg/l	Fish	96 hours
	Acute EC50 13.1 mg/l	Algae	72 hours
	Acute EC50 7.75 mg/l	Daphnia	48 hours
2-phenylethanol	Acute LC50 22 mg/l	Fish	96 hours
	Acute EC50 287 mg/l	Daphnia	48 hours
	Acute LC50 460 mg/l	Fish	96 hours
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Acute EC50 2.6 mg/l	Algae	72 hours
	Acute EC50 1.38 mg/l	Daphnia	48 hours
	Acute LC50 1.3 mg/l	Fish	96 hours
	Chronic NOEC 0.028 mg/l	Daphnia	21 days
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	Chronic NOEC 0.16 mg/l	Fish	30 days
	Acute EC50 4.03 mg/l	Daphnia	48 hours
	Acute LC50 21.2 mg/l	Algae	72 hours
benzyl benzoate	Acute LC50 5090 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Acute IC50 0.475 mg/l	Algae	72 hours
	Acute LC50 3.09 mg/l	Daphnia	48 hours
	Acute LC50 2.32 mg/l	Fish	96 hours
	Acute LC50 1.4 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic NOEC 0.247 mg/l	Algae	72 hours
2-cyclohexylidene-2-phenylacetone	Acute EC50 1.96 mg/l	Algae	72 hours

## Fragrance 49415038

## SECTION 12: Ecological information

phenethyl acetate dipentene	Acute EC50 3 mg/l	Daphnia	48 hours
	Acute LC50 1.4 mg/l	Fish	96 hours
	Acute EC50 36.6 mg/l	Daphnia	48 hours
	Acute EC50 28.2 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 20.2 mg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
	Acute IC50 13.798 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
	Acute LC50 31 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	Acute LC50 38.5 mg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
	Acute LC50 1.49 mg/l	Daphnia	48 hours
	Acute EC50 29.16 mg/l	Algae - Scenedesmus subspicatus	72 hours
2-(4-tert-butylbenzyl)propionaldehyde	Acute EC50 10.7 mg/l	Daphnia - Daphnia magna	48 hours
	Acute LC50 2.04 mg/l	Fish - Brachydanio rerio	96 hours
3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers	Acute EC50 0.94 mg/l	Daphnia	48 hours
	Acute LC50 1.8 mg/l	Fish	96 hours
	Acute LC50 1430 µg/l Fresh water	Fish - Pimephales promelas	96 hours

## 12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
α-hexylcinnamaldehyde	OECD 301F Ready Biodegradability - Manometric Respirometry Test	97 % - Readily - 28 days	-	-
linalyl acetate	OECD 301F Ready Biodegradability - Manometric Respirometry Test	75 % - Readily - 28 days	-	-
linalool	OECD 301C Ready Biodegradability - Modified MITI Test (I)	64.2 % - Readily - 28 days	-	-
geraniol	OECD 301A Ready Biodegradability -	100 % - Readily - 28 days	-	-

## Fragrance 49415038

## SECTION 12: Ecological information

2-phenylethanol	DOC Die-Away Test OECD 301B Ready Biodegradability - CO <sub>2</sub> Evolution Test	79 % - Readily - 28 days	-	-
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	OECD 301C Ready Biodegradability - Modified MITI Test (I)	11 % - Not readily - 28 days	-	-
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	OECD 301F Ready Biodegradability - Manometric Respirometry Test	80 % - Readily - 28 days	-	-
benzyl benzoate	OECD 301F Ready Biodegradability - Manometric Respirometry Test	94 % - Readily - 28 days	-	-
2-cyclohexylidene-2-phenylacetone	OECD 301F Ready Biodegradability - Manometric Respirometry Test	10 % - Not readily - 28 days	-	-
phenethyl acetate	OECD 301F Ready Biodegradability - Manometric Respirometry Test	90 % - Readily - 28 days	-	-
1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	OECD 301C Ready Biodegradability - Modified MITI Test (I)	0 % - Not readily - 28 days	-	-
2-(4-tert-butylbenzyl)propionaldehyde	OECD 301F Ready Biodegradability - Manometric Respirometry Test	84 % - Readily - 28 days	-	Activated sludge
3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers	OECD 301F Ready Biodegradability - Manometric Respirometry Test	75 % - Readily - 28 days	-	-

## Fragrance 49415038

## SECTION 12: Ecological information

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
$\alpha$ -hexylcinnamaldehyde	-	-	Readily
linalyl acetate	-	-	Readily
linalool	-	-	Readily
geraniol	-	-	Readily
2-phenylethanol	-	-	Readily
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	-	-	Not readily
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	-	-	Readily
benzyl benzoate	-	-	Readily
2-cyclohexylidene-2-phenylacetone	-	-	Not readily
phenethyl acetate	-	-	Readily
1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	-	-	Not readily
2-(4-tert-butylbenzyl)propionaldehyde	-	-	Readily
3,7,11-trimethyldodeca-1,6,10-trien-3-ol, mixed isomers	-	-	Readily

## 12.3 Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
$\alpha$ -hexylcinnamaldehyde	5.3	6000	high
linalyl acetate	3.9	173.9	low
linalool	2.84	-	low
geraniol	2.6	-	low
2-phenylethanol	1.36	-	low
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	5.65	-	high
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	4.1	202.4	low
benzyl benzoate	3.97	193.4	low
phenethyl acetate	2.3	-	low
dipentene	4.57	-	high
2-(4-tert-butylbenzyl)	4.2	349.8	low

## Fragrance 49415038

**SECTION 12: Ecological information**

propionaldehyde 3,7,11-trimethyldodeca-1,6, 10-trien-3-ol,mixed isomers	4.7	-	high
---	-----	---	------

**12.4 Mobility in soil**

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Mobility** : Not available.

**12.5 Results of PBT and vPvB assessment**

**PBT** : Not applicable.

**vPvB** : Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

**SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

**13.1 Waste treatment methods****Product**

**Methods of disposal** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** : The classification of the product may meet the criteria for a hazardous waste.

**European waste catalogue (EWC)**

Waste code	Waste designation
16 03 05*	organic wastes containing dangerous substances

**Packaging**

**Methods of disposal** : The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
<b>14.1 UN number</b>	UN3082	UN3082	UN3082
<b>14.2 UN proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ( $\alpha$ -hexylcinnamaldehyde, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ( $\alpha$ -hexylcinnamaldehyde, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ( $\alpha$ -hexylcinnamaldehyde, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one)

## Fragrance 49415038

**SECTION 14: Transport information**

<b>14.3 Transport hazard class(es)</b>	9 	9 	9 
<b>14.4 Packing group</b>	III	III	III
<b>14.5 Environmental hazards</b>	Yes.	Marine pollutant	Yes.
<b>Additional information</b>	The environmentally hazardous substance mark is not required when transported in sizes of $\leq 5$ L or $\leq 5$ kg.  <b>Tunnel code</b> (E)	The marine pollutant mark is not required when transported in sizes of $\leq 5$ L or $\leq 5$ kg.	The environmentally hazardous substance mark is not required when transported in sizes of $\leq 5$ L or $\leq 5$ kg.

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** : Not applicable.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU Regulation (EC) No. 1907/2006 (REACH)****Annex XIV - List of substances subject to authorization****Annex XIV**

None of the components are listed.

**Substances of very high concern**

None of the components are listed.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : Not applicable.

Product/ingredient name	Carcinogenic effects	Mutagenic effects	Developmental effects	Fertility effects
2-(4-tert-butylbenzyl) propionaldehyde	-	-	-	Repr. 2, H361f (Fertility)

**Registration status**

**All components are listed** : Australia inventory (AICS)  
China inventory (IECSC)  
Philippines inventory (PICCS)  
United States inventory (TSCA 8b)  
Europe inventory (EINECS/ELINCS/NLP)

## Fragrance 49415038

### SECTION 15: Regulatory information

Canada inventory (DSL/NDSL)

At least one component is not listed in DSL but all such components are listed in NDSL.

#### 15.2 Chemical Safety Assessment

: This product contains substances for which Chemical Safety Assessments are still required.

### SECTION 16: Other information

✔ Indicates information that has changed from previously issued version.

#### Abbreviations and acronyms

: ATE = Acute Toxicity Estimate  
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
 DMEL = Derived Minimal Effect Level  
 DNEL = Derived No Effect Level  
 EUH statement = CLP-specific Hazard statement  
 PBT = Persistent, Bioaccumulative and Toxic  
 PNEC = Predicted No Effect Concentration  
 RRN = REACH Registration Number  
 vPvB = Very Persistent and Very Bioaccumulative

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 2, H411	Calculation method Calculation method Calculation method Calculation method

#### Full text of abbreviated H statements

: H226 Flammable liquid and vapor.  
 H302 Harmful if swallowed.  
 H304 May be fatal if swallowed and enters airways.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.  
 H361f Suspected of damaging fertility.  
 (Fertility)  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H411 Toxic to aquatic life with long lasting effects.

#### Full text of classifications [CLP/GHS]

: Acute Tox. 4, H302 ACUTE TOXICITY (oral) - Category 4  
 Aquatic Acute 1, H400 AQUATIC HAZARD (ACUTE) - Category 1  
 Aquatic Chronic 1, H410 AQUATIC HAZARD (LONG-TERM) - Category 1  
 Aquatic Chronic 2, H411 AQUATIC HAZARD (LONG-TERM) - Category 2  
 Asp. Tox. 1, H304 ASPIRATION HAZARD - Category 1  
 Eye Dam. 1, H318 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1  
 Eye Irrit. 2, H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2  
 Flam. Liq. 3, H226 FLAMMABLE LIQUIDS - Category 3  
 Repr. 2, H361f (Fertility) TOXIC TO REPRODUCTION (Fertility) - Category 2  
 Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2  
 Skin Sens. 1, H317 SKIN SENSITIZATION - Category 1  
 Skin Sens. 1A, H317 SKIN SENSITIZATION - Category 1A  
 Skin Sens. 1B, H317 SKIN SENSITIZATION - Category 1B

#### Full text of abbreviated R phrases

: R10- Flammable.  
 R62- Possible risk of impaired fertility.  
 R22- Harmful if swallowed.  
 R65- Harmful: may cause lung damage if swallowed.  
 R41- Risk of serious damage to eyes.  
 R36- Irritating to eyes.  
 R38- Irritating to skin.  
 R43- May cause sensitization by skin contact.

## Fragrance 49415038

### SECTION 16: Other information

R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Full text of classifications [DSD/DPD]** : Repr. Cat. 3 - Toxic to reproduction category 3  
Xn - Harmful  
Xi - Irritant  
N - Dangerous for the environment

**Date of printing** : 2015-06-03.

**Date of issue/ Date of revision** : 2015-04-22.

**Date of previous issue** : 2015-03-02.

**Version** : 1.01

**Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.