## SAFETY DATA SHEET



## **Fragrance 49342444**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product code : Fragrance 49342444

Product name : PEACH & WHITE FLOWERS

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Fragrance. Restricted to professional users. Industrial use only.

#### 1.3 Details of the supplier of the safety data sheet

**Supplier's details** : drom fragrances GmbH & Co. KG

Oberdiller Straße 18 tel. +49 89 74425-0 fax. +49 89 7934966 D-82065 Baierbrunn

e-mail address of person responsible for this SDS

: safety@drom.com

#### 1.4 Emergency telephone number

#### **National advisory body/Poison Center**

**Telephone number**: www.rshm.gov.tr

Supplier

Emergency telephone number (with hours of

operation)

: +49 89 74425 288 9h - 17h (Mo - Fr)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

**Product definition**: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Sens. 1, H317

#### Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : R43

R52/53

**Human health hazards**: May cause sensitization by skin contact.

**Environmental hazards**: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements

Hazard pictograms



Signal word : Warning

**Hazard statements**: H317 - May cause an allergic skin reaction.

Date of issue/Date of revision : 2015-04-22. Date of printing : 2015-06-03. Version : 1.01 1/15

# dron

#### **SECTION 2: Hazards identification**

**Precautionary statements** 

Prevention : P280 - Wear protective gloves.

P261 - Avoid breathing vapor.

P272 - Contaminated work clothing should not be allowed out of the workplace.

Response : P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 - If skin irritation or rash occurs: Get medical attention.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Hazardous ingredients : **2**,4-dimethylcyclohex-3-ene-1-carbaldehyde

hydratropaldehyde

nerol

3-p-cumenyl-2-methylpropionaldehyde

trans-menthone

eugenol

pentadecan-15-olide

4-tert-butylcyclohexyl acetate

1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one

Supplemental label

elements

: Not applicable.

2.3 Other hazards

Other hazards which do not result in classification

: None known.

## **SECTION 3: Composition/information on ingredients**

3.1 Substances : Not applicable.

3.2 Mixtures : Mixture

			<u>Cla</u>	<u>ssification</u>	
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
benzyl acetate	REACH #: 01-2119638272-42 EC: 205-399-7 CAS: 140-11-4	4.40	Not classified.	Aquatic Chronic 3, H412	[1]
Terpineol	REACH #: 01-2119553062-49 EC: 232-268-1 CAS: 8000-41-7	4.00	Xi; R36/38	Skin Irrit. 2, H315 Eye Irrit. 2, H319	[1]
linalool	REACH #: 01-2119474016-42 EC: 201-134-4 CAS: 78-70-6	3.35	Xi; R38	Skin Irrit. 2, H315 Eye Irrit. 2, H319	[1]
3-methylbutyl butyrate	EC: 203-380-8 CAS: 106-27-4	1.12	R52/53	Flam. Liq. 3, H226 Aquatic Chronic 3, H412	[1]
2,4-dimethylcyclohex- 3-ene-1-carbaldehyde	EC: 268-264-1 CAS: 68039-49-6	1.10	Xi; R36/38 R43 R52/53	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412	[1]
hydratropaldehyde	EC: 202-255-5 CAS: 93-53-8	0.56	Repr. Cat. 3; R62 Xi; R36/38 R43	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Repr. 2, H361d (Unborn child)	[1]

Date of issue/Date of revision : 2015-04-22. Date of printing : 2015-06-03. Version : 1.01 2/15



# SECTION 3: Composition/information on ingredients See Section 16 for the full text of the R-phrases declared above. See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

#### Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

Hydrocarbon. (Content) : 0.03%

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

_					
۵,	10	CO	ni	-	ct
╌	/6	LU		La	L

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

#### Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Skin contact

: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

#### Ingestion

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### **Protection of first-aiders**

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

Eye contactInhalationNo known significant effects or critical hazards.No known significant effects or critical hazards.

**Skin contact**: May cause an allergic skin reaction.

**Ingestion**: No known significant effects or critical hazards.

Over-exposure signs/

<u>symptoms</u>

: Not available.

Date of issue/Date of revision : 2015-04-22. Date of printing : 2015-06-03. Version : 1.01 3/15





#### **SECTION 4: First aid measures**

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician

: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

## SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

carbon monoxide

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

: Decomposition products may include the following materials: carbon dioxide

#### 5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**6.2 Environmental precautions** 

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### 6.3 Methods and materials for containment and cleaning up

**Small spill** 

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Date of issue/Date of revision : 2015-04-22. Date of printing : 2015-06-03. Version : 1.01 4/15



#### **SECTION 6: Accidental release measures**

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

#### 7.3 Specific end use(s)

**Recommendations**: Industrial use only.

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 8.1 Control parameters

#### Occupational exposure limits

No exposure limit value known.

#### **DNELs/DMELs**

Product/ingredient name	Type	Exposure	Value	Population	Effects
benzyl acetate	DNEL	Long term Inhalation	21.9 mg/m³	Workers	Systemic
	DNEL	Short term Inhalation	43.8 mg/m³	Workers	Systemic
	DNEL	Long term Dermal	6.25 mg/ kg bw/day	Workers	Systemic

Date of issue/Date of revision : 2015-04-22. Date of printing : 2015-06-03. Version : 1.01 5/18



## SECTION 8: Exposure controls/personal protection

SECTION 8: Exposure con	trois/p	ersonai prote	ction		
	DNEL	Short term Dermal	12.5 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	5.5 mg/m³	Consumers	Systemic
	DNEL	Short term Inhalation	11 mg/m³	Consumers	Systemic
	DNEL	Long term Dermal	3.125 mg/ kg bw/day	Consumers	Systemic
	DNEL	Short term Dermal	6.25 mg/ kg bw/day	Consumers	Systemic
	DNEL	Long term Oral	3.125 mg/ kg bw/day	Consumers	Systemic
	DNEL	Short term Oral	6.25 mg/ kg bw/day	Consumers	Systemic
Terpineol	DNEL	Short term Dermal	5 mg/kg	Workers	Systemic
	DNEL	Long term Dermal	1.17 mg/kg	Workers	Systemic
	DNEL	Short term Inhalation	5.8 mg/m³	Workers	Systemic
	DNEL	Long term Inhalation	5.8 mg/m³	Workers	Systemic
	DNEL	Short term Oral	2.5 mg/kg	Consumers	Systemic
	DNEL	Long term Oral	0.42 mg/kg	Consumers	Systemic
	DNEL	Short term Dermal	2.5 mg/kg	Consumers	Systemic
	DNEL	Long term Dermal	0.42 mg/kg	Consumers	Systemic
	DNEL	Short term Inhalation	1.25 mg/m³	Consumers	Systemic
	DNEL	Long term Inhalation	1.25 mg/m³	Consumers	Systemic
linalool	DNEL	Long term Dermal	2.5 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	2.8 mg/m³	Workers	Systemic
	DNEL	Long term Dermal	15 mg/cm <sup>2</sup>	Workers	Local
	DNEL	Short term Dermal	15 mg/cm <sup>2</sup>	Workers	Local
	DNEL	Long term Dermal	1.25 mg/ kg bw/day	Consumers	Systemic
	DNEL	Long term Inhalation	0.7 mg/m³	Consumers	Systemic
	DNEL	Long term Oral	0.2 mg/kg bw/day	Consumers	Systemic
	DNEL	Short term Dermal	15 mg/cm <sup>2</sup>	Consumers	Local
I	1	I			<u> </u>



## **SECTION 8: Exposure controls/personal protection**

•	•	-			
	DNEL	Short term Dermal	2.5 mg/cm <sup>2</sup>	Consumers	Systemic
	DNEL	Short term Inhalation	4.1 mg/m³	Consumers	Systemic
	DNEL	Short term Oral	1.2 mg/kg bw/day	Consumers	Systemic
	DNEL	Long term Dermal	15 mg/cm²	Consumers	Local
	DNEL	Short term Dermal	5 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Inhalation	16.5 mg/m³	Workers	Systemic

#### **PNECs**

Product/ingredient name	Compartment Detail	Value	Method Detail
penzyl acetate	Fresh water	0.004 mg/l	-
	Marine water	0.0004 mg/l	-
	Intermittent release	0.04 mg/l	-
	Sewage Treatment Plant	8.55 mg/l	-
	Fresh water sediment	0.114 mg/kg	-
	Marine water sediment	0.0114 mg/kg	-
	Soil	0.0205 mg/kg	-
Terpineol	Sewage Treatment Plant	2.57 mg/l	-
	Fresh water	0.062 mg/l	-
	Soil	0.052 mg/kg	-
	Marine water	0.0062 mg/l	-
	Fresh water sediment	0.442 mg/kg	-
	Marine water sediment	0.044 mg/kg	-
inalool	Fresh water	0.2 mg/l	-
	Marine water	0.02 mg/l	-
	Intermittent release	2 mg/l	-
	Fresh water sediment	2.22 mg/kg dwt	-
	Marine water sediment	0.222 mg/kg dwt	-
	Soil	0.327 mg/kg dwt	-
	Sewage Treatment Plant	>10 mg/l	-

#### 8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Date of issue/Date of revision : 2015-04-22. Date of printing : 2015-06-03. Version : 1.01 7/15

## CION ERA GRANCES

## **Fragrance 49342444**

## **SECTION 8: Exposure controls/personal protection**

#### **Individual protection measures**

#### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### **Eye/face protection**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

#### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

#### **Body protection**

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### **Respiratory protection**

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## Environmental exposure

controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state : Liquid.

Color : Characteristic.

Odor : Characteristic.

Odor threshold : Not available.

pH : Not available.

Melting point/freezing point : Not available.

Initial boiling point and : Not available.

boiling range

Flash point : Closed cup: 80°C
Evaporation rate : Not available.

Upper/lower flammability or : Not available.

explosive limits

Vapor pressure : 0.98 hPa
Vapor density : Not available.

Density : 0.99 to 1 g/cm³ [20°C]
Solubility in water : Non water-soluble liquid

Date of issue/Date of revision : 2015-04-22. Date of printing : 2015-06-03. Version : 1.01 8/15



## **SECTION 9: Physical and chemical properties**

Partition coefficient: n-octanol/: Not available.

water

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

Viscosity : Kinematic (40°C): <0.07 cm<sup>2</sup>/s (Estimated.)

Explosive properties : Not available.

Oxidizing properties : Not available.

#### 9.2 Other information

No additional information.

## **SECTION 10: Stability and reactivity**

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability**: The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**10.4 Conditions to avoid** : No specific data.

10.5 Incompatible materials : No specific data.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
benzyl acetate	LD50 Dermal	Rabbit	>5 g/kg	-
	LD50 Oral	Rat	2490 mg/kg	-
Terpineol	LD50 Dermal	Rabbit	>3000 mg/kg	-
	LD50 Oral	Rat	4300 mg/kg	-
linalool	LD50 Dermal	Rabbit	5610 mg/kg	-
	LD50 Dermal	Rat	5610 mg/kg	-
	LD50 Oral	Rat	2790 mg/kg	-
3-methylbutyl butyrate	LD50 Dermal	Rabbit	>5 g/kg	-
	LD50 Oral	Rat	>5 g/kg	-
2,4-dimethylcyclohex-3-ene- 1-carbaldehyde	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	3900 mg/kg	-
hydratropaldehyde	LD50 Dermal	Rabbit	>5 g/kg	-
	LD50 Oral	Rat	2800 mg/kg	-

Date of issue/Date of revision : 2015-04-22. Date of printing : 2015-06-03. Version : 1.01 9/15



## **SECTION 11: Toxicological information**

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Terpineol	Eyes - Mild irritant	Mammal - species unspecified	-	12.5 Percent	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500 milligrams	-
linalool	Eyes - Moderate irritant	Rabbit	-	1 hours 0.1 Mililiters	-
	Eyes - Moderate irritant	Rabbit	-	100 microliters	-
	Skin - Moderate irritant	Guinea pig	-	24 hours 100 milligrams	-
	Skin - Mild irritant	Human	-	72 hours 32 Percent	-
	Skin - Mild irritant	Man	-	48 hours 16 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Severe irritant	Rabbit	-	24 hours 100 milligrams	-

#### Potential acute health effects

Eye contactInhalationNo known significant effects or critical hazards.No known significant effects or critical hazards.

**Skin contact**: May cause an allergic skin reaction.

**Ingestion** : No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.

Inhalation : No specific data.

**Skin contact**: Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

**Potential immediate** 

effects

: Not available.

Potential delayed effects : Not available.

**Long term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed

to very low levels.

Carcinogenicity : No known significant effects or critical hazards.Mutagenicity : No known significant effects or critical hazards.

Date of issue/Date of revision : 2015-04-22. Date of printing : 2015-06-03. Version : 1.01 10/15

# **dron**FRAGRANCES

## **Fragrance 49342444**

## **SECTION 11: Toxicological information**

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Interactive effects : Not available.

**Toxicokinetics** 

Absorption : Not available.

Distribution : Not available.

Metabolism : Not available.

Elimination : Not available.

Other information : Not available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
benzyl acetate	Acute EC50 17 mg/l	Daphnia	48 hours
	Acute EC50 855 mg/l	Micro-organism	3 hours
	Acute IC50 114 mg/l	Algae	72 hours
	Acute LC50 4000 μg/l Fresh water	Fish - Oryzias latipes - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
	Chronic NOEC 52 mg/l	Algae	72 hours
Terpineol	Acute EC50 73 mg/l	Daphnia	48 hours
	Acute LC50 80 mg/l	Fish	96 hours
linalool	Acute EC50 141.4 mg/l	Aquatic plants	96 hours
	Acute EC50 59 mg/l	Daphnia	48 hours
	Acute EC50 >100 mg/l	Micro-organism	3 hours
	Acute LC50 27.8 mg/l	Fish	96 hours
2,4-dimethylcyclohex-3-ene- 1-carbaldehyde	Acute EC50 22.4 mg/l	Daphnia	48 hours

#### 12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
benzyl acetate	OECD 301B Ready Biodegradability - CO <sub>2</sub> Evolution Test	92 % - Readily - 28 days	-	-
Terpineol	OECD 301F Ready Biodegradability - Manometric Respirometry Test	80 % - Readily - 28 days	-	-
linalool	OECD 301C Ready Biodegradability -	64.2 % - Readily - 28 days	-	-

Date of issue/Date of revision : 2015-04-22. Date of printing : 2015-06-03. Version : 1.01 11/15



## **SECTION 12: Ecological information**

hydratropaldehyde	OECD 301C Ready Biodegradability - Modified MITI Test (I)	80 % - Readily - 28 days	-	-
2,4-dimethylcyclohex-3-ene- 1-carbaldehyde	OECD 301F Ready Biodegradability - Manometric Respirometry Test	<60 % - Not readily - 28 days	-	-
3-methylbutyl butyrate	Modified MITI Test (I)  OECD 301B Ready Biodegradability - CO <sub>2</sub> Evolution Test	92.1 % - Readily - 28 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
benzyl acetate	-	-	Readily
Terpineol	-	-	Readily
linalool	-	-	Readily
3-methylbutyl butyrate	-	-	Readily
2,4-dimethylcyclohex-3-ene- 1-carbaldehyde	-	-	Not readily
hydratropaldehyde	-	-	Readily

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
benzyl acetate	1.49	8	low
Terpineol	3.1	24.13	low
linalool	2.84	-	low
3-methylbutyl butyrate	3.3	-	low
hydratropaldehyde	1.96	-	low

#### 12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Mobility : Not available.

#### 12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

Date of issue/Date of revision : 2015-04-22. Date of printing : 2015-06-03. Version : 1.01 12/15



## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

#### **Product**

**Methods of disposal** 

- The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
- **Hazardous waste**
- The classification of the product may meet the criteria for a hazardous waste.

#### European waste catalogue (EWC)

Waste code	Waste designation	
16 03 05*	organic wastes containing dangerous substances	

#### **Packaging**

**Methods of disposal** 

- : The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
- Special precautions
- : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Additional information	-	-	-

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

Date of issue/Date of revision : 2015-04-22. Date of printing : 2015-06-03. Version : 1.01



## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

**Annex XIV** 

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product/ingredient name	Carcinogenic effects	Mutagenic effects	Developmental effects	Fertility effects
hydratropaldehyde	-	-	Repr. 2, H361d (Unborn child)	-

#### Registration status

All components are listed : China inventory (IECSC)

United States inventory (TSCA 8b)

Europe inventory (EINECS/ELINCS/

NLP)

Canada inventory (DSL/NDSL)

At least one component is not listed in DSL but all such components are

listed in NDSL.

15.2 Chemical Safety **Assessment** 

: This product contains substances for which Chemical Safety Assessments are still required.

#### SECTION 16: Other information

Indicates information that has changed from previously issued version.

**Abbreviations and** acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Sens. 1, H317	Calculation method

Full text of abbreviated H statements

H226 Flammable liquid and vapor.

Causes skin irritation. H315

H317 May cause an allergic skin reaction. Causes serious eye irritation. H319

H361d Suspected of damaging the unborn child.

(Unborn

child)

H412 Harmful to aquatic life with long lasting effects.

Date of issue/Date of revision : 2015-04-22. Date of printing : 2015-06-03. Version : 1.01



#### SECTION 16: Other information

**Full text of classifications** [CLP/GHS]

: Aquatic Chronic 3, H412 AQUATIC HAZARD (LONG-TERM) - Category 3 Eye Irrit. 2, H319

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2

Flam. Liq. 3, H226 FLAMMABLE LIQUIDS - Category 3

Repr. 2, H361d (Unborn TOXIC TO REPRODUCTION (Unborn child) - Category 2

child)

Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2

Skin Sens. 1, H317 SKIN SENSITIZATION - Category 1 Skin Sens. 1B, H317 SKIN SENSITIZATION - Category 1B

Full text of abbreviated R phrases

: R62- Possible risk of impaired fertility. R38- Irritating to skin.

R36/38- Irritating to eyes and skin.

R43- May cause sensitization by skin contact.

R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Full text of classifications

[DSD/DPD]

: Repr. Cat. 3 - Toxic to reproduction category 3

Xi - Irritant 2015-06-03. : 2015-04-22.

Date of issue/ Date of

Date of previous issue

Date of printing

revision

: 2015-03-24.

**Version** 1.01

**Notice to reader** 

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision : 2015-04-22. Date of printing : 2015-06-03. Version : 1.01