

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



TruFill Hyper-Conc Floor Stripper End Use Dilution

Version 1.1

Print Date 04/12/2018

Revision Date 04/12/2018

SDS Number 350000032370

GEN_SOF Number 59792

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : TruFill Hyper-Conc Floor Stripper End Use Dilution

Recommended use : Speciality Cleaner

Restrictions on use : Use only as directed on label

Manufacturer, importer, supplier : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Telephone : +1-800-558-5252

Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour International Emergency Phone: (703)527-3887
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Skin irritation	Category 2	Causes skin irritation.
Eye irritation	Category 2A	Causes serious eye irritation.

Labelling

Hazard symbols

Exclamation mark

Signal word

Warning

Hazard statements

Causes skin irritation.

Causes serious eye irritation.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



TruFill Hyper-Conc Floor Stripper End Use Dilution

Version 1.1

Print Date 04/12/2018

Revision Date 04/12/2018

SDS Number 350000032370

GEN_SOF Number 59792

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Specific treatment (see supplemental first aid instructions on this label).

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/ attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

Take off contaminated clothing and wash before reuse.

Wear protective gloves/ eye protection/ face protection.

Wash hands thoroughly after handling.

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Ethanolamine	141-43-5	1.00 - 5.00
Benzyl alcohol	100-51-6	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Skin contact : Wash off with plenty of water. Take off contaminated clothing and wash before reuse.

Inhalation : No special requirements.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



TruFill Hyper-Conc Floor Stripper End Use Dilution

Version 1.1

Print Date 04/12/2018

Revision Date 04/12/2018

SDS Number 350000032370

GEN_SOF Number 59792

Ingestion : No special requirements

Most important symptoms and effects, both acute and delayed

Eyes : Causes serious eye irritation.

Skin effect : Causes skin irritation.
No adverse effects expected when used as directed.

Inhalation : May cause respiratory tract irritation.

Ingestion : May cause irritation to mouth, throat and stomach.
May cause abdominal discomfort.
No adverse effects expected when used as directed.

Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards during firefighting : Container may melt and leak in heat of fire.

Further information : Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear personal protective equipment.
Wash thoroughly after handling.

Environmental precautions : Outside of normal use, avoid release to the environment.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



TruFill Hyper-Conc Floor Stripper End Use Dilution

Version 1.1

Print Date 04/12/2018

Revision Date 04/12/2018

SDS Number 350000032370

GEN_SOF Number 59792

Methods and materials for containment and cleaning up : Dike large spills.
Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing.
For personal protection see section 8.
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
Wash thoroughly after handling.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers : Keep container closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Ethanolamine	141-43-5	6 mg/m3	3 ppm	-	OSHA TWA
Ethanolamine	141-43-5	-	6 ppm	-	ACGIH STEL
Ethanolamine	141-43-5	-	3 ppm	-	ACGIH TWA

Personal protective equipment

Respiratory protection : Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.

Hand protection : Wear suitable gloves.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



TruFill Hyper-Conc Floor Stripper End Use Dilution

Version 1.1

Print Date 04/12/2018

Revision Date 04/12/2018

SDS Number 350000032370

GEN_SOF Number 59792

Eye protection	:	Safety glasses with side-shields
Skin and body protection	:	No special requirements.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	:	liquid
Color	:	colourless
Odour	:	characteristic
Odour Threshold	:	Test not applicable for this product type
pH	:	11.54 at (25 °C)
Melting point/freezing point	:	0 °F
Initial boiling point and boiling range	:	Test not applicable for this product type
Flash point	:	does not flash
Evaporation rate	:	Test not applicable for this product type
Flammability (solid, gas)	:	The product is not flammable.
Upper/lower flammability or explosive limits	:	Test not applicable for this product type
Vapour pressure	:	Test not applicable for this product type

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



TruFill Hyper-Conc Floor Stripper End Use Dilution

Version 1.1

Print Date 04/12/2018

Revision Date 04/12/2018

SDS Number 350000032370

GEN_SOF Number 59792

Vapour density	: Test not applicable for this product type	
Relative density	: similar to water	
Solubility(ies)	: dispersible	
Partition coefficient: n-octanol/water	: Test not applicable for this product type	
Auto-ignition temperature	: Test not applicable for this product type	
Decomposition temperature	: Test not applicable for this product type	
Viscosity, dynamic	: similar to water	
Viscosity, kinematic	: Test not applicable for this product type	
Oxidizing properties	: Test not applicable for this product type	
Volatile Organic Compounds Total VOC (wt. %)*	: 3 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations	
Other information	: None identified	:

10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
-------------------	---

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



TruFill Hyper-Conc Floor Stripper End Use Dilution

Version 1.1

Print Date 04/12/2018

Revision Date 04/12/2018

SDS Number 350000032370

GEN_SOF Number 59792

Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.
Conditions to avoid	: Direct sources of heat.
Incompatible materials	: Do not mix with bleach or any other household cleaners. Strong bases
Hazardous decomposition products	: Thermal decomposition can lead to release of irritating gases and vapours.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	: LD50 > 5000 mg/kg
Acute inhalation toxicity	: LC50 > 10 mg/L
Acute dermal toxicity	: LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin irritation	Category 2	-
Eye irritation	Category 2A	-

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**TruFill Hyper-Conc Floor Stripper End Use Dilution**

Version 1.1

Print Date 04/12/2018

Revision Date 04/12/2018

SDS Number 350000032370

GEN_SOF Number 59792

Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known.

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Ethanolamine	No data available NOEC	Oryzias latipes	1.2 mg/l	41 d
Benzyl alcohol	static test LC50	Pimephales promelas (fathead minnow)	460 mg/l	96 h

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**TruFill Hyper-Conc Floor Stripper End Use Dilution**

Version 1.1

Print Date 04/12/2018

Revision Date 04/12/2018

SDS Number 350000032370

GEN_SOF Number 59792

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Ethanolamine	EC50	Daphnia magna (Water flea)	65 mg/l	48 h
	NOEC	Daphnia magna	0.85 mg/l	21 d
Benzyl alcohol	EC50	Daphnia magna (Water flea)	230 mg/l	48 h
	NOEC	Daphnia	51 mg/l	21 d

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Ethanolamine	EC50	Desmodesmus subspicatus (green algae)	2.5 mg/l	72 h
Benzyl alcohol	static test EC50	Pseudokirchneriella subcapitata (green algae)	770 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Ethanolamine	> 90 %	21 d	Readily biodegradable.
Benzyl alcohol	92 - 96 %	14 d	Readily biodegradable.

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Ethanolamine	9.2 QSAR	-0.2

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**TruFill Hyper-Conc Floor Stripper End Use Dilution**

Version 1.1

Print Date 04/12/2018

Revision Date 04/12/2018

SDS Number 350000032370

GEN_SOF Number 59792

Benzyl alcohol	1.37 estimated	1.1
----------------	----------------	-----

Mobility

Component	End point	Value
Ethanolamine	No data available	
Benzyl alcohol	No data available	-

PBT and vPvB assessment

Component	Results
Ethanolamine	Not fulfilling PBT and vPvB criteria
Benzyl alcohol	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.**13. DISPOSAL CONSIDERATIONS**

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION**Notification status** : All ingredients of this product are listed or are excluded from

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



TruFill Hyper-Conc Floor Stripper End Use Dilution

Version 1.1

Print Date 04/12/2018

Revision Date 04/12/2018

SDS Number 350000032370

GEN_SOF Number 59792

listing on the U.S. Toxic Substances Control Act (TSCA)
Chemical Substance Inventory.

California Prop. 65

: This product is not subject to the reporting requirements under California's Proposition 65.

16. OTHER INFORMATION

HMIS Ratings

Health	2
Flammability	0
Reactivity	0

NFPA Ratings

Health	2
Fire	0
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



TruFill Hyper-Conc Floor Stripper End Use Dilution

Version 1.1

Print Date 04/12/2018

Revision Date 04/12/2018

SDS Number 350000032370

GEN_SOF Number 59792

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper

Version 1.0

Print Date 09/26/2016

Revision Date 06/29/2015

SDS Number 350000028567
GEN_SOF Number 50496

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper

Recommended use : This product is intended to be diluted prior to use.

Manufacturer, importer, supplier : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Telephone : +18005585252
Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour International Emergency Phone: (703)527-3887
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Acute toxicity	Category 4	Harmful if swallowed.
Acute toxicity	Category 4	Harmful in contact with skin.
Acute toxicity	Category 4	Harmful if inhaled.
Skin corrosion	Category 1	Causes severe skin burns and eye damage.
Serious eye damage	Category 1	Causes serious eye damage.

Labelling

Hazard symbols

Corrosion
Exclamation mark

Signal word

Danger

Hazard statements

Harmful if swallowed, in contact with skin or if inhaled

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper

Version 1.0

Print Date 09/26/2016

Revision Date 06/29/2015

SDS Number 350000028567
GEN_SOF Number 50496

Causes severe skin burns and eye damage.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Immediately call a POISON CENTER or doctor/ physician.

Specific treatment (see supplemental first aid instructions on this label).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/ container to an approved incineration plant.

Wear protective gloves/ protective clothing.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Avoid breathing mist.

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Ethanolamine	141-43-5	60.00 - 100.00
Benzyl alcohol	100-51-6	10.00 - 30.00
Diisopropanolamine	110-97-4	1.00 - 5.00
Poly(oxy-1,2-ethanediyl), .alpha.-isotridecyl-.omega.-hydroxy-	9043-30-5	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper

Version 1.0

Print Date 09/26/2016

Revision Date 06/29/2015

SDS Number 350000028567
GEN_SOF Number 50496

4. FIRST AID MEASURES

- | | | |
|---------------------|---|--|
| Eye contact | : | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Get medical attention immediately. |
| Skin contact | : | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash off with plenty of water. Take off contaminated clothing and wash before reuse. Immediately call a POISON CENTER or doctor/physician. |
| Inhalation | : | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. |
| Ingestion | : | IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |

5. FIREFIGHTING MEASURES

- | | | |
|---|---|--|
| Suitable extinguishing media | : | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Specific hazards during firefighting | : | Container may melt and leak in heat of fire. |
| Further information | : | Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. |

6. ACCIDENTAL RELEASE MEASURES

- | | | |
|-----------------------------|---|---|
| Personal precautions | : | Wear personal protective equipment. Wash thoroughly after handling. |
| Environmental | : | Outside of normal use, avoid release to the environment. |

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper

Version 1.0

Print Date 09/26/2016

Revision Date 06/29/2015

SDS Number 350000028567

GEN_SOF Number 50496

precautions

Methods and materials for containment and cleaning up : Dike large spills.
Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing.
For personal protection see section 8.
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
Avoid breathing vapours, mist or gas.
Use only outdoors or in a well-ventilated area.
Do not eat, drink or smoke when using this product.
Wash thoroughly after handling.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers : Keep container closed when not in use.
Store locked up.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper

Version 1.0

Print Date 09/26/2016

Revision Date 06/29/2015

SDS Number 350000028567
GEN_SOF Number 50496

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Ethanolamine	141-43-5	6 mg/m3	3 ppm	-	OSHA TWA
Ethanolamine	141-43-5	-	6 ppm	-	ACGIH STEL
Ethanolamine	141-43-5	-	3 ppm	-	ACGIH TWA

Personal protective equipment

- Respiratory protection** : Use only with adequate ventilation. Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.
- Hand protection** : Wear suitable gloves. Rubber gloves
- Eye protection** : Wear splash-resistant Chemical goggles.
- Skin and body protection** : Protective footwear.
- Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Smoking, eating and drinking should be prohibited in the application area.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form** : liquid
- Color** : Straw-Colored
- Odor** : characteristic

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper

Version 1.0

Print Date 09/26/2016

Revision Date 06/29/2015

SDS Number 350000028567
GEN_SOF Number 50496

Odour Threshold	: Test not applicable for this product type
pH	: 11.54 at (25 °C) 10% solution, concentrated aqueous solution
Melting point/freezing point	: Test not applicable for this product type
Initial boiling point and boiling range	: Test not applicable for this product type
Flash point	: > 93 °C > 199.4 °F
Evaporation rate	: Test not applicable for this product type
Flammability (solid, gas)	: The product is not flammable.
Upper/lower flammability or explosive limits	: No data available
Vapour pressure	: Test not applicable for this product type
Vapour density	: Test not applicable for this product type
Relative density	: 1.029 g/cm ³ at 27.5 °C
Solubility(ies)	: dispersible
Partition coefficient: n-octanol/water	: Test not applicable for this product type

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper

Version 1.0

Print Date 09/26/2016

Revision Date 06/29/2015

SDS Number 350000028567
GEN_SOF Number 50496

Auto-ignition temperature	: Test not applicable for this product type
Decomposition temperature	: Test not applicable for this product type
Viscosity, dynamic	: < 20 mPa.s
Viscosity, kinematic	: Test not applicable for this product type
Oxidizing properties	: Test not applicable for this product type
Volatile Organic Compounds	: 62 % - additional exemptions may apply
Total VOC (wt. %)*	*as defined by US Federal and State Consumer Product Regulations
Other information	: None identified :

10. STABILITY AND REACTIVITY

Possibility of hazardous reactions	: Do not mix with bleach or any other household cleaners. If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.
Possibility of hazardous reactions	: If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.
Conditions to avoid	: Direct sources of heat.
Incompatible materials	: Do not mix with bleach or any other household cleaners. Strong bases

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper

Version 1.0

Print Date 09/26/2016

Revision Date 06/29/2015

SDS Number 350000028567
GEN_SOF Number 50496

Hazardous decomposition products : Thermal decomposition can lead to release of irritating gases and vapours.

11. TOXICOLOGICAL INFORMATION

Emergency Overview : Danger

Acute oral toxicity : NA GHS LD50
Calculated
1,829.21 mg/kg

Acute inhalation toxicity : NA GHS LC50 (vapour)
Calculated
12.65 mg/l

Acute dermal toxicity : NA GHS LD50
Calculated
1,379.69 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	Category 4	Oral
Acute toxicity	Category 4	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	Category 4	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion	Category 1	-
Serious eye damage	Category 1	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper

Version 1.0

Print Date 09/26/2016

Revision Date 06/29/2015

SDS Number 350000028567
GEN_SOF Number 50496

Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition

: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible to irritating effects
Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible to irritating effects

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Ethanolamine	No data available NOEC	Oryzias latipes	1.2 mg/l	30 h
Benzyl alcohol	static test LC50	Pimephales promelas (fathead minnow)	460 mg/l	96 h

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper**

Version 1.0

Print Date 09/26/2016

Revision Date 06/29/2015

SDS Number 350000028567

GEN_SOF Number 50496

Diisopropanolamine	LC50	Danio rerio (zebra fish)	1,466 mg/l	96 h
Poly(oxy-1,2-ethanediyl), .alpha.-isotridecyl-.omega.- hydroxy-	LC50 OECD Test Guideline 203	Danio rerio (zebra fish)	1 - 10 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Ethanolamine	EC50	Daphnia magna (Water flea)	65 mg/l	48 h
	NOEC	Daphnia magna	0.85 mg/l	21 d
Benzyl alcohol	EC50	Daphnia magna (Water flea)	230 mg/l	48 h
	NOEC	Daphnia	51 mg/l	21 d
Diisopropanolamine	EC50	Daphnia magna Straus	277.7 mg/l	48 h
Poly(oxy-1,2-ethanediyl), .alpha.-isotridecyl-.omega.- hydroxy-	EC50 OECD Test Guideline 202	Daphnia (water flea)	7.07 mg/l	48 h

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper

Version 1.0

Print Date 09/26/2016

Revision Date 06/29/2015

SDS Number 350000028567
GEN_SOF Number 50496

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Ethanolamine	EC50	Desmodesmus subspicatus (green algae)	2.5 mg/l	72 h
Benzyl alcohol	static test EC50	Pseudokirchneriella subcapitata (green algae)	770 mg/l	72 h
Diisopropanolamine	EC50	Desmodesmus subspicatus (green algae)	339 mg/l	72 h
Poly(oxy-1,2-ethanediyl), .alpha.-isotridecyl-.omega.- hydroxy-	EC50	Desmodesmus subspicatus (green algae)	> 10 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Ethanolamine	> 90 %	21 d	Readily biodegradable
Benzyl alcohol	92 - 96 %	14 d	Readily biodegradable
Diisopropanolamine	94 %	28 d	Readily biodegradable
Poly(oxy-1,2-ethanediyl), .alpha.-isotridecyl-.omega.- hydroxy-	79 %	28 d	Readily biodegradable

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Ethanolamine	No data available	-1.31
Benzyl alcohol	1.37 estimated	1.1
Diisopropanolamine	3.16 estimated	-0.79
Poly(oxy-1,2-ethanediyl), .alpha.-isotridecyl-.omega.- hydroxy-	No data available	3.59

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper

Version 1.0

Print Date 09/26/2016

Revision Date 06/29/2015

SDS Number 350000028567
GEN_SOF Number 50496

Mobility

Component	End point	Value
Ethanolamine	Koc	15
Benzyl alcohol	No data available	-
Diisopropanolamine	Koc	43 estimated
Poly(oxy-1,2-ethanediyl), .alpha.-isotridecyl-.omega.- hydroxy-	No data available	

PBT and vPvB assessment

Component	Results
Ethanolamine	Not fulfilling PBT and vPvB criteria
Benzyl alcohol	Not fulfilling PBT and vPvB criteria
Diisopropanolamine	Not fulfilling PBT and vPvB criteria
Poly(oxy-1,2-ethanediyl), .alpha.-isotridecyl-.omega.- hydroxy-	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper**

Version 1.0

Print Date 09/26/2016

Revision Date 06/29/2015

SDS Number 350000028567
GEN_SOF Number 50496

	Land transport	Sea transport	Air transport
UN number	2491	2491	2491
UN proper shipping name	UN 2491 Ethanolamine solutions, 8, III	UN 2491 Ethanolamine solutions, 8, III	UN 2491 Ethanolamine solutions, 8, III
Transport hazard class(es)	8	8	8
Packing group	III	III	III
Environmental hazards	-	-	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

California Prop. 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

State Right To Know

Massachusetts RTK	Ethanolamine	141-43-5
Minnesota HSL	Ethanolamine	141-43-5
	Benzyl alcohol	100-51-6
New Jersey HRTK	Ethanolamine	141-43-5
Pennsylvania RTKL	Ethanolamine	141-43-5
	Benzyl alcohol	100-51-6
	Water	7732-18-5
	Diisopropanolamine	110-97-4

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® TruFill™ Hyper Concentrate Floor Stripper

Version 1.0

Print Date 09/26/2016

Revision Date 06/29/2015

SDS Number 350000028567
GEN_SOF Number 50496

16. OTHER INFORMATION

HMIS Ratings

Health	3
Flammability	1
Reactivity	0

NFPA Ratings

Health	3
Fire	1
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--